


802.11ax HEW160-BF_Nss3,(MCS0)_4TX

PSD

5250MHz

29/07/2019




802.11ax HEW160-BF_Nss3,(MCS0)_4TX

PSD

5570MHz

29/07/2019





<non-beamforming mode> 4T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT160_Nss1,(MCS0)_4TX	Pass	AV	5.1364G	53.97	54.00	-0.03	4.25	3	Vertical	102	1.47	-

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	61.01	74.00	-12.99	4.25	3	Vertical	94	1.50	-	56.76
AV	5.1376G	47.68	54.00	-6.32	4.24	3	Vertical	94	1.50	-	43.44
PK	5.2648G	124.06	Inf	-Inf	4.51	3	Vertical	94	1.50	-	119.55
AV	5.2642G	114.52	Inf	-Inf	4.50	3	Vertical	94	1.50	-	110.02
PK	5.3512G	60.06	74.00	-13.94	4.81	3	Vertical	94	1.50	-	55.25
AV	5.3548G	47.39	54.00	-6.61	4.82	3	Vertical	94	1.50	-	42.57

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	60.37	74.00	-13.63	4.24	3	Horizontal	92	2.93	-	56.13
AV	5.1244G	46.91	54.00	-7.09	4.23	3	Horizontal	92	2.93	-	42.68
PK	5.257G	119.64	Inf	-Inf	4.48	3	Horizontal	92	2.93	-	115.16
AV	5.257G	109.74	Inf	-Inf	4.48	3	Horizontal	92	2.93	-	105.26
PK	5.3542G	59.65	74.00	-14.35	4.82	3	Horizontal	92	2.93	-	54.83
AV	5.35G	46.65	54.00	-7.35	4.81	3	Horizontal	92	2.93	-	41.84

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.52932G	53.58	68.20	-14.62	11.08	3	Vertical	188	2.96	-	42.50			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.51624G	53.05	68.20	-15.15	11.06	3	Horizontal	150	2.43	-	41.99			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3036G	123.31	Inf	-Inf	4.65	3	Vertical	96	1.50	-	118.66
AV	5.304G	114.11	Inf	-Inf	4.65	3	Vertical	96	1.50	-	109.46
PK	5.3516G	68.09	74.00	-5.91	4.81	3	Vertical	96	1.50	-	63.28
AV	5.3508G	50.20	54.00	-3.80	4.81	3	Vertical	96	1.50	-	45.39

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2936G	119.22	Inf	-Inf	4.62	3	Horizontal	242	2.57	-	114.60
AV	5.2924G	109.41	Inf	-Inf	4.61	3	Horizontal	242	2.57	-	104.80
PK	5.3528G	69.49	74.00	-4.51	4.82	3	Horizontal	242	2.57	-	64.67
AV	5.352G	49.03	54.00	-4.97	4.82	3	Horizontal	242	2.57	-	44.21

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6158G	53.52	74.00	-20.48	11.19	3	Vertical	1	1.42	-	42.33
AV	10.6083G	40.26	54.00	-13.74	11.19	3	Vertical	1	1.42	-	29.07

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5300MHz_TX




EUT Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.601G	53.38	74.00	-20.62	11.17	3	Horizontal	59	2.55	-	42.21
AV	10.6075G	40.26	54.00	-13.74	11.19	3	Horizontal	59	2.55	-	29.07

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 91
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.325G	121.07	Inf	-Inf	4.73	3	Vertical	95	1.50	-	116.34
AV	5.3242G	111.62	Inf	-Inf	4.72	3	Vertical	95	1.50	-	106.90
PK	5.354G	72.71	74.00	-1.29	4.82	3	Vertical	95	1.50	-	67.89
AV	5.353G	53.21	54.00	-0.79	4.82	3	Vertical	95	1.50	-	48.39

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5320MHz_TX




EUT Y_4TX
Setting 91
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3264G	117.69	Inf	-Inf	4.74	3	Horizontal	228	1.80	-	112.95
AV	5.3266G	108.09	Inf	-Inf	4.74	3	Horizontal	228	1.80	-	103.35
PK	5.3502G	69.53	74.00	-4.47	4.81	3	Horizontal	228	1.80	-	64.72
AV	5.35G	52.95	54.00	-1.05	4.81	3	Horizontal	228	1.80	-	48.14

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 91
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.6244G	53.18	74.00	-20.82	11.20	3	Vertical	2	2.79	-	41.98			
AV	10.6171G	40.47	54.00	-13.53	11.19	3	Vertical	2	2.79	-	29.28			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 91
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6213G	53.58	74.00	-20.42	11.20	3	Horizontal	308	2.56	-	42.38
AV	10.6452G	40.66	54.00	-13.34	11.23	3	Horizontal	308	2.56	-	29.43

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 80
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	60.34	74.00	-13.66	5.21	3	Vertical	160	2.16	-	55.13
AV	5.4588G	47.76	54.00	-6.24	5.22	3	Vertical	160	2.16	-	42.54
PK	5.4652G	67.96	68.20	-0.24	5.25	3	Vertical	160	2.16	-	62.71
PK	5.5038G	119.56	Inf	-Inf	5.39	3	Vertical	160	2.16	-	114.17
AV	5.504G	110.14	Inf	-Inf	5.39	3	Vertical	160	2.16	-	104.75

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 80
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	60.02	74.00	-13.98	5.22	3	Horizontal	329	2.90	-	54.80
AV	5.4542G	46.79	54.00	-7.21	5.19	3	Horizontal	329	2.90	-	41.60
PK	5.4686G	62.50	68.20	-5.70	5.26	3	Horizontal	329	2.90	-	57.24
PK	5.505G	115.13	Inf	-Inf	5.39	3	Horizontal	329	2.90	-	109.74
AV	5.504G	106.00	Inf	-Inf	5.39	3	Horizontal	329	2.90	-	100.61

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 80
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.002G	52.73	74.00	-21.27	11.71	3	Vertical	112	2.05	-	41.02
AV	10.9976G	39.67	54.00	-14.33	11.71	3	Vertical	112	2.05	-	27.96

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 80
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0232G	52.41	74.00	-21.59	11.72	3	Horizontal	142	2.77	-	40.69			
AV	10.9961G	39.53	54.00	-14.47	11.71	3	Horizontal	142	2.77	-	27.82			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5580MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	60.58	74.00	-13.42	5.18	3	Vertical	155	1.50	-	55.40
AV	5.4568G	47.61	54.00	-6.39	5.21	3	Vertical	155	1.50	-	42.40
PK	5.4672G	60.84	68.20	-7.36	5.25	3	Vertical	155	1.50	-	55.59
PK	5.5808G	124.25	Inf	-Inf	5.58	3	Vertical	155	1.50	-	118.67
AV	5.5816G	115.37	Inf	-Inf	5.59	3	Vertical	155	1.50	-	109.78
PK	5.7312G	63.07	68.20	-5.13	5.80	3	Vertical	155	1.50	-	57.27

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	59.43	74.00	-14.57	5.16	3	Horizontal	343	2.99	-	54.27
PK	5.4616G	59.96	68.20	-8.24	5.22	3	Horizontal	343	2.99	-	54.74
AV	5.4592G	46.90	54.00	-7.10	5.22	3	Horizontal	343	2.99	-	41.68
PK	5.5848G	122.38	Inf	-Inf	5.60	3	Horizontal	343	2.99	-	116.78
AV	5.5856G	112.61	Inf	-Inf	5.60	3	Horizontal	343	2.99	-	107.01
PK	5.7256G	61.53	68.20	-6.67	5.79	3	Horizontal	343	2.99	-	55.74

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1739G	53.73	74.00	-20.27	11.78	3	Vertical	242	1.93	-	41.95
AV	11.1635G	40.15	54.00	-13.85	11.78	3	Vertical	242	1.93	-	28.37

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1463G	53.22	74.00	-20.78	11.78	3	Horizontal	265	1.16	-	41.44			
AV	11.1539G	40.00	54.00	-14.00	11.78	3	Horizontal	265	1.16	-	28.22			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7026G	118.28	Inf	-Inf	5.75	3	Vertical	157	1.44	-	112.53
AV	5.7024G	108.65	Inf	-Inf	5.74	3	Vertical	157	1.44	-	102.91
PK	5.7312G	68.15	68.20	-0.05	5.80	3	Vertical	157	1.44	-	62.35

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.707G	116.10	Inf	-Inf	5.75	3	Horizontal	353	2.99	-	110.35
AV	5.7068G	106.58	Inf	-Inf	5.75	3	Horizontal	353	2.99	-	100.83
PK	5.7258G	66.71	68.20	-1.49	5.79	3	Horizontal	353	2.99	-	60.92

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4147G	52.97	74.00	-21.03	11.89	3	Vertical	170	1.69	-	41.08			
AV	11.4146G	40.05	54.00	-13.95	11.89	3	Vertical	170	1.69	-	28.16			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.385G	53.00	74.00	-21.00	11.88	3	Horizontal	256	1.57	-	41.12			
AV	11.4078G	40.11	54.00	-13.89	11.89	3	Horizontal	256	1.57	-	28.22			

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7224G	123.37	Inf	-Inf	5.79	3	Vertical	157	1.42	-	117.58
AV	5.7224G	113.87	Inf	-Inf	5.79	3	Vertical	157	1.42	-	108.08
PK	5.8744G	61.52	68.20	-6.68	6.52	3	Vertical	157	1.42	-	55.00

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7216G	119.74	Inf	-Inf	5.79	3	Horizontal	341	1.67	-	113.95
AV	5.7216G	110.66	Inf	-Inf	5.79	3	Horizontal	341	1.67	-	104.87
PK	5.9096G	61.08	68.20	-7.12	6.75	3	Horizontal	341	1.67	-	54.33

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.439G	52.95	74.00	-21.05	11.90	3	Vertical	90	2.81	-	41.05
AV	11.4271G	40.35	54.00	-13.65	11.91	3	Vertical	90	2.81	-	28.44

802.11a_Nss1,(6Mbps)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4213G	53.18	74.00	-20.82	11.89	3	Horizontal	38	2.48	-	41.29			
AV	11.4253G	40.32	54.00	-13.68	11.91	3	Horizontal	38	2.48	-	28.41			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1232G	60.86	74.00	-13.14	4.23	3	Vertical	95	1.50	-	56.63
AV	5.1478G	47.26	54.00	-6.74	4.25	3	Vertical	95	1.50	-	43.01
PK	5.2636G	122.48	Inf	-Inf	4.50	3	Vertical	95	1.50	-	117.98
AV	5.2612G	111.24	Inf	-Inf	4.49	3	Vertical	95	1.50	-	106.75
PK	5.3584G	59.86	74.00	-14.14	4.85	3	Vertical	95	1.50	-	55.01
AV	5.3524G	46.82	54.00	-7.18	4.82	3	Vertical	95	1.50	-	42.00

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	59.34	74.00	-14.66	4.25	3	Horizontal	231	1.69	-	55.09
AV	5.128G	45.57	54.00	-8.43	4.24	3	Horizontal	231	1.69	-	41.33
PK	5.2636G	120.58	Inf	-Inf	4.50	3	Horizontal	231	1.69	-	116.08
AV	5.2636G	108.79	Inf	-Inf	4.50	3	Horizontal	231	1.69	-	104.29
PK	5.3548G	60.03	74.00	-13.97	4.82	3	Horizontal	231	1.69	-	55.21
AV	5.35G	46.34	54.00	-7.66	4.81	3	Horizontal	231	1.69	-	41.53

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.5237G	53.90	68.20	-14.30	11.07	3	Vertical	305	1.58	-	42.83			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.5271G	53.69	68.20	-14.51	11.08	3	Horizontal	182	2.67	-	42.61			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3008G	121.75	Inf	-Inf	4.64	3	Vertical	99	1.50	-	117.11
AV	5.3008G	110.58	Inf	-Inf	4.64	3	Vertical	99	1.50	-	105.94
PK	5.3512G	71.67	74.00	-2.33	4.81	3	Vertical	99	1.50	-	66.86
AV	5.3508G	50.95	54.00	-3.05	4.81	3	Vertical	99	1.50	-	46.14

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.296G	119.85	Inf	-Inf	4.63	3	Horizontal	242	2.57	-	115.22
AV	5.2964G	108.48	Inf	-Inf	4.63	3	Horizontal	242	2.57	-	103.85
PK	5.3528G	68.24	74.00	-5.76	4.82	3	Horizontal	242	2.57	-	63.42
AV	5.35G	48.64	54.00	-5.36	4.81	3	Horizontal	242	2.57	-	43.83

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6029G	54.06	74.00	-19.94	11.17	3	Vertical	293	1.71	-	42.89
AV	10.6158G	40.06	54.00	-13.94	11.19	3	Vertical	293	1.71	-	28.87

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6089G	53.90	74.00	-20.10	11.19	3	Horizontal	286	1.59	-	42.71
AV	10.6191G	39.94	54.00	-14.06	11.20	3	Horizontal	286	1.59	-	28.74

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 89
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.322G	119.43	Inf	-Inf	4.72	3	Vertical	0	2.81	-	114.71
AV	5.3218G	108.58	Inf	-Inf	4.72	3	Vertical	0	2.81	-	103.86
PK	5.352G	73.51	74.00	-0.49	4.82	3	Vertical	0	2.81	-	68.69
AV	5.3518G	53.42	54.00	-0.58	4.82	3	Vertical	0	2.81	-	48.60

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5320MHz_TX




EUT Y_4TX
Setting 89
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3238G	117.53	Inf	-Inf	4.72	3	Horizontal	234	1.67	-	112.81
AV	5.3236G	105.75	Inf	-Inf	4.72	3	Horizontal	234	1.67	-	101.03
PK	5.35G	71.61	74.00	-2.39	4.81	3	Horizontal	234	1.67	-	66.80
AV	5.3534G	50.98	54.00	-3.02	4.82	3	Horizontal	234	1.67	-	46.16

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 89
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.6301G	53.50	74.00	-20.50	11.21	3	Vertical	335	1.17	-	42.29			
AV	10.6155G	39.94	54.00	-14.06	11.19	3	Vertical	335	1.17	-	28.75			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5320MHz_TX




EUT Y_4TX
Setting 89
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6484G	53.68	74.00	-20.32	11.24	3	Horizontal	274	2.14	-	42.44
AV	10.6155G	40.08	54.00	-13.92	11.19	3	Horizontal	274	2.14	-	28.89

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5500MHz_TX




EUT Y_4TX
Setting 78
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	60.35	74.00	-13.65	5.22	3	Vertical	337	1.71	-	55.13
AV	5.4594G	47.75	54.00	-6.25	5.22	3	Vertical	337	1.71	-	42.53
PK	5.4694G	68.05	68.20	-0.15	5.26	3	Vertical	337	1.71	-	62.79
PK	5.5012G	119.53	Inf	-Inf	5.38	3	Vertical	337	1.71	-	114.15
AV	5.5062G	108.15	Inf	-Inf	5.39	3	Vertical	337	1.71	-	102.76

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4534G	59.70	74.00	-14.30	5.19	3	Horizontal	343	2.79	-	54.51
AV	5.457G	46.95	54.00	-7.05	5.21	3	Horizontal	343	2.79	-	41.74
PK	5.4678G	63.04	68.20	-5.16	5.25	3	Horizontal	343	2.79	-	57.79
PK	5.503G	115.26	Inf	-Inf	5.39	3	Horizontal	343	2.79	-	109.87
AV	5.5028G	105.28	Inf	-Inf	5.39	3	Horizontal	343	2.79	-	99.89

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.9794G	52.89	74.00	-21.11	11.69	3	Vertical	222	2.89	-	41.20			
AV	10.9896G	39.35	54.00	-14.65	11.70	3	Vertical	222	2.89	-	27.65			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.99G	52.76	74.00	-21.24	11.70	3	Horizontal	329	1.54	-	41.06			
AV	10.9752G	39.37	54.00	-14.63	11.68	3	Horizontal	329	1.54	-	27.69			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4464G	59.48	74.00	-14.52	5.18	3	Vertical	153	1.50	-	54.30
PK	5.468G	60.53	68.20	-7.67	5.25	3	Vertical	153	1.50	-	55.28
AV	5.4592G	46.83	54.00	-7.17	5.22	3	Vertical	153	1.50	-	41.61
PK	5.5752G	124.07	Inf	-Inf	5.57	3	Vertical	153	1.50	-	118.50
AV	5.5808G	112.76	Inf	-Inf	5.58	3	Vertical	153	1.50	-	107.18
PK	5.7312G	64.45	68.20	-3.75	5.80	3	Vertical	153	1.50	-	58.65

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4552G	58.94	74.00	-15.06	5.21	3	Horizontal	106	1.50	-	53.73
AV	5.4544G	46.02	54.00	-7.98	5.19	3	Horizontal	106	1.50	-	40.83
PK	5.4648G	59.45	68.20	-8.75	5.23	3	Horizontal	106	1.50	-	54.22
PK	5.5832G	120.78	Inf	-Inf	5.60	3	Horizontal	106	1.50	-	115.18
AV	5.5776G	109.68	Inf	-Inf	5.58	3	Horizontal	106	1.50	-	104.10
PK	5.7664G	60.79	68.20	-7.41	5.89	3	Horizontal	106	1.50	-	54.90

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1691G	54.30	74.00	-19.70	11.78	3	Vertical	305	1.56	-	42.52			
AV	11.1564G	39.79	54.00	-14.21	11.78	3	Vertical	305	1.56	-	28.01			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1504G	54.12	74.00	-19.88	11.78	3	Horizontal	324	1.69	-	42.34
AV	11.1362G	39.81	54.00	-14.19	11.77	3	Horizontal	324	1.69	-	28.04

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.695G	117.51	Inf	-Inf	5.73	3	Vertical	151	1.44	-	111.78
AV	5.6954G	106.93	Inf	-Inf	5.74	3	Vertical	151	1.44	-	101.19
PK	5.7266G	67.89	68.20	-0.31	5.79	3	Vertical	151	1.44	-	62.10

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	114.08	Inf	-Inf	5.74	3	Horizontal	112	2.41	-	108.34
AV	5.702G	103.29	Inf	-Inf	5.74	3	Horizontal	112	2.41	-	97.55
PK	5.7262G	62.16	68.20	-6.04	5.79	3	Horizontal	112	2.41	-	56.37

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4013G	53.80	74.00	-20.20	11.89	3	Vertical	82	1.59	-	41.91
AV	11.4127G	40.28	54.00	-13.72	11.89	3	Vertical	82	1.59	-	28.39

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 76
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4G	54.36	74.00	-19.64	11.89	3	Horizontal	194	2.65	-	42.47
AV	11.4067G	40.40	54.00	-13.60	11.89	3	Horizontal	194	2.65	-	28.51

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-E-4-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7152G	123.75	Inf	-Inf	5.78	3	Vertical	151	1.47	-	117.97
AV	5.7152G	113.10	Inf	-Inf	5.78	3	Vertical	151	1.47	-	107.32
PK	5.8592G	62.21	68.20	-5.99	6.40	3	Vertical	151	1.47	-	55.81

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-E-4-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7224G	120.65	Inf	-Inf	5.79	3	Horizontal	110	2.39	-	114.86
AV	5.7176G	110.56	Inf	-Inf	5.79	3	Horizontal	110	2.39	-	104.77
PK	5.8592G	62.66	68.20	-5.54	6.40	3	Horizontal	110	2.39	-	56.26

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4614G	54.63	74.00	-19.37	11.91	3	Vertical	133	2.86	-	42.72			
AV	11.428G	41.16	54.00	-12.84	11.91	3	Vertical	133	2.86	-	29.25			

802.11ac VHT20_Nss1,(MCS0)_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-E-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4355G	54.52	74.00	-19.48	11.90	3	Horizontal	129	1.78	-	42.62
AV	11.4648G	41.24	54.00	-12.76	11.91	3	Horizontal	129	1.78	-	29.33

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT Y_4TX
Setting 94
01-E-4-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1362G	60.96	74.00	-13.04	4.25	3	Vertical	101	1.48	-	56.71
AV	5.1482G	49.30	54.00	-4.70	4.25	3	Vertical	101	1.48	-	45.05
PK	5.276G	118.30	Inf	-Inf	4.55	3	Vertical	101	1.48	-	113.75
AV	5.2658G	109.30	Inf	-Inf	4.52	3	Vertical	101	1.48	-	104.78
PK	5.3534G	68.88	74.00	-5.12	4.82	3	Vertical	101	1.48	-	64.06
AV	5.3528G	53.77	54.00	-0.23	4.82	3	Vertical	101	1.48	-	48.95

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 94
01-E-4-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.132G	60.44	74.00	-13.56	4.24	3	Horizontal	87	1.49	-	56.20
AV	5.147G	47.66	54.00	-6.34	4.25	3	Horizontal	87	1.49	-	43.41
PK	5.2718G	114.75	Inf	-Inf	4.54	3	Horizontal	87	1.49	-	110.21
AV	5.2772G	105.28	Inf	-Inf	4.55	3	Horizontal	87	1.49	-	100.73
PK	5.3564G	65.16	74.00	-8.84	4.83	3	Horizontal	87	1.49	-	60.33
AV	5.3522G	51.02	54.00	-2.98	4.82	3	Horizontal	87	1.49	-	46.20

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 94
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.81448G	58.35	74.00	-15.65	14.12	3	Vertical	236	2.19	-	44.23			
AV	15.81382G	45.75	54.00	-8.25	14.12	3	Vertical	236	2.19	-	31.63			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 94
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.81334G	58.22	74.00	-15.78	14.12	3	Horizontal	11	2.06	-	44.10			
AV	15.80562G	46.08	54.00	-7.92	14.14	3	Horizontal	11	2.06	-	31.94			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 77
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.316G	118.21	Inf	-Inf	4.70	3	Vertical	141	1.50	-	113.51
AV	5.3056G	104.35	Inf	-Inf	4.66	3	Vertical	141	1.50	-	99.69
PK	5.35001G	73.83	74.00	-0.17	4.81	3	Vertical	141	1.50	-	69.02
AV	5.3504G	52.33	54.00	-1.67	4.81	3	Vertical	141	1.50	-	47.52

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 77
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.3036G	111.37	Inf	-Inf	4.65	3	Horizontal	241	1.50	-	106.72			
AV	5.3036G	101.16	Inf	-Inf	4.65	3	Horizontal	241	1.50	-	96.51			
PK	5.3536G	68.07	74.00	-5.93	4.82	3	Horizontal	241	1.50	-	63.25			
AV	5.354G	49.84	54.00	-4.16	4.82	3	Horizontal	241	1.50	-	45.02			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9294G	60.19	74.00	-13.81	13.98	3	Vertical	14	1.61	-	46.21
AV	15.93498G	48.07	54.00	-5.93	13.98	3	Vertical	14	1.61	-	34.09

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.93406G	60.71	74.00	-13.29	13.99	3	Horizontal	287	1.94	-	46.72			
AV	15.92566G	47.74	54.00	-6.26	13.98	3	Horizontal	287	1.94	-	33.76			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT Y_4TX
Setting 72
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4552G	62.39	74.00	-11.61	5.21	3	Vertical	152	1.61	-	57.18
AV	5.46G	48.65	54.00	-5.35	5.22	3	Vertical	152	1.61	-	43.43
PK	5.4699G	67.97	68.20	-0.23	5.26	3	Vertical	152	1.61	-	62.71
PK	5.5208G	114.90	Inf	-Inf	5.44	3	Vertical	152	1.61	-	109.46
AV	5.516G	104.52	Inf	-Inf	5.42	3	Vertical	152	1.61	-	99.10

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT Y_4TX
Setting 72
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	61.03	74.00	-12.97	5.21	3	Horizontal	342	2.78	-	55.82
AV	5.4576G	48.46	54.00	-5.54	5.21	3	Horizontal	342	2.78	-	43.25
PK	5.4676G	62.10	68.20	-6.10	5.25	3	Horizontal	342	2.78	-	56.85
PK	5.5148G	112.02	Inf	-Inf	5.42	3	Horizontal	342	2.78	-	106.60
AV	5.5132G	101.99	Inf	-Inf	5.42	3	Horizontal	342	2.78	-	96.57

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 72
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01794G	53.22	74.00	-20.78	11.72	3	Vertical	202	1.41	-	41.50			
AV	11.016G	40.83	54.00	-13.17	11.72	3	Vertical	202	1.41	-	29.11			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 72
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01552G	52.97	74.00	-21.03	11.72	3	Horizontal	38	1.32	-	41.25			
AV	11.0158G	40.88	54.00	-13.12	11.72	3	Horizontal	38	1.32	-	29.16			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.14	74.00	-9.86	5.22	3	Vertical	154	1.54	-	58.92
AV	5.4594G	49.55	54.00	-4.45	5.22	3	Vertical	154	1.54	-	44.33
PK	5.4699G	67.98	68.20	-0.22	5.26	3	Vertical	154	1.54	-	62.72
PK	5.5458G	120.04	Inf	-Inf	5.50	3	Vertical	154	1.54	-	114.54
AV	5.5458G	110.18	Inf	-Inf	5.50	3	Vertical	154	1.54	-	104.68

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT Y_4TX
Setting 92
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4582G	61.40	74.00	-12.60	5.21	3	Horizontal	110	2.50	-	56.19
AV	5.4528G	48.87	54.00	-5.13	5.19	3	Horizontal	110	2.50	-	43.68
PK	5.4684G	63.99	68.20	-4.21	5.26	3	Horizontal	110	2.50	-	58.73
PK	5.5572G	115.69	Inf	-Inf	5.53	3	Horizontal	110	2.50	-	110.16
AV	5.5572G	106.69	Inf	-Inf	5.53	3	Horizontal	110	2.50	-	101.16

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01546G	53.57	74.00	-20.43	11.72	3	Vertical	229	1.59	-	41.85			
AV	11.01892G	40.74	54.00	-13.26	11.72	3	Vertical	229	1.59	-	29.02			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0168G	53.23	74.00	-20.77	11.72	3	Horizontal	2	2.28	-	41.51			
AV	11.024G	41.05	54.00	-12.95	11.72	3	Horizontal	2	2.28	-	29.33			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 77
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6712G	115.52	Inf	-Inf	5.71	3	Vertical	156	2.37	-	109.81
AV	5.6764G	105.84	Inf	-Inf	5.72	3	Vertical	156	2.37	-	100.12
PK	5.7252G	68.09	68.20	-0.11	5.79	3	Vertical	156	2.37	-	62.30

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 77
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6556G	110.96	Inf	-Inf	5.70	3	Horizontal	95	1.74	-	105.26
AV	5.6656G	101.51	Inf	-Inf	5.71	3	Horizontal	95	1.74	-	95.80
PK	5.7256G	62.01	68.20	-6.19	5.79	3	Horizontal	95	1.74	-	56.22

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.33956G	53.80	74.00	-20.20	11.86	3	Vertical	334	3.00	-	41.94			
AV	11.33738G	41.44	54.00	-12.56	11.86	3	Vertical	334	3.00	-	29.58			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.34022G	53.46	74.00	-20.54	11.86	3	Horizontal	89	1.70	-	41.60			
AV	11.33954G	41.10	54.00	-12.90	11.86	3	Horizontal	89	1.70	-	29.24			

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.706G	121.30	Inf	-Inf	5.75	3	Vertical	339	1.67	-	115.55
AV	5.7164G	110.78	Inf	-Inf	5.78	3	Vertical	339	1.67	-	105.00
PK	5.8524G	62.87	68.20	-5.33	6.34	3	Vertical	339	1.67	-	56.53

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7172G	117.81	Inf	-Inf	5.78	3	Horizontal	354	2.97	-	112.03
AV	5.7132G	108.71	Inf	-Inf	5.78	3	Horizontal	354	2.97	-	102.93
PK	5.8908G	62.24	68.20	-5.96	6.62	3	Horizontal	354	2.97	-	55.62

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41822G	53.89	74.00	-20.11	11.89	3	Vertical	16	1.52	-	42.00
AV	11.41888G	41.41	54.00	-12.59	11.89	3	Vertical	16	1.52	-	29.52

802.11ac VHT40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.42106G	54.55	74.00	-19.45	11.89	3	Horizontal	297	1.38	-	42.66			
AV	11.41556G	41.42	54.00	-12.58	11.89	3	Horizontal	297	1.38	-	29.53			

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT Y_4TX
Setting 77
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.139G	60.32	74.00	-13.68	4.24	3	Vertical	76	1.67	-	56.08
AV	5.147G	48.54	54.00	-5.46	4.25	3	Vertical	76	1.67	-	44.29
PK	5.277G	111.51	Inf	-Inf	4.55	3	Vertical	76	1.67	-	106.96
AV	5.283G	102.14	Inf	-Inf	4.58	3	Vertical	76	1.67	-	97.56
PK	5.355G	70.63	74.00	-3.37	4.82	3	Vertical	76	1.67	-	65.81
AV	5.353G	53.77	54.00	-0.23	4.82	3	Vertical	76	1.67	-	48.95
PK	5.487G	59.11	68.20	-9.09	5.33	3	Vertical	76	1.67	-	53.78

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT Y_4TX
Setting 77
01-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	59.74	74.00	-14.26	4.25	3	Horizontal	88	1.50	-	55.49
AV	5.147G	47.48	54.00	-6.52	4.25	3	Horizontal	88	1.50	-	43.23
PK	5.287G	107.58	Inf	-Inf	4.59	3	Horizontal	88	1.50	-	102.99
AV	5.282G	97.86	Inf	-Inf	4.58	3	Horizontal	88	1.50	-	93.28
PK	5.352G	68.79	74.00	-5.21	4.82	3	Horizontal	88	1.50	-	63.97
AV	5.353G	50.44	54.00	-3.56	4.82	3	Horizontal	88	1.50	-	45.62
PK	5.469G	58.99	68.20	-9.21	5.26	3	Horizontal	88	1.50	-	53.73

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT_Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87174G	59.72	74.00	-14.28	14.06	3	Vertical	44	2.14	-	45.66
AV	15.86616G	46.88	54.00	-7.12	14.06	3	Vertical	44	2.14	-	32.82

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT_Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.87374G	59.59	74.00	-14.41	14.05	3	Horizontal	230	2.10	-	45.54			
AV	15.8692G	46.96	54.00	-7.04	14.06	3	Horizontal	230	2.10	-	32.90			

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT Y_4TX
Setting 73
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.293G	58.47	68.20	-9.73	4.62	3	Vertical	155	1.60	-	53.85
PK	5.46G	64.30	74.00	-9.70	5.22	3	Vertical	155	1.60	-	59.08
AV	5.456G	51.50	54.00	-2.50	5.21	3	Vertical	155	1.60	-	46.29
PK	5.466G	67.32	68.20	-0.88	5.25	3	Vertical	155	1.60	-	62.07
PK	5.541G	112.72	Inf	-Inf	5.48	3	Vertical	155	1.60	-	107.24
AV	5.541G	102.09	Inf	-Inf	5.48	3	Vertical	155	1.60	-	96.61
PK	5.746G	60.56	68.20	-7.64	5.84	3	Vertical	155	1.60	-	54.72

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT Y_4TX
Setting 73
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.331G	57.89	68.20	-10.31	4.75	3	Horizontal	110	2.48	-	53.14
PK	5.452G	62.83	74.00	-11.17	5.19	3	Horizontal	110	2.48	-	57.64
AV	5.457G	50.01	54.00	-3.99	5.21	3	Horizontal	110	2.48	-	44.80
PK	5.467G	65.57	68.20	-2.63	5.25	3	Horizontal	110	2.48	-	60.32
PK	5.547G	109.03	Inf	-Inf	5.50	3	Horizontal	110	2.48	-	103.53
AV	5.542G	99.70	Inf	-Inf	5.48	3	Horizontal	110	2.48	-	94.22
PK	5.751G	60.11	68.20	-8.09	5.85	3	Horizontal	110	2.48	-	54.26

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 73
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06076G	53.40	74.00	-20.60	11.73	3	Vertical	35	1.29	-	41.67
AV	11.05664G	40.98	54.00	-13.02	11.73	3	Vertical	35	1.29	-	29.25

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 73
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.05836G	53.82	74.00	-20.18	11.73	3	Horizontal	61	1.89	-	42.09			
AV	11.05868G	40.91	54.00	-13.09	11.73	3	Horizontal	61	1.89	-	29.18			

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Y_4TX
Setting 87
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	60.96	74.00	-13.04	5.20	3	Vertical	156	1.47	-	55.76
AV	5.46G	48.42	54.00	-5.58	5.22	3	Vertical	156	1.47	-	43.20
PK	5.47G	61.86	68.20	-6.34	5.26	3	Vertical	156	1.47	-	56.60
PK	5.596G	115.24	Inf	-Inf	5.63	3	Vertical	156	1.47	-	109.61
AV	5.601G	104.58	Inf	-Inf	5.64	3	Vertical	156	1.47	-	98.94
PK	5.726G	68.03	68.20	-0.17	5.79	3	Vertical	156	1.47	-	62.24

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT Y_4TX
Setting 87
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.73	74.00	-14.27	5.22	3	Horizontal	105	1.55	-	54.51
AV	5.453G	47.59	54.00	-6.41	5.19	3	Horizontal	105	1.55	-	42.40
PK	5.467G	59.81	68.20	-8.39	5.25	3	Horizontal	105	1.55	-	54.56
PK	5.597G	110.52	Inf	-Inf	5.63	3	Horizontal	105	1.55	-	104.89
AV	5.603G	100.85	Inf	-Inf	5.64	3	Horizontal	105	1.55	-	95.21
PK	5.733G	65.14	68.20	-3.06	5.81	3	Horizontal	105	1.55	-	59.33

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Y_4TX
Setting 87
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.21724G	52.84	74.00	-21.16	11.80	3	Vertical	106	1.51	-	41.04			
AV	11.22278G	40.52	54.00	-13.48	11.81	3	Vertical	106	1.51	-	28.71			

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Y_4TX
Setting 87
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.21514G	52.89	74.00	-21.11	11.80	3	Horizontal	287	1.50	-	41.09			
AV	11.21688G	40.54	54.00	-13.46	11.80	3	Horizontal	287	1.50	-	28.74			

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 93
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.442G	59.64	74.00	-14.36	5.16	3	Vertical	156	1.50	-	54.48
PK	5.47G	59.50	68.20	-8.70	5.26	3	Vertical	156	1.50	-	54.24
AV	5.457G	47.66	54.00	-6.34	5.21	3	Vertical	156	1.50	-	42.45
PK	5.701G	116.28	Inf	-Inf	5.74	3	Vertical	156	1.50	-	110.54
AV	5.681G	105.72	Inf	-Inf	5.72	3	Vertical	156	1.50	-	100.00
PK	5.85G	67.33	68.20	-0.87	6.33	3	Vertical	156	1.50	-	61.00

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 93
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	58.97	74.00	-15.03	5.18	3	Horizontal	96	1.49	-	53.79
AV	5.457G	47.13	54.00	-6.87	5.21	3	Horizontal	96	1.49	-	41.92
PK	5.463G	59.05	68.20	-9.15	5.23	3	Horizontal	96	1.49	-	53.82
PK	5.676G	111.50	Inf	-Inf	5.72	3	Horizontal	96	1.49	-	105.78
AV	5.681G	101.98	Inf	-Inf	5.72	3	Horizontal	96	1.49	-	96.26
PK	5.856G	63.04	68.20	-5.16	6.38	3	Horizontal	96	1.49	-	56.66

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 93
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.37834G	53.23	74.00	-20.77	11.88	3	Vertical	168	1.41	-	41.35			
AV	11.37556G	40.89	54.00	-13.11	11.88	3	Vertical	168	1.41	-	29.01			

802.11ac VHT80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 93
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.38162G	53.41	74.00	-20.59	11.88	3	Horizontal	305	2.30	-	41.53			
AV	11.37612G	40.44	54.00	-13.56	11.88	3	Horizontal	305	2.30	-	28.56			

802.11ac VHT160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT Y_4TX
Setting 62
01-E-4-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	65.10	74.00	-8.90	4.24	3	Vertical	102	1.47	-	60.86
AV	5.1364G	53.97	54.00	-0.03	4.25	3	Vertical	102	1.47	-	49.72
PK	5.2452G	104.37	Inf	-Inf	4.44	3	Vertical	102	1.47	-	99.93
AV	5.2612G	96.58	Inf	-Inf	4.49	3	Vertical	102	1.47	-	92.09
PK	5.5764G	59.35	68.20	-8.85	5.57	3	Vertical	102	1.47	-	53.78
AV	5.3732G	49.75	54.00	-4.25	4.89	3	Vertical	102	1.47	-	44.86
PK	5.3796G	59.73	74.00	-14.27	4.92	3	Vertical	102	1.47	-	54.81

802.11ac VHT160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT_Y_4TX
Setting 62
01-E-4-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	62.42	74.00	-11.58	4.25	3	Horizontal	242	2.58	-	58.17
AV	5.1428G	51.97	54.00	-2.03	4.24	3	Horizontal	242	2.58	-	47.73
PK	5.2468G	102.36	Inf	-Inf	4.44	3	Horizontal	242	2.58	-	97.92
AV	5.2564G	93.91	Inf	-Inf	4.48	3	Horizontal	242	2.58	-	89.43
PK	5.4756G	59.04	68.20	-9.16	5.29	3	Horizontal	242	2.58	-	53.75
AV	5.3716G	48.92	54.00	-5.08	4.88	3	Horizontal	242	2.58	-	44.04
PK	5.3844G	60.92	74.00	-13.08	4.93	3	Horizontal	242	2.58	-	55.99

802.11ac VHT160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT_Y_4TX
Setting 62
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.7458G	58.91	74.00	-15.09	14.21	3	Vertical	344	1.72	-	44.70			
AV	15.74564G	48.11	54.00	-5.89	14.21	3	Vertical	344	1.72	-	33.90			

802.11ac VHT160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT_Y_4TX
Setting 62
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7526G	59.20	74.00	-14.80	14.20	3	Horizontal	129	2.43	-	45.00
AV	15.74976G	48.15	54.00	-5.85	14.21	3	Horizontal	129	2.43	-	33.94

802.11ac VHT160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3348G	58.54	68.20	-9.66	4.76	3	Vertical	155	1.50	-	53.78
PK	5.4532G	64.14	74.00	-9.86	5.19	3	Vertical	155	1.50	-	58.95
PK	5.4612G	63.19	68.20	-5.01	5.22	3	Vertical	155	1.50	-	57.97
AV	5.4596G	53.80	54.00	-0.20	5.22	3	Vertical	155	1.50	-	48.58
PK	5.6004G	107.84	Inf	-Inf	5.64	3	Vertical	155	1.50	-	102.20
AV	5.5812G	99.09	Inf	-Inf	5.58	3	Vertical	155	1.50	-	93.51
PK	5.7652G	63.56	68.20	-4.64	5.89	3	Vertical	155	1.50	-	57.67

802.11ac VHT160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.282G	58.78	68.20	-9.42	4.58	3	Horizontal	110	2.42	-	54.20
PK	5.4516G	62.20	74.00	-11.80	5.18	3	Horizontal	110	2.42	-	57.02
AV	5.4532G	52.29	54.00	-1.71	5.19	3	Horizontal	110	2.42	-	47.10
PK	5.4612G	64.47	68.20	-3.73	5.22	3	Horizontal	110	2.42	-	59.25
PK	5.5844G	104.96	Inf	-Inf	5.60	3	Horizontal	110	2.42	-	99.36
AV	5.5828G	95.48	Inf	-Inf	5.60	3	Horizontal	110	2.42	-	89.88
PK	5.7252G	62.42	68.20	-5.78	5.79	3	Horizontal	110	2.42	-	56.63

802.11ac VHT160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.13726G	53.27	74.00	-20.73	11.77	3	Vertical	27	1.38	-	41.50			
AV	11.13854G	42.46	54.00	-11.54	11.77	3	Vertical	27	1.38	-	30.69			

802.11ac VHT160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.13622G	53.14	74.00	-20.86	11.77	3	Horizontal	130	1.85	-	41.37			
AV	11.1352G	42.41	54.00	-11.59	11.77	3	Horizontal	130	1.85	-	30.64			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	60.49	74.00	-13.51	4.24	3	Vertical	95	1.50	-	56.25
AV	5.15G	47.83	54.00	-6.17	4.25	3	Vertical	95	1.50	-	43.58
PK	5.2612G	125.18	Inf	-Inf	4.49	3	Vertical	95	1.50	-	120.69
AV	5.2612G	112.60	Inf	-Inf	4.49	3	Vertical	95	1.50	-	108.11
PK	5.3584G	59.85	74.00	-14.15	4.85	3	Vertical	95	1.50	-	55.00
AV	5.353G	47.52	54.00	-6.48	4.82	3	Vertical	95	1.50	-	42.70

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1298G	60.19	74.00	-13.81	4.24	3	Horizontal	239	2.69	-	55.95
AV	5.146G	46.40	54.00	-7.60	4.25	3	Horizontal	239	2.69	-	42.15
PK	5.2612G	121.68	Inf	-Inf	4.49	3	Horizontal	239	2.69	-	117.19
AV	5.2612G	109.22	Inf	-Inf	4.49	3	Horizontal	239	2.69	-	104.73
PK	5.3728G	58.96	74.00	-15.04	4.89	3	Horizontal	239	2.69	-	54.07
AV	5.3584G	46.36	54.00	-7.64	4.85	3	Horizontal	239	2.69	-	41.51

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78452G	59.90	74.00	-14.10	14.17	3	Vertical	280	1.09	-	45.73
AV	15.78408G	44.76	54.00	-9.24	14.17	3	Vertical	280	1.09	-	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.78374G	58.02	74.00	-15.98	14.17	3	Horizontal	151	1.32	-	43.85			
AV	15.78312G	44.75	54.00	-9.25	14.17	3	Horizontal	151	1.32	-	30.58			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3012G	123.91	Inf	-Inf	4.64	3	Vertical	95	1.50	-	119.27
AV	5.3012G	111.61	Inf	-Inf	4.64	3	Vertical	95	1.50	-	106.97
PK	5.35G	72.28	74.00	-1.72	4.81	3	Vertical	95	1.50	-	67.47
AV	5.35G	53.87	54.00	-0.13	4.81	3	Vertical	95	1.50	-	49.06

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3012G	121.51	Inf	-Inf	4.64	3	Horizontal	240	2.60	-	116.87
AV	5.3012G	108.79	Inf	-Inf	4.64	3	Horizontal	240	2.60	-	104.15
PK	5.351G	71.10	74.00	-2.90	4.81	3	Horizontal	240	2.60	-	66.29
AV	5.351G	52.31	54.00	-1.69	4.81	3	Horizontal	240	2.60	-	47.50

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5300MHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.9049G	59.75	74.00	-14.25	14.02	3	Vertical	296	2.39	-	45.73			
AV	15.90454G	46.34	54.00	-7.66	14.02	3	Vertical	296	2.39	-	32.32			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9036G	59.62	74.00	-14.38	14.02	3	Horizontal	167	2.03	-	45.60
AV	15.90072G	46.15	54.00	-7.85	14.02	3	Horizontal	167	2.03	-	32.13

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 85
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	121.57	Inf	-Inf	4.70	3	Vertical	1	2.82	-	116.87
AV	5.3216G	108.89	Inf	-Inf	4.71	3	Vertical	1	2.82	-	104.18
PK	5.3516G	73.48	74.00	-0.52	4.81	3	Vertical	1	2.82	-	68.67
AV	5.3516G	53.13	54.00	-0.87	4.81	3	Vertical	1	2.82	-	48.32

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5320MHz_TX




EUT Y_4TX
Setting 85
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3212G	117.71	Inf	-Inf	4.71	3	Horizontal	237	2.68	-	113.00
AV	5.316G	105.13	Inf	-Inf	4.70	3	Horizontal	237	2.68	-	100.43
PK	5.3524G	70.47	74.00	-3.53	4.82	3	Horizontal	237	2.68	-	65.65
AV	5.3528G	50.62	54.00	-3.38	4.82	3	Horizontal	237	2.68	-	45.80

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 85
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.9578G	61.09	74.00	-12.91	13.96	3	Vertical	53	1.78	-	47.13			
AV	15.95538G	47.25	54.00	-6.75	13.96	3	Vertical	53	1.78	-	33.29			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5320MHz_TX




EUT Y_4TX
Setting 85
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.96092G	60.58	74.00	-13.42	13.94	3	Horizontal	340	2.79	-	46.64			
AV	15.96144G	47.14	54.00	-6.86	13.94	3	Horizontal	340	2.79	-	33.20			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5500MHz_TX




EUT Y_4TX
Setting 79
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	63.43	74.00	-10.57	5.21	3	Vertical	0	2.80	-	58.22
AV	5.4564G	47.28	54.00	-6.72	5.21	3	Vertical	0	2.80	-	42.07
PK	5.466G	68.06	68.20	-0.14	5.25	3	Vertical	0	2.80	-	62.81
PK	5.4968G	120.88	Inf	-Inf	5.37	3	Vertical	0	2.80	-	115.51
AV	5.5016G	108.40	Inf	-Inf	5.38	3	Vertical	0	2.80	-	103.02

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 79
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4484G	59.71	74.00	-14.29	5.19	3	Horizontal	343	2.83	-	54.52
AV	5.4576G	47.22	54.00	-6.78	5.21	3	Horizontal	343	2.83	-	42.01
PK	5.4676G	66.06	68.20	-2.14	5.25	3	Horizontal	343	2.83	-	60.81
PK	5.4924G	117.62	Inf	-Inf	5.35	3	Horizontal	343	2.83	-	112.27
AV	5.5028G	106.07	Inf	-Inf	5.39	3	Horizontal	343	2.83	-	100.68

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 79
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.00116G	53.64	74.00	-20.36	11.71	3	Vertical	281	1.54	-	41.93			
AV	10.99526G	40.04	54.00	-13.96	11.71	3	Vertical	281	1.54	-	28.33			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 79
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.00098G	53.86	74.00	-20.14	11.71	3	Horizontal	298	1.23	-	42.15			
AV	11.00056G	40.15	54.00	-13.85	11.71	3	Horizontal	298	1.23	-	28.44			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5580MHz_TX




EUT Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	60.85	74.00	-13.15	5.21	3	Vertical	154	1.50	-	55.64
AV	5.4592G	47.38	54.00	-6.62	5.22	3	Vertical	154	1.50	-	42.16
PK	5.4688G	60.25	68.20	-7.95	5.26	3	Vertical	154	1.50	-	54.99
PK	5.5856G	125.80	Inf	-Inf	5.60	3	Vertical	154	1.50	-	120.20
AV	5.5752G	114.09	Inf	-Inf	5.57	3	Vertical	154	1.50	-	108.52
PK	5.7296G	63.50	68.20	-4.70	5.80	3	Vertical	154	1.50	-	57.70

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5580MHz_TX




EUT Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)			
PK	5.4352G	59.45	74.00	-14.55	5.14	3	Horizontal	105	1.49	-	54.31			
PK	5.4696G	59.09	68.20	-9.11	5.26	3	Horizontal	105	1.49	-	53.83			
AV	5.46G	46.72	54.00	-7.28	5.22	3	Horizontal	105	1.49	-	41.50			
PK	5.5776G	121.33	Inf	-Inf	5.58	3	Horizontal	105	1.49	-	115.75			
AV	5.5832G	110.45	Inf	-Inf	5.60	3	Horizontal	105	1.49	-	104.85			
PK	5.7624G	60.10	68.20	-8.10	5.87	3	Horizontal	105	1.49	-	54.23			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1641G	53.06	74.00	-20.94	11.78	3	Vertical	138	2.31	-	41.28			
AV	11.1598G	39.76	54.00	-14.24	11.78	3	Vertical	138	2.31	-	27.98			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.16046G	53.70	74.00	-20.30	11.78	3	Horizontal	226	1.46	-	41.92			
AV	11.16112G	39.77	54.00	-14.23	11.78	3	Horizontal	226	1.46	-	27.99			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 65
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7054G	116.23	Inf	-Inf	5.75	3	Vertical	152	1.50	-	110.48
AV	5.6958G	104.25	Inf	-Inf	5.74	3	Vertical	152	1.50	-	98.51
PK	5.7258G	68.11	68.20	-0.09	5.79	3	Vertical	152	1.50	-	62.32

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 65
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7054G	111.91	Inf	-Inf	5.75	3	Horizontal	96	1.38	-	106.16
AV	5.6958G	100.47	Inf	-Inf	5.74	3	Horizontal	96	1.38	-	94.73
PK	5.7258G	66.31	68.20	-1.89	5.79	3	Horizontal	96	1.38	-	60.52

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5700MHz_TX




EUT Y_4TX
Setting 65
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.39858G	54.02	74.00	-19.98	11.89	3	Vertical	267	1.32	-	42.13			
AV	11.39548G	40.50	54.00	-13.50	11.88	3	Vertical	267	1.32	-	28.62			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5700MHz_TX




EUT Y_4TX
Setting 65
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.39832G	53.44	74.00	-20.56	11.89	3	Horizontal	212	2.70	-	41.55			
AV	11.3985G	40.39	54.00	-13.61	11.89	3	Horizontal	212	2.70	-	28.50			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.716G	124.73	Inf	-Inf	5.78	3	Vertical	152	1.42	-	118.95
AV	5.7208G	112.55	Inf	-Inf	5.79	3	Vertical	152	1.42	-	106.76
PK	5.8752G	61.75	68.20	-6.45	6.52	3	Vertical	152	1.42	-	55.23

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7136G	123.10	Inf	-Inf	5.78	3	Horizontal	353	2.99	-	117.32
AV	5.7184G	111.33	Inf	-Inf	5.79	3	Horizontal	353	2.99	-	105.54
PK	5.8832G	62.07	68.20	-6.13	6.58	3	Horizontal	353	2.99	-	55.49

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.44364G	53.85	74.00	-20.15	11.90	3	Vertical	300	2.31	-	41.95			
AV	11.43582G	40.88	54.00	-13.12	11.90	3	Vertical	300	2.31	-	28.98			

802.11ax HEW20_Nss1,(MCS0)_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.43652G	54.20	74.00	-19.80	11.90	3	Horizontal	37	1.69	-	42.30			
AV	11.43554G	40.86	54.00	-13.14	11.90	3	Horizontal	37	1.69	-	28.96			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 92
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	62.57	74.00	-11.43	4.25	3	Vertical	100	1.49	-	58.32
AV	5.1458G	49.16	54.00	-4.84	4.25	3	Vertical	100	1.49	-	44.91
PK	5.2658G	120.27	Inf	-Inf	4.52	3	Vertical	100	1.49	-	115.75
AV	5.2658G	108.90	Inf	-Inf	4.52	3	Vertical	100	1.49	-	104.38
PK	5.3522G	69.42	74.00	-4.58	4.82	3	Vertical	100	1.49	-	64.60
AV	5.351G	53.66	54.00	-0.34	4.81	3	Vertical	100	1.49	-	48.85

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 92
01-D-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.129G	59.58	74.00	-14.42	4.24	3	Horizontal	87	1.47	-	55.34
AV	5.1476G	47.80	54.00	-6.20	4.25	3	Horizontal	87	1.47	-	43.55
PK	5.267G	117.88	Inf	-Inf	4.52	3	Horizontal	87	1.47	-	113.36
AV	5.267G	105.33	Inf	-Inf	4.52	3	Horizontal	87	1.47	-	100.81
PK	5.3522G	67.51	74.00	-6.49	4.82	3	Horizontal	87	1.47	-	62.69
AV	5.3522G	50.91	54.00	-3.09	4.82	3	Horizontal	87	1.47	-	46.09

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 92
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.80574G	59.10	74.00	-14.90	14.14	3	Vertical	209	1.28	-	44.96			
AV	15.80656G	45.83	54.00	-8.17	14.14	3	Vertical	209	1.28	-	31.69			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 92
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.80554G	58.59	74.00	-15.41	14.14	3	Horizontal	212	1.39	-	44.45			
AV	15.80638G	45.59	54.00	-8.41	14.14	3	Horizontal	212	1.39	-	31.45			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT Y_4TX
Setting 78
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2974G	114.52	Inf	-Inf	4.63	3	Vertical	97	1.47	-	109.89
AV	5.316G	103.91	Inf	-Inf	4.70	3	Vertical	97	1.47	-	99.21
PK	5.3532G	73.79	74.00	-0.21	4.82	3	Vertical	97	1.47	-	68.97
AV	5.3514G	53.70	54.00	-0.30	4.81	3	Vertical	97	1.47	-	48.89

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT Y_4TX
Setting 78
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	112.05	Inf	-Inf	4.63	3	Horizontal	240	2.55	-	107.42
AV	5.2962G	101.10	Inf	-Inf	4.63	3	Horizontal	240	2.55	-	96.47
PK	5.3526G	67.86	74.00	-6.14	4.82	3	Horizontal	240	2.55	-	63.04
AV	5.3526G	50.23	54.00	-3.77	4.82	3	Horizontal	240	2.55	-	45.41

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 78
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.93494G	59.95	74.00	-14.05	13.98	3	Vertical	131	1.96	-	45.97			
AV	15.92662G	47.41	54.00	-6.59	13.98	3	Vertical	131	1.96	-	33.43			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 78
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.926G	60.34	74.00	-13.66	13.98	3	Horizontal	114	1.20	-	46.36			
AV	15.92718G	47.24	54.00	-6.76	13.98	3	Horizontal	114	1.20	-	33.26			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT Y_4TX
Setting 75
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	63.57	74.00	-10.43	5.18	3	Vertical	151	1.62	-	58.39
PK	5.466G	67.89	68.20	-0.31	5.25	3	Vertical	151	1.62	-	62.64
AV	5.46G	49.51	54.00	-4.49	5.22	3	Vertical	151	1.62	-	44.29
PK	5.5156G	116.95	Inf	-Inf	5.42	3	Vertical	151	1.62	-	111.53
AV	5.516G	105.20	Inf	-Inf	5.42	3	Vertical	151	1.62	-	99.78

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT Y_4TX
Setting 75
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	61.79	74.00	-12.21	5.21	3	Horizontal	343	2.78	-	56.58
AV	5.458G	48.78	54.00	-5.22	5.21	3	Horizontal	343	2.78	-	43.57
PK	5.4684G	64.52	68.20	-3.68	5.26	3	Horizontal	343	2.78	-	59.26
PK	5.518G	113.56	Inf	-Inf	5.43	3	Horizontal	343	2.78	-	108.13
AV	5.518G	102.52	Inf	-Inf	5.43	3	Horizontal	343	2.78	-	97.09

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 75
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0214G	52.94	74.00	-21.06	11.72	3	Vertical	188	2.03	-	41.22			
AV	11.02006G	40.60	54.00	-13.40	11.72	3	Vertical	188	2.03	-	28.88			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 75
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01698G	53.52	74.00	-20.48	11.72	3	Horizontal	229	2.39	-	41.80			
AV	11.01882G	40.52	54.00	-13.48	11.72	3	Horizontal	229	2.39	-	28.80			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	64.31	74.00	-9.69	5.22	3	Vertical	154	1.55	-	59.09
AV	5.46G	49.64	54.00	-4.36	5.22	3	Vertical	154	1.55	-	44.42
PK	5.4696G	67.73	68.20	-0.47	5.26	3	Vertical	154	1.55	-	62.47
PK	5.5554G	121.49	Inf	-Inf	5.52	3	Vertical	154	1.55	-	115.97
AV	5.5458G	109.55	Inf	-Inf	5.50	3	Vertical	154	1.55	-	104.05

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.53	74.00	-10.47	5.22	3	Horizontal	96	2.51	-	58.31
AV	5.46G	49.28	54.00	-4.72	5.22	3	Horizontal	96	2.51	-	44.06
PK	5.47G	64.99	68.20	-3.21	5.26	3	Horizontal	96	2.51	-	59.73
PK	5.554G	118.66	Inf	-Inf	5.52	3	Horizontal	96	2.51	-	113.14
AV	5.554G	106.24	Inf	-Inf	5.52	3	Horizontal	96	2.51	-	100.72

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.09934G	53.12	74.00	-20.88	11.76	3	Vertical	345	1.29	-	41.36			
AV	11.09814G	41.15	54.00	-12.85	11.76	3	Vertical	345	1.29	-	29.39			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 92
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.09716G	53.33	74.00	-20.67	11.76	3	Horizontal	67	2.49	-	41.57			
AV	11.09588G	41.03	54.00	-12.97	11.76	3	Horizontal	67	2.49	-	29.27			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 79
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6754G	117.74	Inf	-Inf	5.72	3	Vertical	150	1.50	-	112.02
AV	5.6856G	105.65	Inf	-Inf	5.73	3	Vertical	150	1.50	-	99.92
PK	5.7252G	68.06	68.20	-0.14	5.79	3	Vertical	150	1.50	-	62.27

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 79
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6754G	114.06	Inf	-Inf	5.72	3	Horizontal	95	1.50	-	108.34
AV	5.676G	101.99	Inf	-Inf	5.72	3	Horizontal	95	1.50	-	96.27
PK	5.73G	62.47	68.20	-5.73	5.80	3	Horizontal	95	1.50	-	56.67

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 79
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34004G	53.60	74.00	-20.40	11.86	3	Vertical	279	1.73	-	41.74
AV	11.33696G	41.26	54.00	-12.74	11.86	3	Vertical	279	1.73	-	29.40

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 79
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.33986G	53.47	74.00	-20.53	11.86	3	Horizontal	11	2.68	-	41.61			
AV	11.34238G	41.13	54.00	-12.87	11.86	3	Horizontal	11	2.68	-	29.27			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7156G	122.52	Inf	-Inf	5.78	3	Vertical	151	1.47	-	116.74
AV	5.7156G	110.49	Inf	-Inf	5.78	3	Vertical	151	1.47	-	104.71
PK	5.874G	63.37	68.20	-4.83	6.51	3	Vertical	151	1.47	-	56.86

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.718G	119.39	Inf	-Inf	5.79	3	Horizontal	353	2.99	-	113.60
AV	5.7132G	108.52	Inf	-Inf	5.78	3	Horizontal	353	2.99	-	102.74
PK	5.8748G	61.64	68.20	-6.56	6.52	3	Horizontal	353	2.99	-	55.12

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.42068G	54.46	74.00	-19.54	11.89	3	Vertical	222	2.25	-	42.57			
AV	11.4231G	41.64	54.00	-12.36	11.90	3	Vertical	222	2.25	-	29.74			

802.11ax HEW40_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.41632G	54.22	74.00	-19.78	11.89	3	Horizontal	180	2.23	-	42.33			
AV	11.41852G	41.85	54.00	-12.15	11.89	3	Horizontal	180	2.23	-	29.96			

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT Y_4TX
Setting 78
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	62.93	74.00	-11.07	4.24	3	Vertical	98	1.75	-	58.69
AV	5.148G	49.57	54.00	-4.43	4.25	3	Vertical	98	1.75	-	45.32
PK	5.281G	112.91	Inf	-Inf	4.57	3	Vertical	98	1.75	-	108.34
AV	5.281G	101.52	Inf	-Inf	4.57	3	Vertical	98	1.75	-	96.95
PK	5.356G	71.56	74.00	-2.44	4.83	3	Vertical	98	1.75	-	66.73
AV	5.351G	53.74	54.00	-0.26	4.81	3	Vertical	98	1.75	-	48.93
PK	5.492G	59.12	68.20	-9.08	5.35	3	Vertical	98	1.75	-	53.77

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT Y_4TX
Setting 78
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	58.82	74.00	-15.18	4.25	3	Horizontal	240	2.61	-	54.57
AV	5.145G	47.34	54.00	-6.66	4.25	3	Horizontal	240	2.61	-	43.09
PK	5.281G	111.05	Inf	-Inf	4.57	3	Horizontal	240	2.61	-	106.48
AV	5.281G	100.04	Inf	-Inf	4.57	3	Horizontal	240	2.61	-	95.47
PK	5.351G	69.73	74.00	-4.27	4.81	3	Horizontal	240	2.61	-	64.92
AV	5.351G	51.42	54.00	-2.58	4.81	3	Horizontal	240	2.61	-	46.61
PK	5.522G	58.51	68.20	-9.69	5.44	3	Horizontal	240	2.61	-	53.07

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT_Y_4TX
Setting 78
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86516G	59.19	74.00	-14.81	14.06	3	Vertical	92	2.49	-	45.13
AV	15.87162G	46.80	54.00	-7.20	14.06	3	Vertical	92	2.49	-	32.74

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT_Y_4TX
Setting 78
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8747G	59.17	74.00	-14.83	14.05	3	Horizontal	168	1.16	-	45.12
AV	15.86866G	47.03	54.00	-6.97	14.06	3	Horizontal	168	1.16	-	32.97

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT Y_4TX
Setting 75
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.305G	57.98	68.20	-10.22	4.65	3	Vertical	155	1.53	-	53.33			
PK	5.441G	64.27	74.00	-9.73	5.15	3	Vertical	155	1.53	-	59.12			
PK	5.47G	68.11	68.20	-0.09	5.26	3	Vertical	155	1.53	-	62.85			
AV	5.46G	53.29	54.00	-0.71	5.22	3	Vertical	155	1.53	-	48.07			
PK	5.541G	115.62	Inf	-Inf	5.48	3	Vertical	155	1.53	-	110.14			
AV	5.541G	102.84	Inf	-Inf	5.48	3	Vertical	155	1.53	-	97.36			
PK	5.736G	61.01	68.20	-7.19	5.81	3	Vertical	155	1.53	-	55.20			

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT Y_4TX
Setting 75
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.308G	58.16	68.20	-10.04	4.66	3	Horizontal	334	2.80	-	53.50
PK	5.457G	63.92	74.00	-10.08	5.21	3	Horizontal	334	2.80	-	58.71
AV	5.457G	51.30	54.00	-2.70	5.21	3	Horizontal	334	2.80	-	46.09
PK	5.466G	63.58	68.20	-4.62	5.25	3	Horizontal	334	2.80	-	58.33
PK	5.533G	110.62	Inf	-Inf	5.47	3	Horizontal	334	2.80	-	105.15
AV	5.538G	99.96	Inf	-Inf	5.48	3	Horizontal	334	2.80	-	94.48
PK	5.777G	59.48	68.20	-8.72	5.90	3	Horizontal	334	2.80	-	53.58

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 75
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06032G	53.59	74.00	-20.41	11.73	3	Vertical	346	2.20	-	41.86
AV	11.06424G	40.93	54.00	-13.07	11.74	3	Vertical	346	2.20	-	29.19

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 75
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.05912G	53.62	74.00	-20.38	11.73	3	Horizontal	360	1.51	-	41.89			
AV	11.05854G	40.85	54.00	-13.15	11.73	3	Horizontal	360	1.51	-	29.12			

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT Y_4TX
Setting 86
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	60.37	74.00	-13.63	5.20	3	Vertical	154	1.48	-	55.17
AV	5.46G	48.17	54.00	-5.83	5.22	3	Vertical	154	1.48	-	42.95
PK	5.469G	61.56	68.20	-6.64	5.26	3	Vertical	154	1.48	-	56.30
PK	5.601G	115.75	Inf	-Inf	5.64	3	Vertical	154	1.48	-	110.11
AV	5.595G	104.85	Inf	-Inf	5.63	3	Vertical	154	1.48	-	99.22
PK	5.726G	68.14	68.20	-0.06	5.79	3	Vertical	154	1.48	-	62.35

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Y_4TX
Setting 86
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	58.86	74.00	-15.14	5.22	3	Horizontal	98	1.50	-	53.64
AV	5.443G	47.10	54.00	-6.90	5.16	3	Horizontal	98	1.50	-	41.94
PK	5.468G	60.34	68.20	-7.86	5.25	3	Horizontal	98	1.50	-	55.09
PK	5.6G	111.91	Inf	-Inf	5.64	3	Horizontal	98	1.50	-	106.27
AV	5.595G	100.91	Inf	-Inf	5.63	3	Horizontal	98	1.50	-	95.28
PK	5.726G	67.13	68.20	-1.07	5.79	3	Horizontal	98	1.50	-	61.34

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Y_4TX
Setting 86
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21796G	53.59	74.00	-20.41	11.81	3	Vertical	182	2.02	-	41.78
AV	11.22488G	40.97	54.00	-13.03	11.81	3	Vertical	182	2.02	-	29.16

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT Y_4TX
Setting 86
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.21548G	53.02	74.00	-20.98	11.80	3	Horizontal	179	1.27	-	41.22			
AV	11.21612G	40.87	54.00	-13.13	11.80	3	Horizontal	179	1.27	-	29.07			

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.457G	59.42	74.00	-14.58	5.21	3	Vertical	154	2.44	-	54.21
AV	5.457G	47.43	54.00	-6.57	5.21	3	Vertical	154	2.44	-	42.22
AV	5.46G	46.95	54.00	-7.05	5.22	3	Vertical	154	2.44	-	41.73
PK	5.468G	59.60	68.20	-8.60	5.25	3	Vertical	154	2.44	-	54.35
PK	5.701G	119.58	Inf	-Inf	5.74	3	Vertical	154	2.44	-	113.84
AV	5.701G	106.66	Inf	-Inf	5.74	3	Vertical	154	2.44	-	100.92
PK	5.853G	67.97	68.20	-0.23	6.35	3	Vertical	154	2.44	-	61.62

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	58.87	74.00	-15.13	5.16	3	Horizontal	98	1.83	-	53.71
PK	5.47G	59.16	68.20	-9.04	5.26	3	Horizontal	98	1.83	-	53.90
AV	5.46G	47.38	54.00	-6.62	5.22	3	Horizontal	98	1.83	-	42.16
AV	5.46G	47.38	54.00	-6.62	5.22	3	Horizontal	98	1.83	-	42.16
PK	5.68G	114.26	Inf	-Inf	5.72	3	Horizontal	98	1.83	-	108.54
AV	5.681G	103.15	Inf	-Inf	5.72	3	Horizontal	98	1.83	-	97.43
PK	5.861G	64.98	68.20	-3.22	6.41	3	Horizontal	98	1.83	-	58.57

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38316G	54.22	74.00	-19.78	11.88	3	Vertical	81	2.33	-	42.34
AV	11.37742G	41.69	54.00	-12.31	11.88	3	Vertical	81	2.33	-	29.81

802.11ax HEW80_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3799G	54.51	74.00	-19.49	11.88	3	Horizontal	126	1.72	-	42.63
AV	11.38206G	41.69	54.00	-12.31	11.88	3	Horizontal	126	1.72	-	29.81

802.11ax HEW160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT Y_4TX
Setting 61
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1396G	64.71	74.00	-9.29	4.24	3	Vertical	99	1.48	-	60.47
AV	5.138G	53.91	54.00	-0.09	4.24	3	Vertical	99	1.48	-	49.67
PK	5.2564G	106.55	Inf	-Inf	4.48	3	Vertical	99	1.48	-	102.07
AV	5.2564G	96.20	Inf	-Inf	4.48	3	Vertical	99	1.48	-	91.72
PK	5.3732G	60.28	74.00	-13.72	4.89	3	Vertical	99	1.48	-	55.39
AV	5.3732G	50.23	54.00	-3.77	4.89	3	Vertical	99	1.48	-	45.34
PK	5.506G	58.82	68.20	-9.38	5.39	3	Vertical	99	1.48	-	53.43

802.11ax HEW160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT Y_4TX
Setting 61
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	62.15	74.00	-11.85	4.24	3	Horizontal	233	1.63	-	57.91
AV	5.1364G	52.02	54.00	-1.98	4.25	3	Horizontal	233	1.63	-	47.77
PK	5.2692G	103.29	Inf	-Inf	4.53	3	Horizontal	233	1.63	-	98.76
AV	5.2644G	93.20	Inf	-Inf	4.51	3	Horizontal	233	1.63	-	88.69
PK	5.3764G	59.47	74.00	-14.53	4.91	3	Horizontal	233	1.63	-	54.56
AV	5.3796G	49.17	54.00	-4.83	4.92	3	Horizontal	233	1.63	-	44.25
PK	5.6372G	59.42	68.20	-8.78	5.68	3	Horizontal	233	1.63	-	53.74

802.11ax HEW160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT_Y_4TX
Setting 61
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.75482G	58.58	74.00	-15.42	14.20	3	Vertical	179	1.70	-	44.38			
AV	15.755G	47.91	54.00	-6.09	14.20	3	Vertical	179	1.70	-	33.71			

802.11ax HEW160_Nss1,(MCS0)_4TX

01/08/2019

5250MHz_TX




EUT_Y_4TX
Setting 61
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.74852G	59.56	74.00	-14.44	14.21	3	Horizontal	220	1.68	-	45.35			
AV	15.7524G	47.76	54.00	-6.24	14.20	3	Horizontal	220	1.68	-	33.56			

802.11ax HEW160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT_Y_4TX
Setting 65
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.282G	58.51	68.20	-9.69	4.58	3	Vertical	155	1.50	-	53.93
PK	5.4532G	65.10	74.00	-8.90	5.19	3	Vertical	155	1.50	-	59.91
AV	5.4516G	53.52	54.00	-0.48	5.18	3	Vertical	155	1.50	-	48.34
PK	5.4644G	63.20	68.20	-5.00	5.23	3	Vertical	155	1.50	-	57.97
PK	5.6052G	108.13	Inf	-Inf	5.65	3	Vertical	155	1.50	-	102.48
AV	5.5812G	97.94	Inf	-Inf	5.58	3	Vertical	155	1.50	-	92.36
PK	5.7684G	62.15	68.20	-6.05	5.90	3	Vertical	155	1.50	-	56.25

802.11ax HEW160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT Y_4TX
Setting 65
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.226G	58.19	68.20	-10.01	4.37	3	Horizontal	110	2.85	-	53.82
PK	5.4564G	61.61	74.00	-12.39	5.21	3	Horizontal	110	2.85	-	56.40
AV	5.4436G	50.64	54.00	-3.36	5.16	3	Horizontal	110	2.85	-	45.48
PK	5.4644G	62.78	68.20	-5.42	5.23	3	Horizontal	110	2.85	-	57.55
PK	5.602G	106.20	Inf	-Inf	5.64	3	Horizontal	110	2.85	-	100.56
AV	5.5668G	95.23	Inf	-Inf	5.55	3	Horizontal	110	2.85	-	89.68
PK	5.7604G	64.11	68.20	-4.09	5.87	3	Horizontal	110	2.85	-	58.24

802.11ax HEW160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX




EUT_Y_4TX
Setting 65
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.14336G	53.70	74.00	-20.30	11.78	3	Vertical	256	2.93	-	41.92			
AV	11.13522G	42.47	54.00	-11.53	11.77	3	Vertical	256	2.93	-	30.70			

802.11ax HEW160_Nss1,(MCS0)_4TX

25/07/2019

5570MHz_TX



EUT_Y_4TX
Setting 65
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.14386G	53.16	74.00	-20.84	11.78	3	Horizontal	186	1.61	-	41.38			
AV	11.13626G	42.42	54.00	-11.58	11.77	3	Horizontal	186	1.61	-	30.65			



<beamforming mode> 4T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1252G	53.97	54.00	-0.03	4.24	3	Vertical	214	2.62	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1118G	61.98	74.00	-12.02	4.23	3	Vertical	62	1.79	-	57.75
AV	5.146G	48.91	54.00	-5.09	4.25	3	Vertical	62	1.79	-	44.66
PK	5.2558G	124.13	Inf	-Inf	4.48	3	Vertical	62	1.79	-	119.65
AV	5.2582G	113.90	Inf	-Inf	4.48	3	Vertical	62	1.79	-	109.42
PK	5.353G	61.67	74.00	-12.33	4.82	3	Vertical	62	1.79	-	56.85
AV	5.3548G	48.92	54.00	-5.08	4.82	3	Vertical	62	1.79	-	44.10

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	61.75	74.00	-12.25	4.24	3	Horizontal	88	1.48	-	57.51
AV	5.1286G	48.11	54.00	-5.89	4.24	3	Horizontal	88	1.48	-	43.87
PK	5.2528G	121.04	Inf	-Inf	4.47	3	Horizontal	88	1.48	-	116.57
AV	5.2522G	110.86	Inf	-Inf	4.47	3	Horizontal	88	1.48	-	106.39
PK	5.3596G	61.46	74.00	-12.54	4.85	3	Horizontal	88	1.48	-	56.61
AV	5.3584G	48.52	54.00	-5.48	4.85	3	Horizontal	88	1.48	-	43.67

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.78282G	58.26	74.00	-15.74	14.16	3	Vertical	150	1.23	-	44.10			
AV	15.76512G	44.48	54.00	-9.52	14.19	3	Vertical	150	1.23	-	30.29			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.7851G	58.19	74.00	-15.81	14.16	3	Horizontal	34	2.19	-	44.03			
AV	15.76764G	44.61	54.00	-9.39	14.18	3	Horizontal	34	2.19	-	30.43			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	122.95	Inf	-Inf	4.65	3	Vertical	99	1.49	-	118.30
AV	5.2936G	112.50	Inf	-Inf	4.62	3	Vertical	99	1.49	-	107.88
PK	5.352G	65.80	74.00	-8.20	4.82	3	Vertical	99	1.49	-	60.98
AV	5.3504G	51.66	54.00	-2.34	4.81	3	Vertical	99	1.49	-	46.85

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5300MHz_TX




EUT Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2928G	116.91	Inf	-Inf	4.61	3	Horizontal	131	1.51	-	112.30
AV	5.2924G	107.51	Inf	-Inf	4.61	3	Horizontal	131	1.51	-	102.90
PK	5.3528G	64.26	74.00	-9.74	4.82	3	Horizontal	131	1.51	-	59.44
AV	5.35G	49.45	54.00	-4.55	4.81	3	Horizontal	131	1.51	-	44.64

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.907G	60.13	74.00	-13.87	14.02	3	Vertical	28	2.90	-	46.11
AV	15.90788G	45.43	54.00	-8.57	14.02	3	Vertical	28	2.90	-	31.41

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.90524G	59.24	74.00	-14.76	14.02	3	Horizontal	33	2.21	-	45.22			
AV	15.90776G	45.53	54.00	-8.47	14.02	3	Horizontal	33	2.21	-	31.51			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 84
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3126G	118.28	Inf	-Inf	4.69	3	Vertical	65	1.50	-	113.59
AV	5.3138G	108.72	Inf	-Inf	4.69	3	Vertical	65	1.50	-	104.03
PK	5.35G	73.78	74.00	-0.22	4.81	3	Vertical	65	1.50	-	68.97
AV	5.35G	52.97	54.00	-1.03	4.81	3	Vertical	65	1.50	-	48.16

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 84
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3122G	114.98	Inf	-Inf	4.69	3	Horizontal	86	1.44	-	110.29
AV	5.312G	105.67	Inf	-Inf	4.69	3	Horizontal	86	1.44	-	100.98
PK	5.3546G	63.11	74.00	-10.89	4.82	3	Horizontal	86	1.44	-	58.29
AV	5.3518G	49.23	54.00	-4.77	4.82	3	Horizontal	86	1.44	-	44.41

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 84
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96876G	60.26	74.00	-13.74	13.94	3	Vertical	8	1.50	-	46.32
AV	15.9624G	46.24	54.00	-7.76	13.94	3	Vertical	8	1.50	-	32.30

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 84
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.9582G	59.95	74.00	-14.05	13.96	3	Horizontal	301	2.41	-	45.99			
AV	15.9682G	46.19	54.00	-7.81	13.94	3	Horizontal	301	2.41	-	32.25			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4558G	62.14	74.00	-11.86	5.21	3	Vertical	156	1.49	-	56.93
AV	5.4598G	49.48	54.00	-4.52	5.22	3	Vertical	156	1.49	-	44.26
PK	5.4698G	68.04	68.20	-0.16	5.26	3	Vertical	156	1.49	-	62.78
PK	5.5052G	119.14	Inf	-Inf	5.39	3	Vertical	156	1.49	-	113.75
AV	5.5048G	108.46	Inf	-Inf	5.39	3	Vertical	156	1.49	-	103.07

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4542G	62.19	74.00	-11.81	5.19	3	Horizontal	331	1.48	-	57.00
PK	5.4618G	61.80	68.20	-6.40	5.23	3	Horizontal	331	1.48	-	56.57
AV	5.4588G	48.84	54.00	-5.16	5.22	3	Horizontal	331	1.48	-	43.62
PK	5.4984G	114.48	Inf	-Inf	5.38	3	Horizontal	331	1.48	-	109.10
AV	5.4976G	104.75	Inf	-Inf	5.37	3	Horizontal	331	1.48	-	99.38

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.00424G	53.67	74.00	-20.33	11.71	3	Vertical	117	2.46	-	41.96			
AV	11.00676G	39.76	54.00	-14.24	11.71	3	Vertical	117	2.46	-	28.05			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5500MHz_TX




EUT_Y_4TX
Setting 78
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.99984G	53.13	74.00	-20.87	11.71	3	Horizontal	127	1.89	-	41.42			
AV	11.00096G	39.51	54.00	-14.49	11.71	3	Horizontal	127	1.89	-	27.80			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4486G	62.58	74.00	-11.42	5.19	3	Vertical	345	1.61	-	57.39
PK	5.4666G	62.64	68.20	-5.56	5.25	3	Vertical	345	1.61	-	57.39
AV	5.4594G	49.18	54.00	-4.82	5.22	3	Vertical	345	1.61	-	43.96
PK	5.5884G	124.35	Inf	-Inf	5.61	3	Vertical	345	1.61	-	118.74
AV	5.5884G	114.52	Inf	-Inf	5.61	3	Vertical	345	1.61	-	108.91
PK	5.7288G	63.04	68.20	-5.16	5.80	3	Vertical	345	1.61	-	57.24

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.457G	61.26	74.00	-12.74	5.21	3	Horizontal	96	2.97	-	56.05
AV	5.4522G	48.92	54.00	-5.08	5.19	3	Horizontal	96	2.97	-	43.73
PK	5.47G	61.48	68.20	-6.72	5.26	3	Horizontal	96	2.97	-	56.22
PK	5.5734G	121.14	Inf	-Inf	5.58	3	Horizontal	96	2.97	-	115.56
AV	5.5722G	111.49	Inf	-Inf	5.57	3	Horizontal	96	2.97	-	105.92
PK	5.727G	62.57	68.20	-5.63	5.79	3	Horizontal	96	2.97	-	56.78

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15754G	53.73	74.00	-20.27	11.78	3	Vertical	189	2.34	-	41.95
AV	11.16906G	40.12	54.00	-13.88	11.78	3	Vertical	189	2.34	-	28.34

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5580MHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.16798G	54.37	74.00	-19.63	11.78	3	Horizontal	15	2.49	-	42.59			
AV	11.16336G	40.15	54.00	-13.85	11.78	3	Horizontal	15	2.49	-	28.37			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 72
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7008G	118.08	Inf	-Inf	5.74	3	Vertical	337	1.65	-	112.34
AV	5.6938G	108.24	Inf	-Inf	5.73	3	Vertical	337	1.65	-	102.51
PK	5.7252G	67.97	68.20	-0.23	5.79	3	Vertical	337	1.65	-	62.18

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5700MHz_TX




EUT Y_4TX
Setting 72
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7036G	117.06	Inf	-Inf	5.75	3	Horizontal	109	2.53	-	111.31
AV	5.7052G	107.09	Inf	-Inf	5.75	3	Horizontal	109	2.53	-	101.34
PK	5.7254G	66.51	68.20	-1.69	5.79	3	Horizontal	109	2.53	-	60.72

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 72
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39532G	54.31	74.00	-19.69	11.88	3	Vertical	82	1.74	-	42.43
AV	11.40276G	39.77	54.00	-14.23	11.89	3	Vertical	82	1.74	-	27.88

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5700MHz_TX




EUT_Y_4TX
Setting 72
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.39032G	53.99	74.00	-20.01	11.88	3	Horizontal	121	2.02	-	42.11			
AV	11.40548G	40.29	54.00	-13.71	11.89	3	Horizontal	121	2.02	-	28.40			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4236G	61.40	74.00	-12.60	5.08	3	Vertical	332	1.47	-	56.32
PK	5.468G	62.30	68.20	-5.90	5.25	3	Vertical	332	1.47	-	57.05
AV	5.4464G	48.80	54.00	-5.20	5.18	3	Vertical	332	1.47	-	43.62
PK	5.7152G	124.44	Inf	-Inf	5.78	3	Vertical	332	1.47	-	118.66
AV	5.7128G	113.91	Inf	-Inf	5.78	3	Vertical	332	1.47	-	108.13
PK	5.8808G	63.75	68.20	-4.45	6.56	3	Vertical	332	1.47	-	57.19

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4308G	62.03	74.00	-11.97	5.11	3	Horizontal	274	1.50	-	56.92
AV	5.444G	48.70	54.00	-5.30	5.16	3	Horizontal	274	1.50	-	43.54
PK	5.4644G	61.02	68.20	-7.18	5.23	3	Horizontal	274	1.50	-	55.79
PK	5.7128G	120.69	Inf	-Inf	5.78	3	Horizontal	274	1.50	-	114.91
AV	5.7116G	111.47	Inf	-Inf	5.76	3	Horizontal	274	1.50	-	105.71
PK	5.9648G	63.24	68.20	-4.96	6.99	3	Horizontal	274	1.50	-	56.25

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.43908G	55.70	74.00	-18.30	11.90	3	Vertical	58	2.89	-	43.80			
AV	11.4484G	41.23	54.00	-12.77	11.90	3	Vertical	58	2.89	-	29.33			

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

20/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.44164G	55.77	74.00	-18.23	11.90	3	Horizontal	171	2.33	-	43.87			
AV	11.43128G	40.80	54.00	-13.20	11.91	3	Horizontal	171	2.33	-	28.89			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 98
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	65.56	74.00	-8.44	4.25	3	Vertical	64	1.62	-	61.31
AV	5.1482G	50.28	54.00	-3.72	4.25	3	Vertical	64	1.62	-	46.03
PK	5.2736G	121.72	Inf	-Inf	4.54	3	Vertical	64	1.62	-	117.18
AV	5.2724G	111.23	Inf	-Inf	4.54	3	Vertical	64	1.62	-	106.69
PK	5.3552G	69.19	74.00	-4.81	4.83	3	Vertical	64	1.62	-	64.36
AV	5.35G	53.79	54.00	-0.21	4.81	3	Vertical	64	1.62	-	48.98

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 98
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	62.01	74.00	-11.99	4.24	3	Horizontal	82	1.62	-	57.77
AV	5.1458G	48.72	54.00	-5.28	4.25	3	Horizontal	82	1.62	-	44.47
PK	5.2526G	119.20	Inf	-Inf	4.47	3	Horizontal	82	1.62	-	114.73
AV	5.2538G	109.55	Inf	-Inf	4.47	3	Horizontal	82	1.62	-	105.08
PK	5.354G	66.83	74.00	-7.17	4.82	3	Horizontal	82	1.62	-	62.01
AV	5.3504G	49.72	54.00	-4.28	4.81	3	Horizontal	82	1.62	-	44.91

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 98
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.82144G	58.75	74.00	-15.25	14.12	3	Vertical	263	1.86	-	44.63			
AV	15.82712G	44.61	54.00	-9.39	14.11	3	Vertical	263	1.86	-	30.50			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5270MHz_TX




EUT_Y_4TX
Setting 98
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.82888G	58.77	74.00	-15.23	14.11	3	Horizontal	73	1.23	-	44.66			
AV	15.82288G	44.60	54.00	-9.40	14.12	3	Horizontal	73	1.23	-	30.48			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 78
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3G	116.68	Inf	-Inf	4.64	3	Vertical	97	1.48	-	112.04
AV	5.2976G	106.31	Inf	-Inf	4.63	3	Vertical	97	1.48	-	101.68
PK	5.3528G	73.88	74.00	-0.12	4.82	3	Vertical	97	1.48	-	69.06
AV	5.3508G	51.91	54.00	-2.09	4.81	3	Vertical	97	1.48	-	47.10

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5310MHz_TX




EUT Y_4TX
Setting 78
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.296G	114.05	Inf	-Inf	4.63	3	Horizontal	89	1.49	-	109.42
AV	5.296G	104.10	Inf	-Inf	4.63	3	Horizontal	89	1.49	-	99.47
PK	5.354G	64.76	74.00	-9.24	4.82	3	Horizontal	89	1.49	-	59.94
AV	5.3532G	49.71	54.00	-4.29	4.82	3	Horizontal	89	1.49	-	44.89

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 78
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.9488G	60.11	74.00	-13.89	13.96	3	Vertical	302	2.01	-	46.15			
AV	15.94776G	46.41	54.00	-7.59	13.96	3	Vertical	302	2.01	-	32.45			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5310MHz_TX




EUT_Y_4TX
Setting 78
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.91176G	60.14	74.00	-13.86	14.00	3	Horizontal	189	1.20	-	46.14			
AV	15.94792G	46.13	54.00	-7.87	13.96	3	Horizontal	189	1.20	-	32.17			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 68
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	64.78	74.00	-9.22	5.21	3	Vertical	158	1.74	-	59.57
AV	5.458G	49.67	54.00	-4.33	5.21	3	Vertical	158	1.74	-	44.46
PK	5.4664G	67.96	68.20	-0.24	5.25	3	Vertical	158	1.74	-	62.71
PK	5.5128G	113.90	Inf	-Inf	5.42	3	Vertical	158	1.74	-	108.48
AV	5.5156G	103.33	Inf	-Inf	5.42	3	Vertical	158	1.74	-	97.91

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 68
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.45G	62.39	74.00	-11.61	5.19	3	Horizontal	270	1.74	-	57.20
AV	5.4532G	48.67	54.00	-5.33	5.19	3	Horizontal	270	1.74	-	43.48
PK	5.468G	61.71	68.20	-6.49	5.25	3	Horizontal	270	1.74	-	56.46
PK	5.5136G	110.48	Inf	-Inf	5.42	3	Horizontal	270	1.74	-	105.06
AV	5.5084G	100.09	Inf	-Inf	5.41	3	Horizontal	270	1.74	-	94.68

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

23/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 68
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0092G	54.07	74.00	-19.93	11.71	3	Vertical	78	2.47	-	42.36
AV	11.03824G	39.71	54.00	-14.29	11.72	3	Vertical	78	2.47	-	27.99

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

23/07/2019

5510MHz_TX




EUT Y_4TX
Setting 68
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0076G	53.30	74.00	-20.70	11.71	3	Horizontal	182	2.13	-	41.59			
AV	11.03632G	39.49	54.00	-14.51	11.72	3	Horizontal	182	2.13	-	27.77			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 88
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	64.09	74.00	-9.91	5.22	3	Vertical	152	1.59	-	58.87
AV	5.4576G	49.74	54.00	-4.26	5.21	3	Vertical	152	1.59	-	44.53
PK	5.4696G	67.96	68.20	-0.24	5.26	3	Vertical	152	1.59	-	62.70
PK	5.5662G	119.78	Inf	-Inf	5.55	3	Vertical	152	1.59	-	114.23
AV	5.5644G	108.75	Inf	-Inf	5.55	3	Vertical	152	1.59	-	103.20

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 88
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4018G	61.94	74.00	-12.06	5.00	3	Horizontal	155	1.52	-	56.94
PK	5.4678G	62.78	68.20	-5.42	5.25	3	Horizontal	155	1.52	-	57.53
AV	5.457G	48.87	54.00	-5.13	5.21	3	Horizontal	155	1.52	-	43.66
PK	5.5416G	116.55	Inf	-Inf	5.48	3	Horizontal	155	1.52	-	111.07
AV	5.5404G	107.22	Inf	-Inf	5.48	3	Horizontal	155	1.52	-	101.74

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 88
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1188G	54.11	74.00	-19.89	11.76	3	Vertical	267	2.47	-	42.35			
AV	11.11184G	40.09	54.00	-13.91	11.75	3	Vertical	267	2.47	-	28.34			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5550MHz_TX




EUT_Y_4TX
Setting 88
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.11296G	53.86	74.00	-20.14	11.75	3	Horizontal	109	1.31	-	42.11			
AV	11.10904G	40.13	54.00	-13.87	11.75	3	Horizontal	109	1.31	-	28.38			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 75
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6736G	115.83	Inf	-Inf	5.71	3	Vertical	154	1.50	-	110.12
AV	5.676G	105.18	Inf	-Inf	5.72	3	Vertical	154	1.50	-	99.46
PK	5.7252G	68.05	68.20	-0.15	5.79	3	Vertical	154	1.50	-	62.26

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5670MHz_TX




EUT Y_4TX
Setting 75
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6838G	112.16	Inf	-Inf	5.72	3	Horizontal	128	1.50	-	106.44
AV	5.685G	102.14	Inf	-Inf	5.72	3	Horizontal	128	1.50	-	96.42
PK	5.7816G	62.99	68.20	-5.21	5.91	3	Horizontal	128	1.50	-	57.08

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 75
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.34016G	54.20	74.00	-19.80	11.86	3	Vertical	335	2.12	-	42.34			
AV	11.35648G	40.90	54.00	-13.10	11.87	3	Vertical	335	2.12	-	29.03			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5670MHz_TX




EUT_Y_4TX
Setting 75
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.35416G	55.18	74.00	-18.82	11.87	3	Horizontal	320	2.72	-	43.31			
AV	11.35072G	40.77	54.00	-13.23	11.87	3	Horizontal	320	2.72	-	28.90			

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4196G	61.68	74.00	-12.32	5.07	3	Vertical	332	1.64	-	56.61
PK	5.4628G	62.85	68.20	-5.35	5.23	3	Vertical	332	1.64	-	57.62
AV	5.46G	48.81	54.00	-5.19	5.22	3	Vertical	332	1.64	-	43.59
PK	5.7208G	121.63	Inf	-Inf	5.79	3	Vertical	332	1.64	-	115.84
AV	5.7172G	110.66	Inf	-Inf	5.78	3	Vertical	332	1.64	-	104.88
PK	5.85G	65.60	68.20	-2.60	6.33	3	Vertical	332	1.64	-	59.27

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4484G	61.77	74.00	-12.23	5.19	3	Horizontal	127	1.50	-	56.58
AV	5.4472G	48.63	54.00	-5.37	5.18	3	Horizontal	127	1.50	-	43.45
PK	5.464G	61.41	68.20	-6.79	5.23	3	Horizontal	127	1.50	-	56.18
PK	5.7268G	116.03	Inf	-Inf	5.79	3	Horizontal	127	1.50	-	110.24
AV	5.728G	106.51	Inf	-Inf	5.80	3	Horizontal	127	1.50	-	100.71
PK	5.9272G	64.06	68.20	-4.14	6.82	3	Horizontal	127	1.50	-	57.24

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40832G	55.04	74.00	-18.96	11.89	3	Vertical	110	1.47	-	43.15
AV	11.4228G	40.91	54.00	-13.09	11.89	3	Vertical	110	1.47	-	29.02

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.42024G	54.46	74.00	-19.54	11.89	3	Horizontal	215	2.57	-	42.57			
AV	11.41744G	41.02	54.00	-12.98	11.89	3	Horizontal	215	2.57	-	29.13			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5290MHz_TX




EUT Y_4TX
Setting 77
01-J-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.145G	62.90	74.00	-11.10	4.25	3	Vertical	66	1.90	-	58.65
AV	5.15G	48.62	54.00	-5.38	4.25	3	Vertical	66	1.90	-	44.37
PK	5.298G	113.47	Inf	-Inf	4.63	3	Vertical	66	1.90	-	108.84
AV	5.263G	103.31	Inf	-Inf	4.50	3	Vertical	66	1.90	-	98.81
PK	5.353G	73.58	74.00	-0.42	4.82	3	Vertical	66	1.90	-	68.76
AV	5.35G	53.77	54.00	-0.23	4.81	3	Vertical	66	1.90	-	48.96
PK	5.532G	59.53	68.20	-8.67	5.46	3	Vertical	66	1.90	-	54.07

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5290MHz_TX




EUT Y_4TX
Setting 77
01-J-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.123G	60.00	74.00	-14.00	4.23	3	Horizontal	85	1.63	-	55.77
AV	5.146G	46.91	54.00	-7.09	4.25	3	Horizontal	85	1.63	-	42.66
PK	5.258G	110.24	Inf	-Inf	4.48	3	Horizontal	85	1.63	-	105.76
AV	5.262G	99.78	Inf	-Inf	4.50	3	Horizontal	85	1.63	-	95.28
PK	5.354G	69.42	74.00	-4.58	4.82	3	Horizontal	85	1.63	-	64.60
AV	5.363G	48.81	54.00	-5.19	4.86	3	Horizontal	85	1.63	-	43.95
PK	5.492G	59.23	68.20	-8.97	5.35	3	Horizontal	85	1.63	-	53.88

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5290MHz_TX




EUT_Y_4TX
Setting 77
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.8947G	58.62	74.00	-15.38	14.02	3	Vertical	288	2.37	-	44.60			
AV	15.8499G	45.48	54.00	-8.52	14.08	3	Vertical	288	2.37	-	31.40			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5290MHz_TX




EUT_Y_4TX
Setting 77
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.854G	59.01	74.00	-14.99	14.08	3	Horizontal	265	2.95	-	44.93			
AV	15.8926G	45.65	54.00	-8.35	14.02	3	Horizontal	265	2.95	-	31.63			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 72
01-J-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.333G	57.88	68.20	-10.32	4.76	3	Vertical	153	1.60	-	53.12
PK	5.46G	66.08	74.00	-7.92	5.22	3	Vertical	153	1.60	-	60.86
AV	5.46G	51.02	54.00	-2.98	5.22	3	Vertical	153	1.60	-	45.80
PK	5.47G	67.96	68.20	-0.24	5.26	3	Vertical	153	1.60	-	62.70
PK	5.541G	113.97	Inf	-Inf	5.48	3	Vertical	153	1.60	-	108.49
AV	5.538G	103.20	Inf	-Inf	5.48	3	Vertical	153	1.60	-	97.72
PK	5.73G	61.66	68.20	-6.54	5.80	3	Vertical	153	1.60	-	55.86

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 72
01-J-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.332G	57.99	68.20	-10.21	4.76	3	Horizontal	157	2.09	-	53.23
PK	5.458G	62.26	74.00	-11.74	5.21	3	Horizontal	157	2.09	-	57.05
AV	5.459G	47.33	54.00	-6.67	5.22	3	Horizontal	157	2.09	-	42.11
PK	5.469G	64.57	68.20	-3.63	5.26	3	Horizontal	157	2.09	-	59.31
PK	5.538G	114.57	Inf	-Inf	5.48	3	Horizontal	157	2.09	-	109.09
AV	5.541G	103.34	Inf	-Inf	5.48	3	Horizontal	157	2.09	-	97.86
PK	5.766G	59.54	68.20	-8.66	5.89	3	Horizontal	157	2.09	-	53.65

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5530MHz_TX




EUT Y_4TX
Setting 72
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0811G	51.94	74.00	-22.06	11.75	3	Vertical	206	2.91	-	40.19			
AV	11.0742G	38.14	54.00	-15.86	11.74	3	Vertical	206	2.91	-	26.40			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5530MHz_TX




EUT_Y_4TX
Setting 72
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0842G	51.67	74.00	-22.33	11.75	3	Horizontal	163	1.41	-	39.92			
AV	11.0736G	38.02	54.00	-15.98	11.74	3	Horizontal	163	1.41	-	26.28			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5610MHz_TX




EUT Y_4TX
Setting 80
01-J-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.45G	60.11	74.00	-13.89	5.19	3	Vertical	154	1.49	-	54.92
PK	5.466G	60.29	68.20	-7.91	5.25	3	Vertical	154	1.49	-	55.04
AV	5.459G	47.10	54.00	-6.90	5.22	3	Vertical	154	1.49	-	41.88
PK	5.622G	114.68	Inf	-Inf	5.66	3	Vertical	154	1.49	-	109.02
AV	5.622G	103.54	Inf	-Inf	5.66	3	Vertical	154	1.49	-	97.88
PK	5.731G	68.05	68.20	-0.15	5.80	3	Vertical	154	1.49	-	62.25

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5610MHz_TX




EUT Y_4TX
Setting 80
01-J-1-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	59.20	74.00	-14.80	5.19	3	Horizontal	112	1.49	-	54.01
PK	5.462G	58.78	68.20	-9.42	5.23	3	Horizontal	112	1.49	-	53.55
AV	5.458G	46.21	54.00	-7.79	5.21	3	Horizontal	112	1.49	-	41.00
PK	5.583G	113.71	Inf	-Inf	5.60	3	Horizontal	112	1.49	-	108.11
AV	5.611G	100.45	Inf	-Inf	5.65	3	Horizontal	112	1.49	-	94.80
PK	5.74G	61.24	68.20	-6.96	5.83	3	Horizontal	112	1.49	-	55.41

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5610MHz_TX




EUT_Y_4TX
Setting 80
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2149G	52.70	74.00	-21.30	11.80	3	Vertical	60	2.50	-	40.90
AV	11.1975G	38.62	54.00	-15.38	11.80	3	Vertical	60	2.50	-	26.82

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

20/07/2019

5610MHz_TX




EUT Y_4TX
Setting 80
01-J-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.2352G	52.67	74.00	-21.33	11.81	3	Horizontal	295	2.71	-	40.86			
AV	11.2438G	38.67	54.00	-15.33	11.82	3	Horizontal	295	2.71	-	26.85			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 95
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	60.13	74.00	-13.87	5.22	3	Vertical	334	1.58	-	54.91
AV	5.4596G	46.51	54.00	-7.49	5.22	3	Vertical	334	1.58	-	41.29
PK	5.46G	60.13	74.00	-13.87	5.22	3	Vertical	334	1.58	-	54.91
PK	5.678G	118.08	Inf	-Inf	5.72	3	Vertical	334	1.58	-	112.36
AV	5.678G	107.87	Inf	-Inf	5.72	3	Vertical	334	1.58	-	102.15
PK	5.8544G	67.97	68.20	-0.23	6.36	3	Vertical	334	1.58	-	61.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 95
01-G-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	59.37	74.00	-14.63	5.18	3	Horizontal	298	1.48	-	54.19
AV	5.4548G	45.94	54.00	-8.06	5.19	3	Horizontal	298	1.48	-	40.75
PK	5.46G	58.62	68.20	-9.58	5.22	3	Horizontal	298	1.48	-	53.40
PK	5.6936G	114.61	Inf	-Inf	5.73	3	Horizontal	298	1.48	-	108.88
AV	5.6888G	105.02	Inf	-Inf	5.73	3	Horizontal	298	1.48	-	99.29
PK	5.8652G	62.39	68.20	-5.81	6.44	3	Horizontal	298	1.48	-	55.95

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 95
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.38952G	54.23	74.00	-19.77	11.88	3	Vertical	335	2.99	-	42.35			
AV	11.3874G	39.96	54.00	-14.04	11.88	3	Vertical	335	2.99	-	28.08			

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 95
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3792G	53.32	74.00	-20.68	11.88	3	Horizontal	258	1.46	-	41.44			
AV	11.38456G	39.85	54.00	-14.15	11.88	3	Horizontal	258	1.46	-	27.97			

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

22/07/2019

5250MHz_TX




EUT Y_4TX
Setting 70
01-J-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1428G	70.71	74.00	-3.29	4.24	3	Vertical	214	2.62	-	66.47
AV	5.1252G	53.97	54.00	-0.03	4.24	3	Vertical	214	2.62	-	49.73
PK	5.2596G	110.58	Inf	-Inf	4.49	3	Vertical	214	2.62	-	106.09
AV	5.2564G	100.43	Inf	-Inf	4.48	3	Vertical	214	2.62	-	95.95
PK	5.3508G	67.53	74.00	-6.47	4.81	3	Vertical	214	2.62	-	62.72
AV	5.354G	51.78	54.00	-2.22	4.82	3	Vertical	214	2.62	-	46.96
PK	5.5796G	59.25	68.20	-8.95	5.58	3	Vertical	214	2.62	-	53.67

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

22/07/2019

5250MHz_TX




EUT_Y_4TX
Setting 70
01-J-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1332G	66.70	74.00	-7.30	4.24	3	Horizontal	88	1.50	-	62.46
AV	5.1252G	52.27	54.00	-1.73	4.24	3	Horizontal	88	1.50	-	48.03
PK	5.242G	106.26	Inf	-Inf	4.43	3	Horizontal	88	1.50	-	101.83
AV	5.2468G	96.22	Inf	-Inf	4.44	3	Horizontal	88	1.50	-	91.78
PK	5.3636G	63.00	74.00	-11.00	4.86	3	Horizontal	88	1.50	-	58.14
AV	5.3636G	49.32	54.00	-4.68	4.86	3	Horizontal	88	1.50	-	44.46
PK	5.5092G	59.26	68.20	-8.94	5.41	3	Horizontal	88	1.50	-	53.85

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

22/07/2019

5250MHz_TX




EUT_Y_4TX
Setting 70
01-J-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74858G	59.02	74.00	-14.98	14.21	3	Vertical	43	2.31	-	44.81
AV	15.74744G	44.93	54.00	-9.07	14.21	3	Vertical	43	2.31	-	30.72

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

22/07/2019

5250MHz_TX




EUT_Y_4TX
Setting 70
01-J-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.75082G	59.84	74.00	-14.16	14.20	3	Horizontal	312	2.19	-	45.64			
AV	15.7473G	44.92	54.00	-9.08	14.21	3	Horizontal	312	2.19	-	30.71			

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

01/08/2019

5570MHz_TX




EUT Y_4TX
Setting 69
01-J-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2884G	58.00	68.20	-10.20	4.60	3	Vertical	155	1.46	-	53.40
PK	5.4548G	68.10	74.00	-5.90	5.19	3	Vertical	155	1.46	-	62.91
AV	5.4596G	52.38	54.00	-1.62	5.22	3	Vertical	155	1.46	-	47.16
PK	5.4644G	67.58	68.20	-0.62	5.23	3	Vertical	155	1.46	-	62.35
PK	5.5876G	111.09	Inf	-Inf	5.61	3	Vertical	155	1.46	-	105.48
AV	5.5844G	100.36	Inf	-Inf	5.60	3	Vertical	155	1.46	-	94.76
PK	5.7268G	67.92	68.20	-0.28	5.79	3	Vertical	155	1.46	-	62.13

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

01/08/2019

5570MHz_TX




EUT_Y_4TX
Setting 69
01-J-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3444G	58.30	68.20	-9.90	4.80	3	Horizontal	174	1.50	-	53.50
PK	5.458G	64.14	74.00	-9.86	5.21	3	Horizontal	174	1.50	-	58.93
AV	5.458G	47.31	54.00	-6.69	5.21	3	Horizontal	174	1.50	-	42.10
PK	5.4644G	62.34	68.20	-5.86	5.23	3	Horizontal	174	1.50	-	57.11
PK	5.5924G	108.97	Inf	-Inf	5.61	3	Horizontal	174	1.50	-	103.36
AV	5.5908G	99.86	Inf	-Inf	5.61	3	Horizontal	174	1.50	-	94.25
PK	5.7348G	62.69	68.20	-5.51	5.81	3	Horizontal	174	1.50	-	56.88

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

01/08/2019

5570MHz_TX




EUT_Y_4TX
Setting 69
01-J-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.14422G	53.47	74.00	-20.53	11.78	3	Vertical	218	1.66	-	41.69			
AV	11.13542G	39.64	54.00	-14.36	11.77	3	Vertical	218	1.66	-	27.87			

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

01/08/2019

5570MHz_TX




EUT_Y_4TX
Setting 69
01-J-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.13778G	53.72	74.00	-20.28	11.77	3	Horizontal	279	1.69	-	41.95			
AV	11.13714G	39.67	54.00	-14.33	11.77	3	Horizontal	279	1.69	-	27.90			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	63.21	74.00	-10.79	4.25	3	Vertical	94	1.48	-	58.96
AV	5.1478G	49.38	54.00	-4.62	4.25	3	Vertical	94	1.48	-	45.13
PK	5.2618G	126.95	Inf	-Inf	4.50	3	Vertical	94	1.48	-	122.45
AV	5.263G	114.69	Inf	-Inf	4.50	3	Vertical	94	1.48	-	110.19
PK	5.3518G	62.80	74.00	-11.20	4.82	3	Vertical	94	1.48	-	57.98
AV	5.35G	49.69	54.00	-4.31	4.81	3	Vertical	94	1.48	-	44.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	61.07	74.00	-12.93	4.24	3	Horizontal	74	1.35	-	56.83
AV	5.1382G	48.51	54.00	-5.49	4.24	3	Horizontal	74	1.35	-	44.27
PK	5.2648G	120.40	Inf	-Inf	4.51	3	Horizontal	74	1.35	-	115.89
AV	5.2654G	108.07	Inf	-Inf	4.52	3	Horizontal	74	1.35	-	103.55
PK	5.3758G	61.55	74.00	-12.45	4.91	3	Horizontal	74	1.35	-	56.64
AV	5.3962G	48.75	54.00	-5.25	4.98	3	Horizontal	74	1.35	-	43.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5260MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7758G	58.58	74.00	-15.42	14.17	3	Vertical	249	1.65	-	44.41
AV	15.77508G	44.92	54.00	-9.08	14.17	3	Vertical	249	1.65	-	30.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5260MHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.77732G	57.77	74.00	-16.23	14.16	3	Horizontal	356	2.42	-	43.61			
AV	15.78172G	44.84	54.00	-9.16	14.16	3	Horizontal	356	2.42	-	30.68			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5300MHz_TX




EUT Y_4TX
Setting 100
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3052G	125.45	Inf	-Inf	4.66	3	Vertical	63	1.42	-	120.79
AV	5.3076G	114.01	Inf	-Inf	4.66	3	Vertical	63	1.42	-	109.35
PK	5.35G	67.81	74.00	-6.19	4.81	3	Vertical	63	1.42	-	63.00
AV	5.35G	51.75	54.00	-2.25	4.81	3	Vertical	63	1.42	-	46.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5300MHz_TX




EUT Y_4TX
Setting 100
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2912G	121.90	Inf	-Inf	4.60	3	Horizontal	84	1.63	-	117.30
AV	5.2928G	110.11	Inf	-Inf	4.61	3	Horizontal	84	1.63	-	105.50
PK	5.36G	66.50	74.00	-7.50	4.85	3	Horizontal	84	1.63	-	61.65
AV	5.3508G	51.51	54.00	-2.49	4.81	3	Horizontal	84	1.63	-	46.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.9012G	59.15	74.00	-14.85	14.02	3	Vertical	155	2.22	-	45.13			
AV	15.90454G	45.63	54.00	-8.37	14.02	3	Vertical	155	2.22	-	31.61			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5300MHz_TX




EUT_Y_4TX
Setting 100
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.89836G	59.54	74.00	-14.46	14.03	3	Horizontal	249	1.16	-	45.51			
AV	15.90484G	45.64	54.00	-8.36	14.02	3	Horizontal	249	1.16	-	31.62			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5320MHz_TX




EUT Y_4TX
Setting 83
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3248G	122.29	Inf	-Inf	4.72	3	Vertical	82	1.52	-	117.57
AV	5.3286G	110.26	Inf	-Inf	4.75	3	Vertical	82	1.52	-	105.51
PK	5.3502G	72.20	74.00	-1.80	4.81	3	Vertical	82	1.52	-	67.39
AV	5.35G	53.92	54.00	-0.08	4.81	3	Vertical	82	1.52	-	49.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5320MHz_TX




EUT Y_4TX
Setting 83
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3172G	116.29	Inf	-Inf	4.70	3	Horizontal	242	1.49	-	111.59
AV	5.3212G	104.31	Inf	-Inf	4.71	3	Horizontal	242	1.49	-	99.60
PK	5.35G	67.97	74.00	-6.03	4.81	3	Horizontal	242	1.49	-	63.16
AV	5.3502G	50.15	54.00	-3.85	4.81	3	Horizontal	242	1.49	-	45.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 83
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.95594G	59.39	74.00	-14.61	13.96	3	Vertical	279	1.08	-	45.43			
AV	15.95626G	45.88	54.00	-8.12	13.96	3	Vertical	279	1.08	-	31.92			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5320MHz_TX




EUT_Y_4TX
Setting 83
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9559G	59.26	74.00	-14.74	13.96	3	Horizontal	199	1.78	-	45.30
AV	15.9624G	45.82	54.00	-8.18	13.94	3	Horizontal	199	1.78	-	31.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/08/2019

5500MHz_TX




EUT Y_4TX
Setting 77
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	62.78	74.00	-11.22	5.22	3	Vertical	151	1.60	-	57.56
AV	5.4568G	49.88	54.00	-4.12	5.21	3	Vertical	151	1.60	-	44.67
PK	5.4698G	68.09	68.20	-0.11	5.26	3	Vertical	151	1.60	-	62.83
PK	5.503G	122.30	Inf	-Inf	5.39	3	Vertical	151	1.60	-	116.91
AV	5.5088G	110.01	Inf	-Inf	5.41	3	Vertical	151	1.60	-	104.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/08/2019

5500MHz_TX




EUT Y_4TX
Setting 77
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	62.59	74.00	-11.41	5.22	3	Horizontal	166	2.31	-	57.37
AV	5.46G	49.85	54.00	-4.15	5.22	3	Horizontal	166	2.31	-	44.63
PK	5.4664G	66.48	68.20	-1.72	5.25	3	Horizontal	166	2.31	-	61.23
PK	5.503G	120.55	Inf	-Inf	5.39	3	Horizontal	166	2.31	-	115.16
AV	5.495G	107.73	Inf	-Inf	5.36	3	Horizontal	166	2.31	-	102.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/08/2019

5500MHz_TX




EUT Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.99996G	52.99	74.00	-21.01	11.71	3	Vertical	76	1.87	-	41.28			
AV	10.99964G	39.94	54.00	-14.06	11.71	3	Vertical	76	1.87	-	28.23			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/08/2019

5500MHz_TX




EUT Y_4TX
Setting 77
01-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00396G	53.44	74.00	-20.56	11.71	3	Horizontal	219	2.63	-	41.73
AV	10.99754G	39.82	54.00	-14.18	11.71	3	Horizontal	219	2.63	-	28.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/07/2019

5580MHz_TX



EUT Y_4TX
Setting 100
01-G-2-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4498G	62.77	74.00	-11.23	5.19	3	Vertical	168	1.59	-	57.58
AV	5.4546G	49.90	54.00	-4.10	5.19	3	Vertical	168	1.59	-	44.71
PK	5.469G	62.22	68.20	-5.98	5.26	3	Vertical	168	1.59	-	56.96
PK	5.5878G	126.25	Inf	-Inf	5.61	3	Vertical	168	1.59	-	120.64
AV	5.586G	114.09	Inf	-Inf	5.60	3	Vertical	168	1.59	-	108.49
PK	5.7264G	64.13	68.20	-4.07	5.79	3	Vertical	168	1.59	-	58.34