


WIFI 5.2G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	90.03	0.46	0.72
NVNT	a	5200	Ant1	90.09	0.45	0.72
NVNT	a	5240	Ant1	89.75	0.47	0.72
NVNT	ac20	5180	Ant1	88.56	0.53	0.85
NVNT	ac20	5200	Ant1	88.29	0.54	0.85
NVNT	ac20	5240	Ant1	88.27	0.54	0.85
NVNT	ac40	5190	Ant1	79.85	0.98	1.69
NVNT	ac40	5230	Ant1	79.45	1	1.69
NVNT	ac80	5210	Ant1	67.05	1.74	3.33
NVNT	n20	5180	Ant1	87.9	0.56	0.85
NVNT	n20	5200	Ant1	88.55	0.53	0.85
NVNT	n20	5240	Ant1	87.75	0.57	0.85
NVNT	n40	5190	Ant1	79.34	1	1.72
NVNT	n40	5230	Ant1	79.02	1.02	1.69


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.947	0.62	13.567	24	Pass
NVNT	a	5200	Ant1	13.35	0.6	13.95	24	Pass
NVNT	a	5240	Ant1	13.039	0.6	13.639	24	Pass
NVNT	ac20	5180	Ant1	12.058	0.68	12.738	24	Pass
NVNT	ac20	5200	Ant1	12.365	0.61	12.975	24	Pass
NVNT	ac20	5240	Ant1	11.982	0.64	12.622	24	Pass
NVNT	ac40	5190	Ant1	11.036	1.19	12.226	24	Pass
NVNT	ac40	5230	Ant1	11.113	1.19	12.303	24	Pass
NVNT	ac80	5210	Ant1	9.9	2.04	11.94	24	Pass
NVNT	n20	5180	Ant1	11.882	0.66	12.542	24	Pass
NVNT	n20	5200	Ant1	12.206	0.67	12.876	24	Pass
NVNT	n20	5240	Ant1	12.106	0.66	12.766	24	Pass
NVNT	n40	5190	Ant1	12.024	1.12	13.144	24	Pass
NVNT	n40	5230	Ant1	11.192	1.18	12.372	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	27.203	Pass
NVNT	a	5200	Ant1	25.54	Pass
NVNT	a	5240	Ant1	26.343	Pass
NVNT	ac20	5180	Ant1	23.504	Pass
NVNT	ac20	5200	Ant1	23.853	Pass
NVNT	ac20	5240	Ant1	20.778	Pass

NVNT	ac40	5190	Ant1	47.418	Pass
NVNT	ac40	5230	Ant1	45.847	Pass
NVNT	ac80	5210	Ant1	83.849	Pass
NVNT	n20	5180	Ant1	22.51	Pass
NVNT	n20	5200	Ant1	25.08	Pass
NVNT	n20	5240	Ant1	22.777	Pass
NVNT	n40	5190	Ant1	49.358	Pass
NVNT	n40	5230	Ant1	49.632	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.612
NVNT	a	5200	Ant1	16.618
NVNT	a	5240	Ant1	16.618
NVNT	ac20	5180	Ant1	17.587
NVNT	ac20	5200	Ant1	17.608
NVNT	ac20	5240	Ant1	17.624
NVNT	ac40	5190	Ant1	36.309
NVNT	ac40	5230	Ant1	36.312
NVNT	ac80	5210	Ant1	75.474
NVNT	n20	5180	Ant1	17.603
NVNT	n20	5200	Ant1	17.597
NVNT	n20	5240	Ant1	17.611
NVNT	n40	5190	Ant1	36.348
NVNT	n40	5230	Ant1	36.293


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	2.63	0.62	3.25	11	Pass
NVNT	a	5200	Ant1	2.839	0.6	3.439	11	Pass
NVNT	a	5240	Ant1	2.677	0.6	3.277	11	Pass
NVNT	ac20	5180	Ant1	1.532	0.68	2.212	11	Pass
NVNT	ac20	5200	Ant1	1.697	0.61	2.307	11	Pass

NVNT	ac20	5240	Ant1	1.482	0.64	2.122	11	Pass
NVNT	ac40	5190	Ant1	-2.343	1.19	-1.153	11	Pass
NVNT	ac40	5230	Ant1	-2.046	1.19	-0.856	11	Pass
NVNT	ac80	5210	Ant1	-6.559	2.04	-4.519	11	Pass
NVNT	n20	5180	Ant1	1.342	0.66	2.002	11	Pass
NVNT	n20	5200	Ant1	1.656	0.67	2.326	11	Pass
NVNT	n20	5240	Ant1	1.538	0.66	2.198	11	Pass
NVNT	n40	5190	Ant1	-1.479	1.12	-0.359	11	Pass
NVNT	n40	5230	Ant1	-2.805	1.18	-1.625	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-44	-27	Pass
NVNT	a	5240	Ant1	-52.15	-27	Pass
NVNT	ac20	5180	Ant1	-36.31	-27	Pass
NVNT	ac20	5240	Ant1	-51.81	-27	Pass
NVNT	ac40	5190	Ant1	-31.09	-27	Pass
NVNT	ac40	5230	Ant1	-52.02	-27	Pass
NVNT	ac80	5210	Ant1	-36.34	-27	Pass
NVNT	ac80	5210	Ant1	-52.6	-27	Pass
NVNT	n20	5180	Ant1	-36.5	-27	Pass
NVNT	n20	5240	Ant1	-52.39	-27	Pass
NVNT	n40	5190	Ant1	-27.88	-27	Pass
NVNT	n40	5230	Ant1	-52.29	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT ac80 5210MHz Low Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1



Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-36.14	-27	Pass
NVNT	a	5200	Ant1	-36.22	-27	Pass
NVNT	a	5240	Ant1	-34.17	-27	Pass
NVNT	ac20	5180	Ant1	-36.39	-27	Pass
NVNT	ac20	5200	Ant1	-37.6	-27	Pass

NVNT	ac20	5240	Ant1	-33.98	-27	Pass
NVNT	ac40	5190	Ant1	-38.67	-27	Pass
NVNT	ac40	5230	Ant1	-37.95	-27	Pass
NVNT	ac80	5210	Ant1	-41.6	-27	Pass
NVNT	n20	5180	Ant1	-35.53	-27	Pass
NVNT	n20	5200	Ant1	-37.29	-27	Pass
NVNT	n20	5240	Ant1	-34.41	-27	Pass
NVNT	n40	5190	Ant1	-38.76	-27	Pass
NVNT	n40	5230	Ant1	-37.29	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




WIFI 5.8G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	90.09	0.45	0.72
NVNT	a	5785	Ant1	90.32	0.44	0.72
NVNT	a	5825	Ant1	90.43	0.44	0.72
NVNT	ac20	5745	Ant1	87.82	0.56	0.85
NVNT	ac20	5785	Ant1	88.67	0.52	0.85
NVNT	ac20	5825	Ant1	88.77	0.52	0.84
NVNT	ac40	5755	Ant1	79.33	1.01	1.67
NVNT	ac40	5795	Ant1	79.49	1	1.69
NVNT	ac80	5775	Ant1	57.39	2.41	3.85
NVNT	n20	5745	Ant1	87.01	0.6	0.85
NVNT	n20	5785	Ant1	88.72	0.52	0.85
NVNT	n20	5825	Ant1	88.51	0.53	0.85
NVNT	n40	5755	Ant1	79.84	0.98	1.72
NVNT	n40	5795	Ant1	79.27	1.01	1.69


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	8.978	0.54	9.518	30	Pass
NVNT	a	5785	Ant1	8.124	0.53	8.654	30	Pass
NVNT	a	5825	Ant1	7.915	0.54	8.455	30	Pass
NVNT	ac20	5745	Ant1	8.331	0.64	8.971	30	Pass
NVNT	ac20	5785	Ant1	7.426	0.6	8.026	30	Pass
NVNT	ac20	5825	Ant1	6.973	0.6	7.573	30	Pass
NVNT	ac40	5755	Ant1	8.484	1.16	9.644	30	Pass
NVNT	ac40	5795	Ant1	7.765	1.15	8.915	30	Pass
NVNT	ac80	5775	Ant1	6.647	2.49	9.137	30	Pass
NVNT	n20	5745	Ant1	8.475	0.58	9.055	30	Pass
NVNT	n20	5785	Ant1	7.163	0.61	7.773	30	Pass
NVNT	n20	5825	Ant1	6.909	0.6	7.509	30	Pass
NVNT	n40	5755	Ant1	8.209	0	8.209	30	Pass
NVNT	n40	5795	Ant1	6.487	1.12	7.607	30	Pass

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.304	0.5	Pass
NVNT	a	5785	Ant1	16.34	0.5	Pass
NVNT	a	5825	Ant1	16.328	0.5	Pass
NVNT	ac20	5745	Ant1	17.126	0.5	Pass
NVNT	ac20	5785	Ant1	17.41	0.5	Pass
NVNT	ac20	5825	Ant1	17.276	0.5	Pass

NVNT	ac40	5755	Ant1	35.603	0.5	Pass
NVNT	ac40	5795	Ant1	35.848	0.5	Pass
NVNT	ac80	5775	Ant1	75.519	0.5	Pass
NVNT	n20	5745	Ant1	17.005	0.5	Pass
NVNT	n20	5785	Ant1	17.272	0.5	Pass
NVNT	n20	5825	Ant1	17.093	0.5	Pass
NVNT	n40	5755	Ant1	35.412	0.5	Pass
NVNT	n40	5795	Ant1	35.304	0.5	Pass


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.611
NVNT	a	5785	Ant1	16.609
NVNT	a	5825	Ant1	16.622
NVNT	ac20	5745	Ant1	17.657
NVNT	ac20	5785	Ant1	17.652
NVNT	ac20	5825	Ant1	17.648
NVNT	ac40	5755	Ant1	36.295
NVNT	ac40	5795	Ant1	36.26
NVNT	ac80	5775	Ant1	75.639
NVNT	n20	5745	Ant1	17.637
NVNT	n20	5785	Ant1	17.647
NVNT	n20	5825	Ant1	17.625
NVNT	n40	5755	Ant1	36.264
NVNT	n40	5795	Ant1	36.259


OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac80 5775MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-4.168	0.54	-3.628	30	Pass
NVNT	a	5785	Ant1	-6.185	0.53	-5.655	30	Pass
NVNT	a	5825	Ant1	-6.473	0.54	-5.933	30	Pass
NVNT	ac20	5745	Ant1	-4.923	0.64	-4.283	30	Pass
NVNT	ac20	5785	Ant1	-6.2	0.6	-5.6	30	Pass

NVNT	ac20	5825	Ant1	-6.966	0.6	-6.366	30	Pass
NVNT	ac40	5755	Ant1	-7.932	1.16	-6.772	30	Pass
NVNT	ac40	5795	Ant1	-9.726	1.15	-8.576	30	Pass
NVNT	ac80	5775	Ant1	-12.377	2.49	-9.887	30	Pass
NVNT	n20	5745	Ant1	-5.18	0.58	-4.6	30	Pass
NVNT	n20	5785	Ant1	-6.412	0.61	-5.802	30	Pass
NVNT	n20	5825	Ant1	-6.924	0.6	-6.324	30	Pass
NVNT	n40	5755	Ant1	-8.031	0	-8.031	30	Pass
NVNT	n40	5795	Ant1	-9.946	1.12	-8.826	30	Pass


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-21.8	Pass
NVNT	a	5825	Ant1	-39.59	Pass
NVNT	ac20	5745	Ant1	-29.89	Pass
NVNT	ac20	5825	Ant1	-37.6	Pass
NVNT	ac40	5755	Ant1	-23.72	Pass
NVNT	ac40	5795	Ant1	-40.91	Pass
NVNT	ac80	5775	Ant1	-35.17	Pass
NVNT	ac80	5775	Ant1	-36.12	Pass
NVNT	n20	5745	Ant1	-26.91	Pass
NVNT	n20	5825	Ant1	-37.35	Pass
NVNT	n40	5755	Ant1	-23.52	Pass
NVNT	n40	5795	Ant1	-41.43	Pass


Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1



Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac80 5775MHz High Ant1



Band Edge NVNT ac80 5775MHz Low Ant1



Band Edge NVNT n20 5745MHz Low Ant1