


Annex C. Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.102	-63.92	-13	Pass	601
0.15	30	0.01	Peak	0.15	-56.33	-13	Pass	2985
30	1000	0.1	Peak	937.494	-52.57	-13	Pass	9700
1000	3000	1	Peak	1853.427	22.66	-13	Pass	2000
3000	20000	1	Peak	16983.823	-26.27	-13	Pass	17000




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.123	-65.26	-13	Pass	601
0.15	30	0.01	Peak	0.16	-57.13	-13	Pass	2985
30	1000	0.1	Peak	764.776	-51.77	-13	Pass	9700
1000	3000	1	Peak	1878.439	22.96	-13	Pass	2000
3000	20000	1	Peak	19266.957	-25.9	-13	Pass	17000



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-65.12	-13	Pass	601
0.15	30	0.01	Peak	0.15	-56.32	-13	Pass	2985
30	1000	0.1	Peak	918.292	-51.47	-13	Pass	9700
1000	3000	1	Peak	1906.453	23.17	-13	Pass	2000
3000	20000	1	Peak	16780.811	-25.88	-13	Pass	17000



2. WCDMA_Band5


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.14	-13	Pass	601
0.15	30	0.01	Peak	0.16	-58.2	-13	Pass	2985
30	500	0.1	Peak	465.993	-52.87	-13	Pass	4700
500	1000	0.1	Peak	847.169	17.93	-13	Pass	5000
1000	10000	1	Peak	9611.957	-34.86	-13	Pass	9000




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.107	-64.83	-13	Pass	601
0.15	30	0.01	Peak	0.15	-57.17	-13	Pass	2985
30	500	0.1	Peak	434.886	-53.37	-13	Pass	4700
500	1000	0.1	Peak	837.668	16.67	-13	Pass	5000
1000	10000	1	Peak	2444.16	-26.51	-13	Pass	9000



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.112	-64.54	-13	Pass	601
0.15	30	0.01	Peak	0.17	-57.51	-13	Pass	2985
30	500	0.1	Peak	434.386	-53.55	-13	Pass	4700
500	1000	0.1	Peak	846.169	16.53	-13	Pass	5000
1000	10000	1	Peak	9580.953	-35.13	-13	Pass	9000



3. LTE_Band2


**3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.04	-13	Pass	2985
30	1000	0.1	RMS	934.493	-63.23	-13	Pass	9700
1000	1840	1	RMS	1840	-52.5	-13	Pass	840
1840	1920	1	RMS	1850.267	22.39	60	Pass	601
1920	3000	1	RMS	2447.488	-43.9	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.38	-13	Pass	9000
12000	20000	1	RMS	19315.914	-36.92	-13	Pass	8000




3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.35	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.57	-13	Pass	2985
30	1000	0.1	RMS	883.988	-63.23	-13	Pass	9700
1000	1840	1	RMS	1840	-52.63	-13	Pass	840
1840	1920	1	RMS	1850.267	21.25	60	Pass	601
1920	3000	1	RMS	2694.717	-49.82	-13	Pass	1080
3000	12000	1	RMS	11534.948	-33.17	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.95	-13	Pass	8000




3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-70.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.45	-13	Pass	2985
30	1000	0.1	RMS	895.089	-63.18	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.8	-13	Pass	840
1840	1920	1	RMS	1879.6	22.13	60	Pass	601
1920	3000	1	RMS	2705.728	-49.79	-13	Pass	1080
3000	12000	1	RMS	11515.946	-44.33	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.91	-13	Pass	8000




3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.91	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.77	-13	Pass	2985
30	1000	0.1	RMS	905.79	-63.17	-13	Pass	9700
1000	1840	1	RMS	1840	-52.82	-13	Pass	840
1840	1920	1	RMS	1879.6	21.51	60	Pass	601
1920	3000	1	RMS	2708.73	-49.85	-13	Pass	1080
3000	12000	1	RMS	11515.946	-44.28	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.94	-13	Pass	8000




3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2985
30	1000	0.1	RMS	914.291	-63.29	-13	Pass	9700
1000	1840	1	RMS	1826.985	-52.8	-13	Pass	840
1840	1920	1	RMS	1908.8	22.38	60	Pass	601
1920	3000	1	RMS	2452.493	-41.34	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.34	-13	Pass	9000
12000	20000	1	RMS	19308.914	-36.92	-13	Pass	8000




3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-71.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.71	-13	Pass	2985
30	1000	0.1	RMS	873.587	-63.11	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.87	-13	Pass	840
1840	1920	1	RMS	1908.8	21.2	60	Pass	601
1920	3000	1	RMS	2452.493	-34.81	-13	Pass	1080
3000	12000	1	RMS	11520.947	-44.36	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.92	-13	Pass	8000




3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.78	-13	Pass	2985
30	1000	0.1	RMS	887.188	-63.21	-13	Pass	9700
1000	1840	1	RMS	1840	-52.44	-13	Pass	840
1840	1920	1	RMS	1850.267	21.94	60	Pass	601
1920	3000	1	RMS	2448.489	-35.38	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.3	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.9	-13	Pass	8000




3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-70.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.93	-13	Pass	2985
30	1000	0.1	RMS	908.491	-63.24	-13	Pass	9700
1000	1840	1	RMS	1840	-52.63	-13	Pass	840
1840	1920	1	RMS	1850.267	20.91	60	Pass	601
1920	3000	1	RMS	2461.501	-49.76	-13	Pass	1080
3000	12000	1	RMS	11514.946	-44.27	-13	Pass	9000
12000	20000	1	RMS	19312.914	-36.93	-13	Pass	8000




3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-70.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.51	-13	Pass	2985
30	1000	0.1	RMS	914.291	-63.19	-13	Pass	9700
1000	1840	1	RMS	1838.999	-52.85	-13	Pass	840
1840	1920	1	RMS	1878.667	22.21	60	Pass	601
1920	3000	1	RMS	2446.487	-42.18	-13	Pass	1080
3000	12000	1	RMS	11524.947	-44.39	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.94	-13	Pass	8000




3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.62	-13	Pass	2985
30	1000	0.1	RMS	912.791	-63.27	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.86	-13	Pass	840
1840	1920	1	RMS	1878.667	21.75	60	Pass	601
1920	3000	1	RMS	2456.497	-29.95	-13	Pass	1080
3000	12000	1	RMS	11517.946	-44.36	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.91	-13	Pass	8000




3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-71.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.86	-13	Pass	2985
30	1000	0.1	RMS	881.688	-63.27	-13	Pass	9700
1000	1840	1	RMS	1825.983	-52.82	-13	Pass	840
1840	1920	1	RMS	1907.2	22.45	60	Pass	601
1920	3000	1	RMS	2693.716	-49.86	-13	Pass	1080
3000	12000	1	RMS	11515.946	-44.32	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.96	-13	Pass	8000




3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-71.28	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.07	-13	Pass	2985
30	1000	0.1	RMS	897.889	-63.05	-13	Pass	9700
1000	1840	1	RMS	1840	-52.84	-13	Pass	840
1840	1920	1	RMS	1907.2	21.43	60	Pass	601
1920	3000	1	RMS	2705.728	-49.8	-13	Pass	1080
3000	12000	1	RMS	11521.947	-44.38	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.99	-13	Pass	8000




3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-71.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.14	-13	Pass	2985
30	1000	0.1	RMS	920.892	-63.19	-13	Pass	9700
1000	1840	1	RMS	1840	-52.36	-13	Pass	840
1840	1920	1	RMS	1850.267	21.85	60	Pass	601
1920	3000	1	RMS	2444.486	-48.93	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.32	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.96	-13	Pass	8000




3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.51	-13	Pass	2985
30	1000	0.1	RMS	901.09	-63.19	-13	Pass	9700
1000	1840	1	RMS	1840	-52.56	-13	Pass	840
1840	1920	1	RMS	1850.267	20.75	60	Pass	601
1920	3000	1	RMS	2443.485	-48.32	-13	Pass	1080
3000	12000	1	RMS	11511.946	-44.35	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.97	-13	Pass	8000




3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-71.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.16	-13	Pass	2985
30	1000	0.1	RMS	871.687	-63.28	-13	Pass	9700
1000	1840	1	RMS	1823.981	-52.83	-13	Pass	840
1840	1920	1	RMS	1877.867	21.85	60	Pass	601
1920	3000	1	RMS	2454.495	-43.9	-13	Pass	1080
3000	12000	1	RMS	11519.947	-44.34	-13	Pass	9000
12000	20000	1	RMS	19303.913	-37	-13	Pass	8000




3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-72.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.37	-13	Pass	2985
30	1000	0.1	RMS	889.289	-63.16	-13	Pass	9700
1000	1840	1	RMS	1838.999	-52.8	-13	Pass	840
1840	1920	1	RMS	1877.867	21.13	60	Pass	601
1920	3000	1	RMS	2452.493	-40.57	-13	Pass	1080
3000	12000	1	RMS	11519.947	-44.37	-13	Pass	9000
12000	20000	1	RMS	19317.915	-36.92	-13	Pass	8000




3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-71.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.57	-13	Pass	2985
30	1000	0.1	RMS	931.693	-63.23	-13	Pass	9700
1000	1840	1	RMS	1835.995	-52.81	-13	Pass	840
1840	1920	1	RMS	1905.333	22.09	60	Pass	601
1920	3000	1	RMS	2704.727	-49.86	-13	Pass	1080
3000	12000	1	RMS	11529.948	-44.38	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37	-13	Pass	8000




3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.56	-13	Pass	2985
30	1000	0.1	RMS	935.693	-63.29	-13	Pass	9700
1000	1840	1	RMS	1834.994	-52.91	-13	Pass	840
1840	1920	1	RMS	1905.333	20.81	60	Pass	601
1920	3000	1	RMS	2451.492	-36.81	-13	Pass	1080
3000	12000	1	RMS	11520.947	-44.34	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.94	-13	Pass	8000




3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.49	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.74	-13	Pass	2985
30	1000	0.1	RMS	874.687	-63.17	-13	Pass	9700
1000	1840	1	RMS	1840	-52.03	-13	Pass	840
1840	1920	1	RMS	1850.533	22.1	60	Pass	601
1920	3000	1	RMS	2703.726	-49.83	-13	Pass	1080
3000	12000	1	RMS	11508.945	-44.34	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.91	-13	Pass	8000




3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.98	-13	Pass	2985
30	1000	0.1	RMS	928.693	-63.26	-13	Pass	9700
1000	1840	1	RMS	1832.992	-52.48	-13	Pass	840
1840	1920	1	RMS	1850.533	20.94	60	Pass	601
1920	3000	1	RMS	2446.487	-44.91	-13	Pass	1080
3000	12000	1	RMS	11515.946	-44.28	-13	Pass	9000
12000	20000	1	RMS	19314.914	-36.96	-13	Pass	8000




3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.8	-13	Pass	2985
30	1000	0.1	RMS	887.488	-63.1	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.81	-13	Pass	840
1840	1920	1	RMS	1875.6	22.02	60	Pass	601
1920	3000	1	RMS	2454.495	-44.78	-13	Pass	1080
3000	12000	1	RMS	11514.946	-44.36	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.98	-13	Pass	8000




3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-72.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.19	-13	Pass	2985
30	1000	0.1	RMS	921.292	-63.31	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.85	-13	Pass	840
1840	1920	1	RMS	1875.6	21.56	60	Pass	601
1920	3000	1	RMS	2706.728	-49.85	-13	Pass	1080
3000	12000	1	RMS	11520.947	-44.34	-13	Pass	9000
12000	20000	1	RMS	19310.914	-36.98	-13	Pass	8000




3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-71.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.55	-13	Pass	2985
30	1000	0.1	RMS	916.691	-63.25	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.76	-13	Pass	840
1840	1920	1	RMS	1900.533	22.51	60	Pass	601
1920	3000	1	RMS	2452.493	-41.4	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.29	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.97	-13	Pass	8000




3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.104	-71.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.39	-13	Pass	2985
30	1000	0.1	RMS	871.287	-63.33	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.85	-13	Pass	840
1840	1920	1	RMS	1900.533	21.09	60	Pass	601
1920	3000	1	RMS	2702.725	-49.88	-13	Pass	1080
3000	12000	1	RMS	11517.946	-44.35	-13	Pass	9000
12000	20000	1	RMS	19320.915	-37.02	-13	Pass	8000




3.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-72.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.26	-13	Pass	2985
30	1000	0.1	RMS	871.187	-63.16	-13	Pass	9700
1000	1840	1	RMS	1837.998	-40.78	-13	Pass	840
1840	1920	1	RMS	1850.8	22.22	60	Pass	601
1920	3000	1	RMS	2697.72	-49.82	-13	Pass	1080
3000	12000	1	RMS	11521.947	-44.31	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.99	-13	Pass	8000




3.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-70.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.24	-13	Pass	2985
30	1000	0.1	RMS	909.691	-63.21	-13	Pass	9700
1000	1840	1	RMS	1837.998	-47.37	-13	Pass	840
1840	1920	1	RMS	1850.8	20.85	60	Pass	601
1920	3000	1	RMS	2699.722	-49.83	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.26	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.99	-13	Pass	8000




3.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.11	-13	Pass	2985
30	1000	0.1	RMS	916.991	-63.28	-13	Pass	9700
1000	1840	1	RMS	1840	-52.79	-13	Pass	840
1840	1920	1	RMS	1873.333	22.07	60	Pass	601
1920	3000	1	RMS	2454.495	-34.47	-13	Pass	1080
3000	12000	1	RMS	11521.947	-44.33	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.98	-13	Pass	8000




3.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-71.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.75	-13	Pass	2985
30	1000	0.1	RMS	919.992	-63.29	-13	Pass	9700
1000	1840	1	RMS	1824.982	-52.85	-13	Pass	840
1840	1920	1	RMS	1873.333	21.69	60	Pass	601
1920	3000	1	RMS	2696.719	-49.85	-13	Pass	1080
3000	12000	1	RMS	11515.946	-44.35	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.95	-13	Pass	8000




3.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-71.14	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.37	-13	Pass	2985
30	1000	0.1	RMS	903.19	-63.21	-13	Pass	9700
1000	1840	1	RMS	1828.987	-52.85	-13	Pass	840
1840	1920	1	RMS	1895.867	22.04	60	Pass	601
1920	3000	1	RMS	2447.488	-44.11	-13	Pass	1080
3000	12000	1	RMS	11515.946	-44.35	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.95	-13	Pass	8000




3.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-71.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.63	-13	Pass	2985
30	1000	0.1	RMS	916.391	-63.17	-13	Pass	9700
1000	1840	1	RMS	1838.999	-52.81	-13	Pass	840
1840	1920	1	RMS	1895.867	20.73	60	Pass	601
1920	3000	1	RMS	2458.499	-48.8	-13	Pass	1080
3000	12000	1	RMS	11518.947	-44.28	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.95	-13	Pass	8000




3.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-71.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.01	-13	Pass	2985
30	1000	0.1	RMS	884.188	-63.29	-13	Pass	9700
1000	1840	1	RMS	1832.992	-48.83	-13	Pass	840
1840	1920	1	RMS	1851.067	22.02	60	Pass	601
1920	3000	1	RMS	2695.718	-49.84	-13	Pass	1080
3000	12000	1	RMS	11521.947	-44.32	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.01	-13	Pass	8000




3.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-71.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.93	-13	Pass	2985
30	1000	0.1	RMS	903.29	-63.16	-13	Pass	9700
1000	1840	1	RMS	1832.992	-49.37	-13	Pass	840
1840	1920	1	RMS	1851.067	21.39	60	Pass	601
1920	3000	1	RMS	2710.732	-49.86	-13	Pass	1080
3000	12000	1	RMS	11529.948	-44.37	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.89	-13	Pass	8000




3.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-70.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.27	-13	Pass	2985
30	1000	0.1	RMS	895.889	-63.19	-13	Pass	9700
1000	1840	1	RMS	1834.994	-51.24	-13	Pass	840
1840	1920	1	RMS	1871.067	22.7	60	Pass	601
1920	3000	1	RMS	2456.497	-37.78	-13	Pass	1080
3000	12000	1	RMS	11518.947	-44.27	-13	Pass	9000
12000	20000	1	RMS	19317.915	-36.98	-13	Pass	8000




3.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.25	-13	Pass	2985
30	1000	0.1	RMS	895.189	-63.18	-13	Pass	9700
1000	1840	1	RMS	1834.994	-52.09	-13	Pass	840
1840	1920	1	RMS	1871.067	21.13	60	Pass	601
1920	3000	1	RMS	2457.498	-42.54	-13	Pass	1080
3000	12000	1	RMS	11516.946	-44.3	-13	Pass	9000
12000	20000	1	RMS	19282.91	-36.9	-13	Pass	8000




3.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-71.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.27	-13	Pass	2985
30	1000	0.1	RMS	907.19	-63.2	-13	Pass	9700
1000	1840	1	RMS	1840	-52.74	-13	Pass	840
1840	1920	1	RMS	1891.067	22.49	60	Pass	601
1920	3000	1	RMS	2455.496	-35.64	-13	Pass	1080
3000	12000	1	RMS	11517.946	-44.24	-13	Pass	9000
12000	20000	1	RMS	19317.915	-36.94	-13	Pass	8000



3.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-72.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.73	-13	Pass	2985
30	1000	0.1	RMS	902.09	-63.23	-13	Pass	9700
1000	1840	1	RMS	1838.999	-52.77	-13	Pass	840
1840	1920	1	RMS	1891.067	21.52	60	Pass	601
1920	3000	1	RMS	2458.499	-44.1	-13	Pass	1080
3000	12000	1	RMS	11512.946	-44.28	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.91	-13	Pass	8000




END

4. LTE_Band4


**4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-71.4	-13	Pass	601
0.15	30	0.01	RMS	0.19	-65.27	-13	Pass	2985
30	1000	0.1	RMS	926.492	-63.3	-13	Pass	9700
1000	1700	1	RMS	1700	-53.17	-13	Pass	700
1700	1765	1	RMS	1710.183	21.74	60	Pass	601
1765	3000	1	RMS	2701.759	-49.85	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.49	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.06	-13	Pass	8000




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.085	-71.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.12	-13	Pass	2985
30	1000	0.1	RMS	918.792	-63.25	-13	Pass	9700
1000	1700	1	RMS	1700	-53.17	-13	Pass	700
1700	1765	1	RMS	1710.183	20.78	60	Pass	601
1765	3000	1	RMS	2699.757	-49.89	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.48	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.05	-13	Pass	8000




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-71.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.34	-13	Pass	2985
30	1000	0.1	RMS	896.389	-63.29	-13	Pass	9700
1000	1700	1	RMS	1658.941	-53.27	-13	Pass	700
1700	1765	1	RMS	1732.067	21.89	60	Pass	601
1765	3000	1	RMS	2449.554	-35.11	-13	Pass	1235
3000	12000	1	RMS	11514.946	-44.54	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.22	-13	Pass	8000




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-70.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.55	-13	Pass	2985
30	1000	0.1	RMS	904.19	-63.38	-13	Pass	9700
1000	1700	1	RMS	1657.94	-53.34	-13	Pass	700
1700	1765	1	RMS	1732.067	20.7	60	Pass	601
1765	3000	1	RMS	2707.763	-49.9	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.55	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.15	-13	Pass	8000




4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.63	-13	Pass	2985
30	1000	0.1	RMS	873.187	-63.31	-13	Pass	9700
1000	1700	1	RMS	1614.878	-52.75	-13	Pass	700
1700	1765	1	RMS	1753.842	21.49	60	Pass	601
1765	3000	1	RMS	2699.757	-49.89	-13	Pass	1235
3000	12000	1	RMS	11517.946	-44.53	-13	Pass	9000
12000	20000	1	RMS	19317.915	-37.2	-13	Pass	8000




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-70.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.42	-13	Pass	2985
30	1000	0.1	RMS	890.189	-63.41	-13	Pass	9700
1000	1700	1	RMS	1614.878	-52.82	-13	Pass	700
1700	1765	1	RMS	1753.842	20.95	60	Pass	601
1765	3000	1	RMS	2705.762	-49.86	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.62	-13	Pass	9000
12000	20000	1	RMS	19320.915	-37.23	-13	Pass	8000




4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-71.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.58	-13	Pass	2985
30	1000	0.1	RMS	909.491	-63.3	-13	Pass	9700
1000	1700	1	RMS	1700	-53.15	-13	Pass	700
1700	1765	1	RMS	1710.183	21.78	60	Pass	601
1765	3000	1	RMS	2448.553	-37.81	-13	Pass	1235
3000	12000	1	RMS	11511.946	-44.58	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.18	-13	Pass	8000




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-71.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.21	-13	Pass	2985
30	1000	0.1	RMS	891.689	-63.28	-13	Pass	9700
1000	1700	1	RMS	1700	-53.3	-13	Pass	700
1700	1765	1	RMS	1710.183	20.44	60	Pass	601
1765	3000	1	RMS	2445.551	-43.66	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.55	-13	Pass	9000
12000	20000	1	RMS	19314.914	-37.25	-13	Pass	8000




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.08	-13	Pass	2985
30	1000	0.1	RMS	895.189	-63.37	-13	Pass	9700
1000	1700	1	RMS	1659.943	-53.16	-13	Pass	700
1700	1765	1	RMS	1731.2	21.64	60	Pass	601
1765	3000	1	RMS	2712.767	-49.91	-13	Pass	1235
3000	12000	1	RMS	11520.947	-44.61	-13	Pass	9000
12000	20000	1	RMS	19660.958	-37.27	-13	Pass	8000




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.14	-13	Pass	2985
30	1000	0.1	RMS	903.69	-63.34	-13	Pass	9700
1000	1700	1	RMS	1660.944	-53.3	-13	Pass	700
1700	1765	1	RMS	1731.2	21.19	60	Pass	601
1765	3000	1	RMS	2701.759	-49.9	-13	Pass	1235
3000	12000	1	RMS	11495.944	-44.57	-13	Pass	9000
12000	20000	1	RMS	19326.916	-37.22	-13	Pass	8000




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-70.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.01	-13	Pass	2985
30	1000	0.1	RMS	887.588	-63.25	-13	Pass	9700
1000	1700	1	RMS	1617.883	-52.8	-13	Pass	700
1700	1765	1	RMS	1752.217	21.44	60	Pass	601
1765	3000	1	RMS	2702.759	-49.91	-13	Pass	1235
3000	12000	1	RMS	11523.947	-44.61	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.25	-13	Pass	8000




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-71.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.05	-13	Pass	2985
30	1000	0.1	RMS	904.19	-63.35	-13	Pass	9700
1000	1700	1	RMS	1617.883	-52.89	-13	Pass	700
1700	1765	1	RMS	1752.217	20.61	60	Pass	601
1765	3000	1	RMS	2705.762	-49.94	-13	Pass	1235
3000	12000	1	RMS	11517.946	-44.54	-13	Pass	9000
12000	20000	1	RMS	19322.915	-37.24	-13	Pass	8000




4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.51	-13	Pass	2985
30	1000	0.1	RMS	873.387	-63.39	-13	Pass	9700
1000	1700	1	RMS	1700	-53.09	-13	Pass	700
1700	1765	1	RMS	1710.292	21.61	60	Pass	601
1765	3000	1	RMS	2448.553	-47.91	-13	Pass	1235
3000	12000	1	RMS	11519.947	-44.58	-13	Pass	9000
12000	20000	1	RMS	19317.915	-37.25	-13	Pass	8000




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-70.57	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.26	-13	Pass	2985
30	1000	0.1	RMS	863.486	-63.45	-13	Pass	9700
1000	1700	1	RMS	1700	-53.31	-13	Pass	700
1700	1765	1	RMS	1710.292	20.35	60	Pass	601
1765	3000	1	RMS	2451.556	-35.78	-13	Pass	1235
3000	12000	1	RMS	11530.948	-44.57	-13	Pass	9000
12000	20000	1	RMS	19661.958	-37.25	-13	Pass	8000




4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-71.89	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.75	-13	Pass	2985
30	1000	0.1	RMS	915.991	-63.34	-13	Pass	9700
1000	1700	1	RMS	1661.946	-53.34	-13	Pass	700
1700	1765	1	RMS	1730.333	21.4	60	Pass	601
1765	3000	1	RMS	2451.556	-37.34	-13	Pass	1235
3000	12000	1	RMS	11523.947	-44.58	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.21	-13	Pass	8000




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.24	-13	Pass	2985
30	1000	0.1	RMS	927.993	-63.48	-13	Pass	9700
1000	1700	1	RMS	1661.946	-53.35	-13	Pass	700
1700	1765	1	RMS	1730.333	21.05	60	Pass	601
1765	3000	1	RMS	2447.553	-45.88	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.53	-13	Pass	9000
12000	20000	1	RMS	19658.957	-37.23	-13	Pass	8000




4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-71.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.43	-13	Pass	2985
30	1000	0.1	RMS	920.192	-63.43	-13	Pass	9700
1000	1700	1	RMS	1621.888	-52.83	-13	Pass	700
1700	1765	1	RMS	1750.375	21.6	60	Pass	601
1765	3000	1	RMS	2696.754	-49.93	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.53	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.22	-13	Pass	8000




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.103	-71.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.3	-13	Pass	2985
30	1000	0.1	RMS	907.29	-63.33	-13	Pass	9700
1000	1700	1	RMS	1621.888	-52.98	-13	Pass	700
1700	1765	1	RMS	1750.375	20.2	60	Pass	601
1765	3000	1	RMS	2703.76	-49.96	-13	Pass	1235
3000	12000	1	RMS	11521.947	-44.51	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.18	-13	Pass	8000




4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.95	-13	Pass	2985
30	1000	0.1	RMS	896.189	-63.22	-13	Pass	9700
1000	1700	1	RMS	1700	-53.13	-13	Pass	700
1700	1765	1	RMS	1710.617	21.63	60	Pass	601
1765	3000	1	RMS	2445.551	-43.49	-13	Pass	1235
3000	12000	1	RMS	11520.947	-44.53	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.23	-13	Pass	8000




4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-71.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.33	-13	Pass	2985
30	1000	0.1	RMS	875.887	-63.35	-13	Pass	9700
1000	1700	1	RMS	1700	-53.25	-13	Pass	700
1700	1765	1	RMS	1710.617	20.59	60	Pass	601
1765	3000	1	RMS	2458.562	-41.63	-13	Pass	1235
3000	12000	1	RMS	11521.947	-44.53	-13	Pass	9000
12000	20000	1	RMS	19313.914	-37.26	-13	Pass	8000




4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.7	-13	Pass	2985
30	1000	0.1	RMS	878.387	-63.36	-13	Pass	9700
1000	1700	1	RMS	1626.896	-53.4	-13	Pass	700
1700	1765	1	RMS	1728.058	21.32	60	Pass	601
1765	3000	1	RMS	2456.56	-39.83	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.51	-13	Pass	9000
12000	20000	1	RMS	19320.915	-37.31	-13	Pass	8000




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.9	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65.1	-13	Pass	2985
30	1000	0.1	RMS	915.291	-63.32	-13	Pass	9700
1000	1700	1	RMS	1621.888	-53.38	-13	Pass	700
1700	1765	1	RMS	1728.058	20.68	60	Pass	601
1765	3000	1	RMS	2447.553	-45.27	-13	Pass	1235
3000	12000	1	RMS	11513.946	-44.62	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.11	-13	Pass	8000




4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.49	-13	Pass	2985
30	1000	0.1	RMS	880.588	-63.35	-13	Pass	9700
1000	1700	1	RMS	1631.903	-53	-13	Pass	700
1700	1765	1	RMS	1745.608	21.55	60	Pass	601
1765	3000	1	RMS	2449.554	-34.66	-13	Pass	1235
3000	12000	1	RMS	11511.946	-44.53	-13	Pass	9000
12000	20000	1	RMS	19659.957	-37.02	-13	Pass	8000




4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-71.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.99	-13	Pass	2985
30	1000	0.1	RMS	926.992	-63.3	-13	Pass	9700
1000	1700	1	RMS	1631.903	-53.03	-13	Pass	700
1700	1765	1	RMS	1745.608	20.98	60	Pass	601
1765	3000	1	RMS	2700.758	-49.97	-13	Pass	1235
3000	12000	1	RMS	11521.947	-44.44	-13	Pass	9000
12000	20000	1	RMS	19323.915	-37.13	-13	Pass	8000




4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-70.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.83	-13	Pass	2985
30	1000	0.1	RMS	901.99	-63.33	-13	Pass	9700
1000	1700	1	RMS	1697.997	-45.06	-13	Pass	700
1700	1765	1	RMS	1710.833	21.87	60	Pass	601
1765	3000	1	RMS	2455.559	-39.46	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.5	-13	Pass	9000
12000	20000	1	RMS	19317.915	-37.15	-13	Pass	8000




4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-71.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.98	-13	Pass	2985
30	1000	0.1	RMS	927.192	-63.23	-13	Pass	9700
1000	1700	1	RMS	1697.997	-47.11	-13	Pass	700
1700	1765	1	RMS	1710.833	20.55	60	Pass	601
1765	3000	1	RMS	2454.558	-42.67	-13	Pass	1235
3000	12000	1	RMS	11517.946	-44.46	-13	Pass	9000
12000	20000	1	RMS	19319.915	-37.14	-13	Pass	8000




4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.15	-13	Pass	2985
30	1000	0.1	RMS	909.991	-63.15	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.48	-13	Pass	700
1700	1765	1	RMS	1725.783	21.47	60	Pass	601
1765	3000	1	RMS	2451.556	-38.08	-13	Pass	1235
3000	12000	1	RMS	11515.946	-44.49	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.06	-13	Pass	8000




4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-71.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.13	-13	Pass	2985
30	1000	0.1	RMS	901.49	-63.29	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.46	-13	Pass	700
1700	1765	1	RMS	1725.783	20.83	60	Pass	601
1765	3000	1	RMS	2449.554	-43.66	-13	Pass	1235
3000	12000	1	RMS	11523.947	-44.5	-13	Pass	9000
12000	20000	1	RMS	19320.915	-37.16	-13	Pass	8000




4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.104	-70.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.84	-13	Pass	2985
30	1000	0.1	RMS	920.092	-63.31	-13	Pass	9700
1000	1700	1	RMS	1640.916	-53.08	-13	Pass	700
1700	1765	1	RMS	1740.842	21.66	60	Pass	601
1765	3000	1	RMS	1767.002	-39.46	-13	Pass	1235
3000	12000	1	RMS	11524.947	-44.51	-13	Pass	9000
12000	20000	1	RMS	19318.915	-37.09	-13	Pass	8000




4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.25	-13	Pass	2985
30	1000	0.1	RMS	940.194	-63.14	-13	Pass	9700
1000	1700	1	RMS	1640.916	-53.22	-13	Pass	700
1700	1765	1	RMS	1740.842	19.8	60	Pass	601
1765	3000	1	RMS	1767.002	-39.77	-13	Pass	1235
3000	12000	1	RMS	11511.946	-44.46	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.98	-13	Pass	8000




4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-71.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.46	-13	Pass	2985
30	1000	0.1	RMS	886.988	-63.13	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.63	-13	Pass	700
1700	1765	1	RMS	1711.05	21.85	60	Pass	601
1765	3000	1	RMS	2689.749	-49.76	-13	Pass	1235
3000	12000	1	RMS	11517.946	-44.33	-13	Pass	9000
12000	20000	1	RMS	19315.914	-36.95	-13	Pass	8000




4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.34	-13	Pass	2985
30	1000	0.1	RMS	907.59	-63.15	-13	Pass	9700
1000	1700	1	RMS	1692.99	-48.26	-13	Pass	700
1700	1765	1	RMS	1711.05	21.3	60	Pass	601
1765	3000	1	RMS	2454.558	-36.19	-13	Pass	1235
3000	12000	1	RMS	11513.946	-44.35	-13	Pass	9000
12000	20000	1	RMS	19658.957	-36.93	-13	Pass	8000




4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.48	-13	Pass	2985
30	1000	0.1	RMS	897.889	-63.21	-13	Pass	9700
1000	1700	1	RMS	1687.983	-53.07	-13	Pass	700
1700	1765	1	RMS	1723.617	22.17	60	Pass	601
1765	3000	1	RMS	2453.558	-34.37	-13	Pass	1235
3000	12000	1	RMS	11515.946	-44.38	-13	Pass	9000
12000	20000	1	RMS	19322.915	-37	-13	Pass	8000




4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.97	-13	Pass	2985
30	1000	0.1	RMS	903.79	-63.05	-13	Pass	9700
1000	1700	1	RMS	1620.887	-53.14	-13	Pass	700
1700	1765	1	RMS	1723.617	20.71	60	Pass	601
1765	3000	1	RMS	2706.763	-49.73	-13	Pass	1235
3000	12000	1	RMS	11519.947	-44.31	-13	Pass	9000
12000	20000	1	RMS	19264.908	-25.66	-13	Pass	8000




4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.133	-71.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.49	-13	Pass	2985
30	1000	0.1	RMS	891.589	-63.11	-13	Pass	9700
1000	1700	1	RMS	1700	-51.37	-13	Pass	700
1700	1765	1	RMS	1736.075	21.86	60	Pass	601
1765	3000	1	RMS	1772.006	-36.28	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.36	-13	Pass	9000
12000	20000	1	RMS	19325.916	-37	-13	Pass	8000



4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-71.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.89	-13	Pass	2985
30	1000	0.1	RMS	932.093	-63.21	-13	Pass	9700
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1765	1	RMS	1736.075	21.12	60	Pass	601
1765	3000	1	RMS	1772.006	-36.87	-13	Pass	1235
3000	12000	1	RMS	11522.947	-44.31	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.97	-13	Pass	8000



5. LTE_Band7


5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-71.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.75	-25	Pass	2985
30	1000	0.1	RMS	913.791	-63.3	-25	Pass	9700
1000	2490	1	RMS	2490	-50.28	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.39	60	Pass	601
2580	3000	1	RMS	2705.3	-49.88	-25	Pass	601
3000	12000	1	RMS	11519.947	-54.33	-25	Pass	9000
12000	27000	1	RMS	25244.883	-41.25	-25	Pass	15000




5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.34	-25	Pass	2985
30	1000	0.1	RMS	905.49	-63.38	-25	Pass	9700
1000	2490	1	RMS	2490	-50.41	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.21	60	Pass	601
2580	3000	1	RMS	2706.7	-49.91	-25	Pass	601
3000	12000	1	RMS	11514.946	-54.26	-25	Pass	9000
12000	27000	1	RMS	25282.886	-41.25	-25	Pass	15000




5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.38	-25	Pass	2985
30	1000	0.1	RMS	909.391	-63.36	-25	Pass	9700
1000	2490	1	RMS	2455.977	-35.74	-25	Pass	1490
2490	2580	1	RMS	2532.9	21.05	60	Pass	601
2580	3000	1	RMS	2699.7	-49.92	-25	Pass	601
3000	12000	1	RMS	11513.946	-54.22	-25	Pass	9000
12000	27000	1	RMS	25252.884	-41.32	-25	Pass	15000




5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-71.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-25	Pass	2985
30	1000	0.1	RMS	898.99	-63.21	-25	Pass	9700
1000	2490	1	RMS	2458.979	-47.09	-25	Pass	1490
2490	2580	1	RMS	2532.9	20.22	60	Pass	601
2580	3000	1	RMS	2706	-49.89	-25	Pass	601
3000	12000	1	RMS	11515.946	-54.39	-25	Pass	9000
12000	27000	1	RMS	25262.884	-41.31	-25	Pass	15000




5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.93	-25	Pass	2985
30	1000	0.1	RMS	922.492	-63.4	-25	Pass	9700
1000	2490	1	RMS	2460.981	-49.42	-25	Pass	1490
2490	2580	1	RMS	2565.3	20.8	60	Pass	601
2580	3000	1	RMS	2689.2	-49.91	-25	Pass	601
3000	12000	1	RMS	11512.946	-54.35	-25	Pass	9000
12000	27000	1	RMS	25265.884	-41.26	-25	Pass	15000




5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-71.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.29	-25	Pass	2985
30	1000	0.1	RMS	917.692	-63.32	-25	Pass	9700
1000	2490	1	RMS	2454.976	-38.61	-25	Pass	1490
2490	2580	1	RMS	2565.3	19.48	60	Pass	601
2580	3000	1	RMS	2701.8	-49.89	-25	Pass	601
3000	12000	1	RMS	11517.946	-54.28	-25	Pass	9000
12000	27000	1	RMS	25252.884	-41.27	-25	Pass	15000




5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-70.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.44	-25	Pass	2985
30	1000	0.1	RMS	975.998	-63.33	-25	Pass	9700
1000	2490	1	RMS	2445.97	-41.57	-25	Pass	1490
2490	2580	1	RMS	2500.65	21.72	60	Pass	601
2580	3000	1	RMS	2696.2	-49.88	-25	Pass	601
3000	12000	1	RMS	11516.946	-54.37	-25	Pass	9000
12000	27000	1	RMS	25246.883	-41.24	-25	Pass	15000




5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.58	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.53	-25	Pass	2985
30	1000	0.1	RMS	906.49	-63.31	-25	Pass	9700
1000	2490	1	RMS	2446.971	-36.94	-25	Pass	1490
2490	2580	1	RMS	2500.65	20.47	60	Pass	601
2580	3000	1	RMS	2701.1	-49.91	-25	Pass	601
3000	12000	1	RMS	11516.946	-54.35	-25	Pass	9000
12000	27000	1	RMS	25249.883	-41.24	-25	Pass	15000




5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-71.84	-25	Pass	601
0.15	30	0.01	RMS	0.16	-65.19	-25	Pass	2985
30	1000	0.1	RMS	911.591	-63.35	-25	Pass	9700
1000	2490	1	RMS	2449.973	-36.6	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.3	60	Pass	601
2580	3000	1	RMS	2703.9	-49.87	-25	Pass	601
3000	12000	1	RMS	11510.946	-54.37	-25	Pass	9000
12000	27000	1	RMS	25250.883	-41.23	-25	Pass	15000




5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-71.57	-25	Pass	601
0.15	30	0.01	RMS	0.16	-65.22	-25	Pass	2985
30	1000	0.1	RMS	1000	-63.41	-25	Pass	9700
1000	2490	1	RMS	2453.976	-31.59	-25	Pass	1490
2490	2580	1	RMS	2530.65	20.88	60	Pass	601
2580	3000	1	RMS	2696.9	-49.93	-25	Pass	601
3000	12000	1	RMS	11516.946	-54.32	-25	Pass	9000
12000	27000	1	RMS	25242.883	-41.24	-25	Pass	15000




5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-71.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.39	-25	Pass	2985
30	1000	0.1	RMS	924.692	-63.29	-25	Pass	9700
1000	2490	1	RMS	2462.982	-50.51	-25	Pass	1490
2490	2580	1	RMS	2560.65	20.79	60	Pass	601
2580	3000	1	RMS	2687.1	-49.9	-25	Pass	601
3000	12000	1	RMS	11518.947	-54.35	-25	Pass	9000
12000	27000	1	RMS	25245.883	-41.17	-25	Pass	15000




5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-71.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.55	-25	Pass	2985
30	1000	0.1	RMS	884.488	-63.32	-25	Pass	9700
1000	2490	1	RMS	2449.973	-35.49	-25	Pass	1490
2490	2580	1	RMS	2560.65	19.55	60	Pass	601
2580	3000	1	RMS	2706	-49.93	-25	Pass	601
3000	12000	1	RMS	11515.946	-54.29	-25	Pass	9000
12000	27000	1	RMS	25250.883	-41.25	-25	Pass	15000




5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-71.12	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.07	-25	Pass	2985
30	1000	0.1	RMS	905.29	-63.34	-25	Pass	9700
1000	2490	1	RMS	2487.999	-33.93	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.6	60	Pass	601
2580	3000	1	RMS	2703.9	-49.91	-25	Pass	601
3000	12000	1	RMS	11513.946	-54.36	-25	Pass	9000
12000	27000	1	RMS	25249.883	-41.28	-25	Pass	15000




5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-72.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.19	-25	Pass	2985
30	1000	0.1	RMS	921.492	-63.28	-25	Pass	9700
1000	2490	1	RMS	2487.999	-39.69	-25	Pass	1490
2490	2580	1	RMS	2500.8	20.4	60	Pass	601
2580	3000	1	RMS	2695.5	-49.89	-25	Pass	601
3000	12000	1	RMS	11514.946	-54.37	-25	Pass	9000
12000	27000	1	RMS	25245.883	-41.25	-25	Pass	15000




5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-71.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.26	-25	Pass	2985
30	1000	0.1	RMS	904.49	-63.23	-25	Pass	9700
1000	2490	1	RMS	2456.978	-39.09	-25	Pass	1490
2490	2580	1	RMS	2528.4	21.27	60	Pass	601
2580	3000	1	RMS	2699	-49.92	-25	Pass	601
3000	12000	1	RMS	11515.946	-54.32	-25	Pass	9000
12000	27000	1	RMS	25247.883	-41.29	-25	Pass	15000




5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-71.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.5	-25	Pass	2985
30	1000	0.1	RMS	897.989	-63.38	-25	Pass	9700
1000	2490	1	RMS	2448.972	-33.53	-25	Pass	1490
2490	2580	1	RMS	2528.4	20.85	60	Pass	601
2580	3000	1	RMS	2709.5	-49.93	-25	Pass	601
3000	12000	1	RMS	11515.946	-54.37	-25	Pass	9000
12000	27000	1	RMS	25260.884	-41.2	-25	Pass	15000




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-71.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.56	-25	Pass	2985
30	1000	0.1	RMS	923.492	-63.41	-25	Pass	9700
1000	2490	1	RMS	2454.976	-33.06	-25	Pass	1490
2490	2580	1	RMS	2555.85	20.75	60	Pass	601
2580	3000	1	RMS	2582.1	-37.68	-25	Pass	601
3000	12000	1	RMS	11513.946	-54.31	-25	Pass	9000
12000	27000	1	RMS	25256.884	-41.33	-25	Pass	15000




5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.74	-25	Pass	2985
30	1000	0.1	RMS	912.791	-63.35	-25	Pass	9700
1000	2490	1	RMS	2458.979	-39.94	-25	Pass	1490
2490	2580	1	RMS	2555.85	19.57	60	Pass	601
2580	3000	1	RMS	2582.1	-35.93	-25	Pass	601
3000	12000	1	RMS	11522.947	-54.37	-25	Pass	9000
12000	27000	1	RMS	25246.883	-41.27	-25	Pass	15000




5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-66.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.25	-25	Pass	2985
30	1000	0.1	RMS	976.298	-63.27	-25	Pass	9700
1000	2490	1	RMS	2482.995	-35.66	-25	Pass	1490
2490	2580	1	RMS	2501.1	21.5	60	Pass	601
2580	3000	1	RMS	2706.7	-49.88	-25	Pass	601
3000	12000	1	RMS	11513.946	-54.3	-25	Pass	9000
12000	27000	1	RMS	25260.884	-41.32	-25	Pass	15000




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.8	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.79	-25	Pass	2985
30	1000	0.1	RMS	901.09	-63.34	-25	Pass	9700
1000	2490	1	RMS	2482.995	-36.32	-25	Pass	1490
2490	2580	1	RMS	2501.1	21.19	60	Pass	601
2580	3000	1	RMS	2698.3	-49.9	-25	Pass	601
3000	12000	1	RMS	11518.947	-54.34	-25	Pass	9000
12000	27000	1	RMS	25255.884	-41.28	-25	Pass	15000




5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.4	-25	Pass	2985
30	1000	0.1	RMS	897.289	-63.28	-25	Pass	9700
1000	2490	1	RMS	2450.974	-35.19	-25	Pass	1490
2490	2580	1	RMS	2526.15	21.42	60	Pass	601
2580	3000	1	RMS	2703.9	-49.87	-25	Pass	601
3000	12000	1	RMS	11517.946	-54.3	-25	Pass	9000
12000	27000	1	RMS	25259.884	-41.3	-25	Pass	15000




5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-70.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.62	-25	Pass	2985
30	1000	0.1	RMS	931.393	-63.32	-25	Pass	9700
1000	2490	1	RMS	2490	-47.47	-25	Pass	1490
2490	2580	1	RMS	2526.15	20.29	60	Pass	601
2580	3000	1	RMS	2707.4	-49.91	-25	Pass	601
3000	12000	1	RMS	11516.946	-54.29	-25	Pass	9000
12000	27000	1	RMS	25247.883	-41.25	-25	Pass	15000



5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.69	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.19	-25	Pass	2985
30	1000	0.1	RMS	883.888	-63.37	-25	Pass	9700
1000	2490	1	RMS	2452.975	-50.45	-25	Pass	1490
2490	2580	1	RMS	2551.05	21.02	60	Pass	601
2580	3000	1	RMS	2587	-37.75	-25	Pass	601
3000	12000	1	RMS	11519.947	-54.27	-25	Pass	9000
12000	27000	1	RMS	25255.884	-41.25	-25	Pass	15000



5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-71.43	-25	Pass	601
0.15	30	0.01	RMS	0.17	-65.49	-25	Pass	2985
30	1000	0.1	RMS	898.89	-63.28	-25	Pass	9700
1000	2490	1	RMS	2460.981	-48.91	-25	Pass	1490
2490	2580	1	RMS	2551.05	20.29	60	Pass	601
2580	3000	1	RMS	2587	-38.42	-25	Pass	601
3000	12000	1	RMS	11517.946	-54.28	-25	Pass	9000
12000	27000	1	RMS	25264.884	-41.27	-25	Pass	15000

