


# DC POWER CEILING FAN REMOTE CONTROL MANUAL

## ACTIVATING THE LEARNING PROCESS

1. Install 2pcs DC1.5V/AAA batteries in the transmitter. After the fan installation is complete, AC power is turned on **within 30 seconds**, press and hold the **LEARN** button **for 3 seconds**. The receiver will make **sound, Bi, once**. This will indicate the receiver has learned the ID that was previously selected on the transmitter. Then the transmitter can control the receiver.

2. If user cannot finish the setting **within the 30 seconds** time frame, the main power must be turned off and re-started again. This will reset the unit. Repeat step 1 until the LEARNING feature is activated as indicated.




## LIGHT FUNCTION SELECT SWITCH

If fan uses replaceable bulbs and CFLs or undimmable LED bulbs are used, please slide the Light Function Select Switch to "O" position for on/off operation. If fan uses replaceable bulbs and incandescent bulbs are used, or uses an integrated dimmable LED array, please slide the Light Function Select to "D" position for dimming/on/off operation.

## TRANSMITTER OPERATION



Press this button to turn the fan and light on or off.



Press button 1~6 to set fan speed



Press this button to turn the fan off.



Press this button and release instantly to turn on or off the light.



Press and hold to brighten light to the desired level and release.




Press and hold to dim light to the desired level and release.

FAN TIMER: When the fan turned on,

2H : Setting up that the ceiling fan will turn off after 2 hours automatically.

4H : Setting up that the ceiling fan will turn off after 4 hours automatically.

## TRANSMITTER



8H : Setting up that the ceiling fan will turn off after 8 hours automatically.

⾵ Natural breeze: Fan speed will modulate to simulate a natural breeze.

⾵ Press this button to set fan wind direction up or down




⾊ Use this button to select the desired color-temperature.

When pressing remote button, the LED indicator would be on.

### Installing the holder for TRANSMITTER:

Secure the holder with 2 screws.



To assure continued FCC compliance:

### FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### CAUTION:

To assure continued FCC compliance:

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment.

**FCC ID: 2AQZU-18063**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**FCC Warning**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a

particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## **IC WARNING**

This device contains licence-exempt transmitter(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

1. L'appareil ne doit pas produire de brouillage;
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.