



802.11n (HT20) CH64



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.25	44.35	---	68.20	23.85	500.00	100.0	H	78.00	-4
1413.00	---	33.07	54.00	20.93	500.00	100.0	H	5.00	-3
1694.75	---	33.27	54.00	20.73	500.00	200.0	H	285.00	-3
1854.00	45.98	---	68.20	22.22	500.00	100.0	H	103.00	-2
2547.00	48.88	---	68.20	19.32	500.00	200.0	H	259.00	1
2821.75	---	37.04	54.00	16.96	500.00	200.0	H	354.00	2
3227.75	51.12	---	68.20	17.08	500.00	100.0	H	152.00	3
3994.25	---	40.50	54.00	13.50	500.00	100.0	H	0.00	5
4451.00	53.13	---	68.20	15.07	500.00	200.0	V	301.00	6
4876.25	---	43.69	54.00	10.31	500.00	200.0	H	328.00	8
5418.75	---	44.91	54.00	9.09	500.00	200.0	V	0.00	9
5611.25	56.52	---	68.20	11.68	500.00	200.0	H	179.00	10



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8655.00	50.11	---	68.20	18.09	500.00	200.0	H	192.00	6
9085.00	---	37.47	54.00	16.53	500.00	100.0	V	0.00	7
9300.00	---	37.94	54.00	16.06	500.00	100.0	H	348.00	7
9925.00	50.98	---	68.20	17.22	500.00	200.0	V	356.00	7
10545.00	52.78	---	68.20	15.42	500.00	200.0	H	26.00	9
10640.00	---	42.17	54.00	11.83	500.00	200.0	V	238.00	9
12052.50	---	39.42	54.00	14.58	500.00	200.0	H	79.00	9
14092.50	52.38	---	68.20	15.82	500.00	100.0	H	338.00	10
14490.00	---	39.65	54.00	14.35	500.00	100.0	H	359.00	10
15205.00	51.09	---	68.20	17.11	500.00	100.0	H	296.00	9
15775.00	---	39.09	54.00	14.91	500.00	100.0	H	250.00	8
17100.00	54.93	---	68.20	13.27	500.00	100.0	H	144.00	13

802.11n (HT20) CH100



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.125000	41.40	---	68.20	26.80	500.0	200.0	V	6.0	-8.3
1399.000000	---	30.33	54.00	23.67	500.0	200.0	H	358.0	-7.6
1689.500000	---	31.85	54.00	22.15	500.0	200.0	H	341.0	-6.0
1946.750000	44.32	---	68.20	23.88	500.0	200.0	V	52.0	-4.7
2649.375000	47.19	---	68.20	21.01	500.0	200.0	H	223.0	-2.0
2807.750000	---	36.40	54.00	17.60	500.0	200.0	H	240.0	-1.2
3527.000000	50.87	---	68.20	17.33	500.0	200.0	H	336.0	1.7
3996.875000	---	40.47	54.00	13.53	500.0	200.0	V	66.0	3.2
4823.750000	---	44.04	54.00	9.96	500.0	200.0	V	127.0	3.9
5277.000000	53.24	---	68.20	14.96	500.0	200.0	V	141.0	5.3
6787.250000	55.79	---	68.20	12.41	500.0	200.0	V	2.0	6.7
7332.375000	---	43.87	54.00	10.13	500.0	200.0	H	345.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8825.00	50.33	---	68.20	17.87	500.00	200.0	H	246.00	6
9055.00	---	37.39	54.00	16.61	500.00	200.0	H	343.00	6
9305.00	---	37.88	54.00	16.12	500.00	100.0	H	0.00	7
9997.50	51.00	---	68.20	17.20	500.00	100.0	H	98.00	8
10337.50	52.26	---	68.20	15.94	500.00	100.0	V	260.00	8
10997.50	---	41.30	54.00	12.70	500.00	200.0	V	185.00	9
12017.50	---	39.25	54.00	14.75	500.00	200.0	V	2.00	9
12735.00	50.71	---	68.20	17.49	500.00	200.0	H	269.00	8
13877.50	52.66	---	68.20	15.54	500.00	100.0	H	6.00	10
14482.50	---	39.40	54.00	14.60	500.00	100.0	V	334.00	10
15202.50	51.77	---	68.20	16.43	500.00	100.0	V	358.00	9
15725.00	---	39.03	54.00	14.97	500.00	200.0	V	52.00	8

802.11n (HT20) CH116



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.875000	41.22	---	68.20	26.98	500.0	200.0	H	341.0	-8.6
1408.625000	---	30.57	54.00	23.43	500.0	200.0	H	237.0	-7.5
1719.250000	---	31.91	54.00	22.09	500.0	200.0	H	277.0	-5.9
1998.375000	45.13	---	68.20	23.07	500.0	200.0	H	195.0	-4.6
2645.000000	47.42	---	68.20	20.78	500.0	200.0	H	259.0	-2.0
2794.625000	---	36.64	54.00	17.36	500.0	200.0	V	116.0	-1.3
3451.750000	50.79	---	68.20	17.41	500.0	200.0	V	61.0	1.6
3962.750000	---	39.61	54.00	14.39	500.0	200.0	H	350.0	2.9
4823.750000	---	43.90	54.00	10.10	500.0	200.0	H	195.0	3.9
5293.625000	53.22	---	68.20	14.98	500.0	200.0	V	84.0	5.4
7068.125000	56.22	---	68.20	11.98	500.0	200.0	H	232.0	7.0
7349.875000	---	43.81	54.00	10.19	500.0	200.0	H	305.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8367.50	---	36.66	54.00	17.34	500.00	200.0	V	138.00	6
8947.50	49.22	---	68.20	18.98	500.00	200.0	H	284.00	6
9307.50	---	37.87	54.00	16.13	500.00	200.0	V	102.00	7
9812.50	51.88	---	68.20	16.32	500.00	200.0	V	0.00	7
10507.50	51.88	---	68.20	16.32	500.00	100.0	V	358.00	9
11160.00	---	43.81	54.00	10.19	500.00	100.0	V	187.00	9
12102.50	---	39.22	54.00	14.78	500.00	100.0	V	66.00	9
13660.00	50.83	---	68.20	17.37	500.00	100.0	V	233.00	9
14487.50	---	39.36	54.00	14.64	500.00	100.0	V	187.00	10
15210.00	51.28	---	68.20	16.92	500.00	200.0	V	319.00	9
15772.50	---	39.41	54.00	14.59	500.00	100.0	V	12.00	8
16432.50	50.68	---	68.20	17.52	500.00	200.0	V	45.00	9

802.11n (HT20) CH140



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.250000	41.14	---	68.20	27.06	500.0	200.0	H	213.0	-8.4
1413.000000	---	30.41	54.00	23.59	500.0	200.0	V	0.0	-7.5
1673.750000	---	31.72	54.00	22.28	500.0	200.0	H	230.0	-6.1
1940.625000	44.39	---	68.20	23.81	500.0	200.0	H	217.0	-4.7
2540.000000	46.96	---	68.20	21.24	500.0	200.0	H	357.0	-2.1
2812.125000	---	36.49	54.00	17.51	500.0	200.0	H	284.0	-1.2
3533.125000	51.20	---	68.20	17.00	500.0	200.0	H	239.0	1.7
3951.375000	---	40.44	54.00	13.56	500.0	200.0	V	4.0	2.8
4823.750000	---	42.95	54.00	11.05	500.0	200.0	V	183.0	3.9
5165.000000	52.63	---	68.20	15.57	500.0	200.0	V	58.0	5.1
6900.125000	56.12	---	68.20	12.08	500.0	200.0	V	0.0	6.7
7300.875000	---	43.92	54.00	10.08	500.0	200.0	V	81.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8825.00	49.63	---	68.20	18.57	500.00	200.0	V	77.00	6
9055.00	---	37.31	54.00	16.69	500.00	200.0	V	66.00	6
9300.00	---	37.88	54.00	16.12	500.00	200.0	V	0.00	7
10272.50	52.06	---	68.20	16.14	500.00	100.0	V	320.00	9
10550.00	52.10	---	68.20	16.10	500.00	200.0	V	2.00	9
11397.50	---	46.18	54.00	7.82	500.00	200.0	V	234.00	9
12027.50	---	39.26	54.00	14.74	500.00	100.0	V	355.00	9
13120.00	50.91	---	68.20	17.29	500.00	100.0	H	0.00	8
14192.50	52.49	---	68.20	15.71	500.00	100.0	H	232.00	10
14490.00	---	39.60	54.00	14.40	500.00	200.0	H	0.00	10
15200.00	51.68	---	68.20	16.52	500.00	200.0	V	198.00	9
15707.50	---	38.75	54.00	15.25	500.00	200.0	V	307.00	8

802.11n (HT20) CH149



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	41.75	---	68.20	26.45	500.0	200.0	V	59.0	-8.2
1410.375000	---	30.59	54.00	23.41	500.0	200.0	H	343.0	-7.5
1692.125000	---	31.82	54.00	22.18	500.0	200.0	H	194.0	-6.0
1931.875000	44.13	---	68.20	24.07	500.0	200.0	V	37.0	-4.8
2584.625000	47.42	---	68.20	20.78	500.0	200.0	H	311.0	-2.0
2818.250000	---	36.58	54.00	17.42	500.0	200.0	H	147.0	-1.2
3473.625000	51.78	---	68.20	16.42	500.0	200.0	H	239.0	1.7
3994.250000	---	40.64	54.00	13.36	500.0	200.0	H	343.0	3.2
4823.750000	---	43.25	54.00	10.75	500.0	200.0	V	174.0	3.9
5494.000000	53.00	---	68.20	15.20	500.0	200.0	V	183.0	5.5
6584.250000	55.96	---	68.20	12.24	500.0	200.0	H	174.0	6.6
7412.875000	---	43.90	54.00	10.10	500.0	200.0	V	77.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8445.00	---	37.57	54.00	16.43	500.00	200.0	V	100.00	6
8660.00	49.50	---	68.20	18.70	500.00	100.0	V	309.00	6
9300.00	---	37.74	54.00	16.26	500.00	100.0	V	349.00	7
10032.50	51.62	---	68.20	16.58	500.00	100.0	V	260.00	8
10407.50	52.29	---	68.20	15.91	500.00	200.0	V	4.00	9
11490.00	---	43.68	54.00	10.32	500.00	100.0	H	202.00	9
12105.00	---	39.36	54.00	14.64	500.00	100.0	V	326.00	9
13035.00	49.74	---	68.20	18.46	500.00	200.0	V	49.00	8
13925.00	52.80	---	68.20	15.40	500.00	100.0	V	333.00	10
14472.50	---	39.26	54.00	14.74	500.00	100.0	V	234.00	10
15200.00	50.21	---	68.20	17.99	500.00	100.0	V	345.00	9
15712.50	---	38.66	54.00	15.34	500.00	100.0	H	101.00	8

802.11n (HT20) CH157



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.375000	41.17	---	68.20	27.03	500.0	200.0	V	2.0	-8.6
1410.375000	---	30.43	54.00	23.57	500.0	200.0	V	103.0	-7.5
1700.875000	---	31.82	54.00	22.18	500.0	200.0	H	318.0	-6.0
1980.875000	44.25	---	68.20	23.95	500.0	200.0	H	231.0	-4.7
2547.000000	47.03	---	68.20	21.17	500.0	200.0	H	300.0	-2.1
2824.375000	---	36.47	54.00	17.53	500.0	200.0	H	327.0	-1.2
3572.500000	51.06	---	68.20	17.14	500.0	200.0	H	259.0	1.7
3993.375000	---	40.48	54.00	13.52	500.0	200.0	H	268.0	3.2
4823.750000	---	42.87	54.00	11.13	500.0	200.0	V	185.0	3.9
5501.875000	53.12	---	68.20	15.08	500.0	200.0	V	175.0	5.4
6579.000000	56.57	---	68.20	11.63	500.0	200.0	H	300.0	6.6
7268.500000	---	44.05	54.00	9.95	500.0	200.0	V	166.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8985.00	50.08	---	68.20	18.12	500.00	100.0	H	118.00	6
9070.00	---	37.40	54.00	16.60	500.00	100.0	V	274.00	7
9302.50	---	37.99	54.00	16.01	500.00	200.0	V	55.00	7
9915.00	51.64	---	68.20	16.56	500.00	200.0	V	23.00	7
10580.00	52.98	---	68.20	15.22	500.00	200.0	H	302.00	9
11570.00	---	44.14	54.00	9.86	500.00	200.0	V	228.00	9
12052.50	---	39.60	54.00	14.40	500.00	100.0	H	0.00	9
13095.00	51.12	---	68.20	17.08	500.00	100.0	V	0.00	8
13910.00	52.58	---	68.20	15.62	500.00	100.0	V	121.00	10
14485.00	---	40.16	54.00	13.84	500.00	100.0	H	41.00	10
15192.50	50.94	---	68.20	17.26	500.00	200.0	V	245.00	9
15775.00	---	39.27	54.00	14.73	500.00	200.0	H	327.00	8

802.11n (HT20) CH165



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.125000	40.97	---	68.20	27.23	500.0	200.0	V	32.0	-8.4
1407.750000	---	30.60	54.00	23.40	500.0	200.0	V	55.0	-7.5
1619.500000	---	32.05	54.00	21.95	500.0	200.0	H	207.0	-6.3
1973.000000	44.26	---	68.20	23.94	500.0	200.0	V	0.0	-4.7
2678.250000	46.77	---	68.20	21.43	500.0	200.0	H	351.0	-1.8
2811.250000	---	36.37	54.00	17.63	500.0	200.0	V	45.0	-1.2
3569.875000	51.21	---	68.20	16.99	500.0	200.0	H	0.0	1.7
3995.125000	---	40.26	54.00	13.74	500.0	200.0	H	198.0	3.2
4823.750000	---	43.11	54.00	10.89	500.0	200.0	H	225.0	3.9
5581.500000	53.05	---	68.20	15.15	500.0	200.0	H	257.0	5.6
6735.625000	55.73	---	68.20	12.47	500.0	200.0	H	276.0	6.5
7307.875000	---	43.61	54.00	10.39	500.0	200.0	V	18.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8817.50	49.64	---	68.20	18.56	500.00	100.0	V	172.00	6
9082.50	---	37.47	54.00	16.53	500.00	100.0	V	0.00	7
9305.00	---	37.97	54.00	16.03	500.00	200.0	H	105.00	7
10297.50	52.10	---	68.20	16.10	500.00	100.0	H	32.00	8
10572.50	52.77	---	68.20	15.43	500.00	200.0	V	346.00	9
11650.00	---	44.54	54.00	9.46	500.00	200.0	V	150.00	9
13337.50	---	39.40	54.00	14.60	500.00	200.0	V	10.00	8
13547.50	51.61	---	68.20	16.59	500.00	100.0	V	358.00	9
14482.50	---	39.88	54.00	14.12	500.00	100.0	V	122.00	10
15042.50	53.20	---	68.20	15.00	500.00	100.0	V	333.00	9
15705.00	---	39.19	54.00	14.81	500.00	100.0	V	241.00	8
16395.00	51.05	---	68.20	17.15	500.00	100.0	V	88.00	9

802.11n (HT40) CH38



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
1245.000000	41.52	---	68.20	26.68	500.0	200.0	V	258.0	-8.6
1387.625000	---	30.42	54.00	23.58	500.0	200.0	V	48.0	-7.7
1706.125000	---	31.71	54.00	22.29	500.0	200.0	H	255.0	-6.0
1984.375000	45.97	---	68.20	22.23	500.0	200.0	H	347.0	-4.6
2550.500000	47.14	---	68.20	21.06	500.0	200.0	H	0.0	-2.1
2734.250000	---	36.36	54.00	17.64	500.0	200.0	H	315.0	-1.5
3399.250000	50.68	---	68.20	17.52	500.0	200.0	H	269.0	1.3
3995.125000	---	40.29	54.00	13.71	500.0	200.0	H	310.0	3.2
4429.125000	51.25	---	68.20	16.95	500.0	200.0	H	207.0	3.5
4823.750000	---	44.73	54.00	9.27	500.0	200.0	H	198.0	3.9
6784.625000	55.81	---	68.20	12.39	500.0	200.0	H	338.0	6.7
7334.125000	---	43.73	54.00	10.27	500.0	200.0	H	301.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8465.00	---	37.58	54.00	16.42	500.00	100.0	H	0.00	6
8655.00	49.89	---	68.20	18.31	500.00	200.0	H	2.00	6
9300.00	---	37.90	54.00	16.10	500.00	200.0	H	12.00	7
10362.50	52.45	---	68.20	15.75	500.00	200.0	V	336.00	8
10590.00	52.98	---	68.20	15.22	500.00	200.0	H	6.00	9
11340.00	---	40.36	54.00	13.64	500.00	200.0	V	315.00	9
12030.00	---	39.29	54.00	14.71	500.00	200.0	V	143.00	9
13050.00	50.53	---	68.20	17.67	500.00	100.0	V	148.00	8
13912.50	52.84	---	68.20	15.36	500.00	200.0	V	358.00	10
14487.50	---	39.41	54.00	14.59	500.00	100.0	H	347.00	10
15725.00	---	39.09	54.00	14.91	500.00	100.0	V	5.00	8
16362.50	50.82	---	68.20	17.38	500.00	100.0	V	5.00	9

802.11n (HT40) CH46



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1249.375000	41.04	---	68.20	27.16	500.0	200.0	V	93.0	-8.6
1345.625000	---	29.43	54.00	24.57	500.0	200.0	H	357.0	-8.0
1668.500000	---	31.75	54.00	22.25	500.0	200.0	V	238.0	-6.1
1924.875000	44.12	---	68.20	24.08	500.0	200.0	H	99.0	-4.9
2596.875000	47.20	---	68.20	21.00	500.0	200.0	H	173.0	-2.0
2806.875000	---	36.36	54.00	17.64	500.0	200.0	V	32.0	-1.2
3317.000000	50.28	---	68.20	17.92	500.0	200.0	H	220.0	0.9
3963.625000	---	40.23	54.00	13.77	500.0	200.0	H	234.0	3.0
4491.250000	52.02	---	68.20	16.18	500.0	200.0	H	196.0	3.8
4823.750000	---	44.77	54.00	9.23	500.0	200.0	H	196.0	3.9
7037.500000	55.86	---	68.20	12.34	500.0	200.0	H	353.0	6.9
7282.500000	---	43.99	54.00	10.01	500.0	200.0	H	330.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8692.50	49.97	---	68.20	18.23	500.00	200.0	H	4.00	6
9072.50	---	37.50	54.00	16.50	500.00	100.0	V	29.00	7
9300.00	---	37.82	54.00	16.18	500.00	200.0	V	279.00	7
9932.50	50.94	---	68.20	17.26	500.00	200.0	H	249.00	8
10457.50	52.04	---	68.20	16.16	500.00	100.0	V	199.00	9
11352.50	---	40.17	54.00	13.83	500.00	200.0	V	356.00	9
12107.50	---	39.43	54.00	14.57	500.00	100.0	V	12.00	9
13732.50	51.59	---	68.20	16.61	500.00	200.0	V	337.00	9
14487.50	---	39.58	54.00	14.42	500.00	200.0	H	249.00	10
14610.00	53.02	---	68.20	15.18	500.00	100.0	V	88.00	9
15202.50	51.09	---	68.20	17.11	500.00	100.0	H	0.00	9
15725.00	---	39.35	54.00	14.65	500.00	100.0	H	206.00	8

802.11n (HT40) CH54



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.000000	40.50	---	68.20	27.70	500.0	200.0	H	312.0	-8.5
1315.000000	---	29.74	54.00	24.26	500.0	200.0	H	211.0	-8.1
1707.000000	---	31.59	54.00	22.41	500.0	200.0	H	308.0	-5.9
1978.250000	44.67	---	68.20	23.53	500.0	200.0	V	3.0	-4.7
2653.750000	48.25	---	68.20	19.95	500.0	200.0	H	312.0	-1.9
2797.250000	---	36.28	54.00	17.72	500.0	200.0	H	290.0	-1.3
3450.875000	50.57	---	68.20	17.63	500.0	200.0	H	110.0	1.6
3997.750000	---	40.38	54.00	13.62	500.0	200.0	H	224.0	3.2
4460.625000	51.81	---	68.20	16.39	500.0	200.0	V	0.0	3.6
4823.750000	---	44.05	54.00	9.95	500.0	200.0	V	199.0	3.9
6987.625000	55.69	---	68.20	12.51	500.0	200.0	V	73.0	7.1
7300.000000	---	44.22	54.00	9.78	500.0	200.0	H	285.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8807.50	49.88	---	68.20	18.32	500.00	200.0	V	120.00	6
9057.50	---	37.47	54.00	16.53	500.00	200.0	H	163.00	7
9302.50	---	37.86	54.00	16.14	500.00	100.0	V	133.00	7
10340.00	52.08	---	68.20	16.12	500.00	200.0	V	0.00	8
10572.50	52.60	---	68.20	15.60	500.00	200.0	H	58.00	9
11345.00	---	40.34	54.00	13.66	500.00	100.0	V	17.00	9
12052.50	---	39.56	54.00	14.44	500.00	100.0	V	113.00	9
13637.50	51.02	---	68.20	17.18	500.00	100.0	H	11.00	9
14152.50	52.81	---	68.20	15.39	500.00	200.0	H	170.00	10
14485.00	---	39.74	54.00	14.26	500.00	200.0	H	32.00	10
15205.00	51.48	---	68.20	16.72	500.00	100.0	H	0.00	9
15737.50	---	38.68	54.00	15.32	500.00	200.0	H	170.00	8

802.11n (HT40) CH62



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.750000	41.35	---	68.20	26.85	500.0	200.0	V	31.0	-8.3
1405.125000	---	30.33	54.00	23.67	500.0	200.0	V	86.0	-7.6
1572.250000	---	31.71	54.00	22.29	500.0	200.0	H	332.0	-6.6
1983.500000	44.53	---	68.20	23.67	500.0	200.0	H	248.0	-4.6
2608.250000	46.64	---	68.20	21.56	500.0	200.0	H	243.0	-2.0
2729.875000	---	36.38	54.00	17.62	500.0	200.0	H	315.0	-1.5
3446.500000	51.00	---	68.20	17.20	500.0	200.0	H	296.0	1.5
3954.875000	---	40.17	54.00	13.83	500.0	200.0	H	277.0	2.9
4466.750000	51.99	---	68.20	16.21	500.0	200.0	H	291.0	3.7
4824.625000	---	42.51	54.00	11.49	500.0	200.0	H	195.0	3.9
6971.000000	55.76	---	68.20	12.44	500.0	200.0	H	262.0	7.1
7349.000000	---	43.82	54.00	10.18	500.0	200.0	H	337.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8802.50	49.69	---	68.20	18.51	500.00	100.0	V	264.00	6
9065.00	---	37.37	54.00	16.63	500.00	200.0	H	106.00	7
9300.00	---	38.03	54.00	15.97	500.00	100.0	H	283.00	7
9972.50	51.81	---	68.20	16.39	500.00	200.0	V	265.00	8
10330.00	52.41	---	68.20	15.79	500.00	100.0	H	322.00	8
10620.00	---	41.60	54.00	12.40	500.00	100.0	V	148.00	9
12050.00	---	39.37	54.00	14.63	500.00	200.0	V	305.00	9
13925.00	52.54	---	68.20	15.66	500.00	100.0	V	28.00	10
14485.00	---	40.02	54.00	13.98	500.00	200.0	H	40.00	10
15202.50	51.05	---	68.20	17.15	500.00	200.0	V	109.00	9
15715.00	---	39.18	54.00	14.82	500.00	200.0	V	158.00	8
16472.50	51.41	---	68.20	16.79	500.00	200.0	V	225.00	9

802.11n (HT40) CH102



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.500000	40.03	---	68.20	28.17	500.0	200.0	H	75.0	-8.6
1406.000000	---	30.18	54.00	23.82	500.0	200.0	V	29.0	-7.5
1699.125000	---	31.41	54.00	22.59	500.0	200.0	H	259.0	-6.0
1894.250000	44.76	---	68.20	23.44	500.0	200.0	H	0.0	-5.0
2617.875000	46.51	---	68.20	21.69	500.0	200.0	H	249.0	-2.0
2792.875000	---	35.89	54.00	18.11	500.0	200.0	H	136.0	-1.3
3548.000000	50.33	---	68.20	17.87	500.0	200.0	V	106.0	1.7
3996.875000	---	39.37	54.00	14.63	500.0	200.0	V	181.0	3.2
4823.750000	---	44.01	54.00	9.99	500.0	200.0	H	199.0	3.9
5276.125000	51.77	---	68.20	16.43	500.0	200.0	V	116.0	5.3
7008.625000	53.62	---	68.20	14.58	500.0	200.0	V	282.0	7.0
7370.875000	---	41.42	54.00	12.58	500.0	200.0	V	199.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8462.50	---	37.43	54.00	16.57	500.00	200.0	V	0.00	6
8855.00	49.51	---	68.20	18.69	500.00	200.0	V	24.00	6
9300.00	---	37.99	54.00	16.01	500.00	100.0	V	0.00	7
10085.00	52.39	---	68.20	15.81	500.00	200.0	V	24.00	8
10552.50	53.21	---	68.20	14.99	500.00	100.0	H	2.00	9
11367.50	---	40.41	54.00	13.59	500.00	200.0	V	0.00	9
12070.00	---	39.49	54.00	14.51	500.00	100.0	V	0.00	9
13242.50	51.83	---	68.20	16.37	500.00	200.0	H	354.00	8
13780.00	52.82	---	68.20	15.38	500.00	200.0	V	10.00	10
14487.50	---	39.61	54.00	14.39	500.00	200.0	V	0.00	10
15057.50	52.37	---	68.20	15.83	500.00	200.0	V	120.00	9
15732.50	---	39.18	54.00	14.82	500.00	100.0	V	0.00	8

802.11n (HT40) CH118



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	39.98	---	68.20	28.22	500.0	200.0	V	160.0	-8.2
1398.125000	---	30.00	54.00	24.00	500.0	200.0	V	250.0	-7.6
1720.125000	---	31.58	54.00	22.42	500.0	200.0	H	348.0	-5.9
1996.625000	44.39	---	68.20	23.81	500.0	200.0	V	133.0	-4.6
2583.750000	46.72	---	68.20	21.48	500.0	200.0	H	334.0	-2.0
2806.875000	---	36.03	54.00	17.97	500.0	200.0	H	28.0	-1.2
3487.625000	50.30	---	68.20	17.90	500.0	200.0	V	87.0	1.7
3991.625000	---	39.39	54.00	14.61	500.0	200.0	H	2.0	3.2
4823.750000	---	43.41	54.00	10.59	500.0	200.0	H	200.0	3.9
5466.000000	60.91	---	68.20	7.29	500.0	200.0	V	114.0	5.4
7039.250000	53.12	---	68.20	15.08	500.0	200.0	V	28.0	6.9
7391.000000	---	41.35	54.00	12.65	500.0	200.0	H	316.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8845.00	49.07	---	68.20	19.13	500.00	200.0	V	59.00	6
9055.00	---	37.79	54.00	16.21	500.00	100.0	H	58.00	6
9375.00	---	38.46	54.00	15.54	500.00	200.0	V	137.00	7
10360.00	52.87	---	68.20	15.33	500.00	200.0	V	173.00	8
10572.50	52.14	---	68.20	16.06	500.00	100.0	H	2.00	9
11332.50	---	40.81	54.00	13.19	500.00	100.0	H	174.00	9
12697.50	---	40.07	54.00	13.93	500.00	200.0	V	49.00	8
13467.50	51.89	---	68.20	16.31	500.00	200.0	H	0.00	9
14352.50	53.76	---	68.20	14.44	500.00	200.0	H	344.00	10
14482.50	---	41.12	54.00	12.88	500.00	100.0	V	260.00	10
15725.00	---	39.81	54.00	14.19	500.00	100.0	H	342.00	8
16370.00	51.37	---	68.20	16.83	500.00	100.0	H	1.00	9

802.11n (HT40) CH134



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.750000	39.90	---	68.20	28.30	500.0	200.0	H	271.0	-8.3
1405.125000	---	29.84	54.00	24.16	500.0	200.0	H	85.0	-7.6
1670.250000	---	31.61	54.00	22.39	500.0	200.0	H	292.0	-6.1
1840.875000	44.51	---	68.20	23.69	500.0	200.0	V	338.0	-5.2
2600.375000	46.78	---	68.20	21.42	500.0	200.0	H	248.0	-2.0
2809.500000	---	36.05	54.00	17.95	500.0	200.0	H	292.0	-1.2
3375.625000	50.78	---	68.20	17.42	500.0	200.0	V	346.0	1.1
3963.625000	---	39.44	54.00	14.56	500.0	200.0	V	210.0	3.0
4823.750000	---	43.35	54.00	10.65	500.0	200.0	H	67.0	3.9
5317.250000	51.80	---	68.20	16.40	500.0	200.0	H	139.0	5.3
6626.250000	53.62	---	68.20	14.58	500.0	200.0	H	180.0	6.6
7559.875000	---	41.50	54.00	12.50	500.0	200.0	H	180.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8840.00	50.49	---	68.20	17.71	500.00	200.0	V	0.00	6
9070.00	---	37.66	54.00	16.34	500.00	200.0	H	358.00	7
9375.00	---	38.34	54.00	15.66	500.00	200.0	V	154.00	7
10360.00	53.35	---	68.20	14.85	500.00	200.0	V	177.00	8
10590.00	53.07	---	68.20	15.13	500.00	200.0	V	0.00	9
11342.50	---	40.86	54.00	13.14	500.00	100.0	V	345.00	9
12697.50	---	39.97	54.00	14.03	500.00	100.0	V	286.00	8
13732.50	52.24	---	68.20	15.96	500.00	200.0	V	13.00	9
14407.50	55.02	---	68.20	13.18	500.00	100.0	H	0.00	10
14487.50	---	41.14	54.00	12.86	500.00	100.0	V	352.00	10
15752.50	---	39.89	54.00	14.11	500.00	100.0	H	355.00	8
16415.00	52.77	---	68.20	15.43	500.00	200.0	H	288.00	9

802.11n (HT40) CH151



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.375000	41.17	---	68.20	27.03	500.0	100.0	H	113.0	-8.6
1397.250000	---	30.54	54.00	23.46	500.0	100.0	H	75.0	-7.6
1721.000000	---	31.82	54.00	22.18	500.0	100.0	H	14.0	-5.9
1959.875000	44.64	---	68.20	23.56	500.0	200.0	H	347.0	-4.7
2463.875000	46.90	---	68.20	21.30	500.0	200.0	H	312.0	-2.3
2790.250000	---	36.51	54.00	17.49	500.0	100.0	H	62.0	-1.3
3211.125000	52.67	---	68.20	15.53	500.0	100.0	V	279.0	0.1
3988.125000	---	40.62	54.00	13.38	500.0	100.0	V	247.0	3.2
4823.750000	---	46.67	54.00	7.33	500.0	100.0	V	188.0	3.9
5589.375000	59.11	---	68.20	9.09	500.0	200.0	V	0.0	5.7
6980.625000	56.67	---	68.20	11.53	500.0	100.0	V	330.0	7.1
7674.500000	---	44.13	54.00	9.87	500.0	100.0	V	274.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8830.00	49.89	---	68.20	18.31	500.00	200.0	H	273.00	6
9055.00	---	37.82	54.00	16.18	500.00	200.0	V	2.00	6
9305.00	---	38.33	54.00	15.67	500.00	100.0	H	7.00	7
10295.00	52.69	---	68.20	15.51	500.00	100.0	V	94.00	8
10575.00	52.67	---	68.20	15.53	500.00	200.0	V	67.00	9
11337.50	---	40.83	54.00	13.17	500.00	200.0	H	281.00	9
12055.00	---	39.82	54.00	14.18	500.00	100.0	V	180.00	9
13045.00	52.16	---	68.20	16.04	500.00	100.0	H	215.00	8
14382.50	53.85	---	68.20	14.35	500.00	200.0	V	51.00	10
14470.00	---	41.37	54.00	12.63	500.00	200.0	H	348.00	10
15760.00	---	39.73	54.00	14.27	500.00	100.0	V	36.00	8
16392.50	51.33	---	68.20	16.87	500.00	100.0	H	7.00	9

802.11n (HT40) CH159



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	40.83	---	68.20	27.37	500.0	200.0	V	258.0	-8.3
1408.625000	---	30.72	54.00	23.28	500.0	100.0	H	241.0	-7.5
1708.750000	---	31.92	54.00	22.08	500.0	100.0	H	94.0	-5.9
1999.250000	45.07	---	68.20	23.13	500.0	200.0	H	55.0	-4.5
2664.250000	47.79	---	68.20	20.41	500.0	100.0	V	26.0	-1.9
2813.000000	---	36.55	54.00	17.45	500.0	200.0	V	318.0	-1.2
3580.375000	51.49	---	68.20	16.71	500.0	200.0	V	323.0	1.8
3979.375000	---	40.52	54.00	13.48	500.0	200.0	V	332.0	3.1
4823.750000	---	46.62	54.00	7.38	500.0	100.0	V	192.0	3.9
5263.000000	53.12	---	68.20	15.08	500.0	200.0	H	69.0	5.3
7030.500000	56.45	---	68.20	11.75	500.0	100.0	V	3.0	6.9
7307.875000	---	43.88	54.00	10.12	500.0	200.0	H	13.0	7.0



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8770.00	49.49	---	68.20	18.71	500.00	200.0	H	354.00	6
9077.50	---	37.73	54.00	16.27	500.00	200.0	H	183.00	7
9307.50	---	38.23	54.00	15.77	500.00	200.0	V	150.00	7
10360.00	52.66	---	68.20	15.54	500.00	200.0	V	176.00	8
10575.00	52.79	---	68.20	15.41	500.00	100.0	H	3.00	9
11340.00	---	40.69	54.00	13.31	500.00	200.0	H	258.00	9
12685.00	---	39.78	54.00	14.22	500.00	200.0	H	150.00	8
13730.00	53.32	---	68.20	14.88	500.00	100.0	V	0.00	9
14410.00	53.53	---	68.20	14.67	500.00	200.0	V	74.00	10
14490.00	---	41.39	54.00	12.61	500.00	200.0	V	10.00	10
15727.50	---	39.77	54.00	14.23	500.00	100.0	H	81.00	8
16395.00	52.00	---	68.20	16.20	500.00	200.0	H	284.00	9

802.11ac (VHT80) CH42



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1275.625000	41.52	---	68.20	26.68	500.0	200.0	V	292.0	-8.4
1406.000000	---	30.22	54.00	23.78	500.0	200.0	V	7.0	-7.5
1649.250000	44.02	---	68.20	24.18	500.0	200.0	H	227.0	-6.1
1719.250000	---	31.83	54.00	22.17	500.0	200.0	V	358.0	-5.9
2588.125000	46.80	---	68.20	21.40	500.0	200.0	V	227.0	-2.0
2803.375000	---	35.87	54.00	18.13	500.0	200.0	H	222.0	-1.2
3497.250000	51.01	---	68.20	17.19	500.0	200.0	H	285.0	1.8
3640.750000	---	39.54	54.00	14.46	500.0	200.0	H	350.0	2.0
4456.250000	50.57	---	68.20	17.63	500.0	200.0	V	152.0	3.6
4823.750000	---	44.00	54.00	10.00	500.0	200.0	H	199.0	3.9
7020.000000	53.20	---	68.20	15.00	500.0	200.0	H	267.0	7.0
7374.375000	---	41.37	54.00	12.63	500.0	200.0	V	26.0	7.2



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,176.250	48.90	74.00	25.10	36.38	54.00	17.62	7.26	H	358.6	1.00	1.000
1	8,582.500	48.81	68.20	19.39	36.99			5.74	H	155.4	1.00	1.000
1	9,130.000	45.99	74.00	28.01	34.54	54.00	19.46	5.47	H	240.3	1.00	1.000
1	9,421.250	47.06	74.00	26.94	35.05	54.00	18.95	5.41	H	86.7	1.00	1.000
1	10,420.000	51.14	68.20	17.06	44.77			5.64	V	219.6	2.00	1.000
1	11,291.250	48.04	74.00	25.96	36.46	54.00	17.54	7.37	V	360	2.00	1.000
1	13,032.500	45.91	68.20	22.29	34.48			5.83	V	3.4	2.00	1.000
1	13,331.250	45.28	74.00	28.72	33.89	54.00	20.11	5.47	H	360	1.00	1.000
1	14,110.000	45.78	68.20	22.42	34.09			5.53	V	126.5	2.00	1.000
1	14,866.250	46.49	68.20	21.71	34.73			6.33	H	26.8	1.00	1.000
1	15,493.750	46.32	74.00	27.68	34.85	54.00	19.15	5.88	V	26.1	1.00	1.000
1	16,865.000	47.44	68.20	20.76	34.43			5.70	H	9.8	1.00	1.000

802.11ac (VHT80) CH58



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	41.32	---	68.20	26.88	500.0	200.0	V	20.0	-8.5
1385.000000	---	30.43	54.00	23.57	500.0	200.0	V	7.0	-7.7
1680.750000	---	31.59	54.00	22.41	500.0	200.0	V	42.0	-6.0
1986.125000	44.48	---	68.20	23.72	500.0	200.0	V	52.0	-4.6
2645.000000	46.38	---	68.20	21.82	500.0	200.0	H	325.0	-2.0
2793.750000	---	35.77	54.00	18.23	500.0	200.0	H	216.0	-1.3
3488.500000	50.20	---	68.20	18.00	500.0	200.0	H	284.0	1.7
3957.500000	---	39.34	54.00	14.66	500.0	200.0	V	203.0	2.9
4476.375000	50.68	---	68.20	17.52	500.0	200.0	H	343.0	3.7
4823.750000	---	43.38	54.00	10.62	500.0	200.0	H	195.0	3.9
6995.500000	53.44	---	68.20	14.76	500.0	200.0	V	56.0	7.1
7396.250000	---	41.62	54.00	12.38	500.0	200.0	H	347.0	7.3



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,266.250	50.11	74.00	23.89	38.08	54.00	15.92	8.59	V	28.4	2.00	1.000
1	8,818.750	49.61	68.20	18.59	37.74			5.39	H	204.1	1.00	1.000
1	9,457.500	46.53	74.00	27.47	35.26	54.00	18.74	5.44	V	236.3	2.00	1.000
1	10,593.750	53.74	68.20	14.46	37.87			5.78	V	172	2.00	1.000
1	11,370.000	48.24	74.00	25.76	36.61	54.00	17.39	7.46	V	344.3	2.00	1.000
1	12,500.000	46.87	74.00	27.13	37.96	54.00	16.04	5.53	V	164.9	2.00	1.000
1	13,036.250	45.45	68.20	22.75	34.19			5.83	H	251	2.00	1.000
1	13,326.250	45.69	74.00	28.31	33.69	54.00	20.31	5.48	H	313.6	1.00	1.000
1	13,725.000	46.76	68.20	21.44	34.53			6.17	H	328.1	1.00	1.000
1	14,917.500	46.85	68.20	21.35	34.83			6.65	H	284.6	1.00	1.000
1	15,515.000	46.19	74.00	27.81	34.69	54.00	19.31	5.95	V	221.8	1.00	1.000
1	16,851.250	46.57	68.20	21.63	34.37			5.63	H	159.8	1.00	1.000

802.11ac (VHT80) CH106



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.83	---	68.20	27.37	500.0	200.0	V	0.0	-8.2
1403.375000	---	30.09	54.00	23.91	500.0	200.0	V	288.0	-7.6
1690.375000	---	31.36	54.00	22.64	500.0	200.0	V	0.0	-6.0
1975.625000	44.19	---	68.20	24.01	500.0	200.0	H	339.0	-4.7
2666.000000	46.35	---	68.20	21.85	500.0	200.0	V	297.0	-1.9
2806.875000	---	35.71	54.00	18.29	500.0	200.0	H	12.0	-1.2
3541.000000	49.95	---	68.20	18.25	500.0	200.0	H	281.0	1.7
3995.125000	---	39.51	54.00	14.49	500.0	200.0	H	88.0	3.2
4473.750000	49.93	---	68.20	18.27	500.0	200.0	H	25.0	3.7
4823.750000	---	44.15	54.00	9.85	500.0	200.0	H	198.0	3.9
7035.750000	53.54	---	68.20	14.66	500.0	200.0	H	185.0	6.9
7375.250000	---	41.68	54.00	12.32	500.0	200.0	V	311.0	7.2



EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,302.500	50.97	74.00	23.03	39.15	54.00	14.85	8.74	H	197.4	1.00	1.000
1	8,822.500	49.97	68.20	18.23	37.54			5.38	H	204.5	1.00	1.000
1	9,403.750	47.14	74.00	26.86	35.00	54.00	19.00	5.40	H	14.5	2.00	1.000
1	9,843.750	47.81	68.20	20.39	35.77			5.55	H	14.5	1.00	1.000
1	11,073.750	56.88	74.00	17.12	39.81	54.00	14.19	6.49	V	181.2	2.00	1.000
1	12,448.750	44.94	74.00	29.06	33.19	54.00	20.81	5.70	V	321.5	2.00	1.000
1	12,941.250	46.66	68.20	21.54	34.18			5.74	H	117	1.00	1.000
1	13,306.250	45.59	74.00	28.41	33.71	54.00	20.29	5.49	H	197.4	1.00	1.000
1	14,198.750	46.47	68.20	21.73	34.68			5.87	V	359	2.00	1.000
1	14,886.250	46.14	68.20	22.06	34.57			6.53	V	137.4	2.00	1.000
1	15,492.500	46.25	74.00	27.75	34.76	54.00	19.24	5.87	H	241.5	1.00	1.000
1	16,632.500	51.12	68.20	17.08	35.61			5.19	V	232.3	2.00	1.000

802.11ac (VHT80) CH122



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1086.625000	---	28.12	54.00	25.88	500.0	200.0	V	310.0	-10.2
1291.375000	40.56	---	68.20	27.64	500.0	200.0	V	292.0	-8.3
1413.875000	---	30.23	54.00	23.77	500.0	200.0	V	269.0	-7.5
1719.250000	---	31.72	54.00	22.28	500.0	200.0	V	152.0	-5.9
1931.000000	44.58	---	68.20	23.62	500.0	200.0	H	12.0	-4.8
2558.375000	46.48	---	68.20	21.72	500.0	200.0	V	252.0	-2.1
2802.500000	---	35.80	54.00	18.20	500.0	200.0	H	273.0	-1.2
3492.875000	51.13	---	68.20	17.07	500.0	200.0	H	103.0	1.8
3996.875000	---	39.49	54.00	14.51	500.0	200.0	H	54.0	3.2
4427.375000	50.67	---	68.20	17.53	500.0	200.0	V	51.0	3.5
6895.750000	52.47	---	68.20	15.73	500.0	200.0	H	183.0	6.7
7383.125000	---	41.53	54.00	12.47	500.0	200.0	H	49.0	7.2



EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,283.750	51.12	74.00	22.88	39.01	54.00	14.99	8.76	H	190.8	1.00	1.000
1	8,620.000	48.58	68.20	19.62	36.65			5.59	V	275.8	2.00	1.000
1	9,051.250	46.72	74.00	27.28	34.79	54.00	19.21	5.43	H	360	1.00	1.000
1	9,405.000	46.84	74.00	27.16	35.11	54.00	18.89	5.40	H	356.7	1.00	1.000
1	9,960.000	49.11	68.20	19.09	35.79			5.40	V	312.2	2.00	1.000
1	11,220.000	51.01	74.00	22.99	43.29	54.00	10.71	7.22	V	166.2	2.00	1.000
1	12,500.000	47.54	74.00	26.46	38.37	54.00	15.63	5.53	V	166.2	2.00	1.000
1	12,987.500	46.75	68.20	21.45	34.48			5.81	H	168.8	1.00	1.000
1	13,537.500	46.73	68.20	21.47	35.12			6.13	H	28.8	2.00	1.000
1	15,116.250	45.22	68.20	22.98	33.46			5.78	V	305.1	2.00	1.000
1	15,465.000	46.30	74.00	27.70	34.36	54.00	19.64	5.65	V	246.3	2.00	1.000
1	16,856.250	53.81	68.20	14.39	37.21			5.65	V	158.8	2.00	1.000

802.11ac (VHT80) CH138



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	41.30	---	68.20	26.90	500.0	200.0	V	120.0	-8.2
1407.750000	---	30.18	54.00	23.82	500.0	200.0	V	318.0	-7.5
1687.750000	---	31.39	54.00	22.61	500.0	200.0	H	169.0	-6.0
1917.000000	44.20	---	68.20	24.00	500.0	200.0	H	303.0	-4.9
2639.750000	46.52	---	68.20	21.68	500.0	200.0	H	356.0	-2.0
2774.500000	---	35.99	54.00	18.01	500.0	200.0	H	60.0	-1.4
3562.875000	49.99	---	68.20	18.21	500.0	200.0	V	11.0	1.7
3986.375000	---	39.23	54.00	14.77	500.0	200.0	V	47.0	3.2
4457.125000	50.47	---	68.20	17.73	500.0	200.0	H	151.0	3.6
4823.750000	---	44.71	54.00	9.29	500.0	200.0	H	192.0	3.9
6908.875000	52.18	---	68.20	16.02	500.0	200.0	H	262.0	6.8
7587.000000	---	41.81	54.00	12.19	500.0	200.0	V	155.0	7.1



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,301.250	51.39	74.00	22.61	39.28	54.00	14.72	8.77	H	191.3	1.00	1.000
1	8,751.250	48.66	68.20	19.54	36.72			5.32	H	212.8	2.00	1.000
1	9,055.000	48.13	74.00	25.87	35.17	54.00	18.83	5.43	H	294.4	1.00	1.000
1	9,422.500	46.89	74.00	27.11	35.16	54.00	18.84	5.41	H	125.3	1.00	1.000
1	10,065.000	46.96	68.20	21.24	35.31			5.41	H	0.2	2.00	1.000
1	11,380.000	52.67	74.00	21.33	46.65	54.00	7.35	7.47	V	157.8	2.00	1.000
1	13,145.000	46.13	68.20	22.07	33.92			5.75	H	131.9	2.00	1.000
1	13,298.750	45.61	74.00	28.39	33.55	54.00	20.45	5.49	V	235.3	2.00	1.000
1	13,972.500	45.87	68.20	22.33	33.65			5.52	H	323.9	1.00	1.000
1	14,868.750	46.22	68.20	21.98	34.54			6.36	H	235	1.00	1.000
1	15,470.000	45.97	74.00	28.03	34.39	54.00	19.61	5.69	H	264.3	1.00	1.000
1	17,106.250	52.90	68.20	15.30	35.48			6.61	V	157.8	2.00	1.000

802.11ac (VHT80) CH155



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.250000	40.75	---	68.20	27.45	500.0	200.0	V	84.0	-8.3
1411.250000	---	30.08	54.00	23.92	500.0	200.0	H	94.0	-7.5
1686.875000	---	31.94	54.00	22.06	500.0	100.0	H	299.0	-6.0
1983.500000	44.50	---	68.20	23.70	500.0	100.0	H	262.0	-4.6
2649.375000	49.06	---	68.20	19.14	500.0	200.0	V	66.0	-2.0
2797.250000	---	36.26	54.00	17.74	500.0	100.0	H	294.0	-1.3
3447.375000	51.20	---	68.20	17.00	500.0	100.0	H	280.0	1.5
3996.000000	---	40.36	54.00	13.64	500.0	100.0	H	239.0	3.2
4421.250000	50.71	---	68.20	17.49	500.0	100.0	H	258.0	3.6
4823.750000	---	45.87	54.00	8.13	500.0	100.0	V	196.0	3.9
6789.875000	52.14	---	68.20	16.06	500.0	200.0	V	180.0	6.8
7253.625000	---	44.01	54.00	9.99	500.0	100.0	H	284.0	7.1



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,300.000	50.89	74.00	23.11	39.30	54.00	14.70	8.79	H	192.1	1.00	1.000
1	8,596.250	47.96	68.20	20.24	36.11			5.69	H	286.6	1.00	1.000
1	9,018.750	47.03	74.00	26.97	35.35	54.00	18.65	5.37	H	0	1.00	1.000
1	9,508.750	46.81	68.20	21.39	35.33			5.49	V	170.3	2.00	1.000
1	9,863.750	47.51	68.20	20.69	35.73			5.52	V	359.9	2.00	1.000
1	11,550.000	50.40	74.00	23.60	42.82	54.00	11.18	6.79	V	155.5	2.00	1.000
1	12,500.000	45.56	74.00	28.44	34.01	54.00	19.99	5.53	V	310.9	2.00	1.000
1	12,875.000	46.89	68.20	21.31	34.43			5.63	H	218.1	2.00	1.000
1	13,658.750	47.33	68.20	20.87	34.81			6.23	H	232.9	2.00	1.000
1	14,851.250	46.21	68.20	21.99	34.48			6.18	V	133.4	2.00	1.000
1	15,443.750	46.10	74.00	27.90	34.12	54.00	19.88	5.49	H	70.3	2.00	1.000
1	17,366.250	51.44	68.20	16.76	37.33			9.40	V	170.3	2.00	1.000

802.11ax (HE20) CH36



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1094.500000	---	28.36	54.00	25.64	500.0	200.0	V	54.0	-10.1
1263.375000	41.94	---	68.20	26.26	500.0	200.0	V	72.0	-8.5
1402.500000	---	30.81	54.00	23.19	500.0	200.0	V	37.0	-7.6
1708.750000	---	31.87	54.00	22.13	500.0	200.0	H	311.0	-5.9
1845.250000	44.36	---	68.20	23.84	500.0	200.0	V	37.0	-5.2
2575.875000	46.94	---	68.20	21.26	500.0	200.0	H	280.0	-2.0
2818.250000	---	36.44	54.00	17.56	500.0	200.0	H	79.0	-1.2
3583.000000	50.49	---	68.20	17.71	500.0	200.0	V	91.0	1.8
3989.875000	---	40.52	54.00	13.48	500.0	200.0	V	59.0	3.2
4419.500000	51.15	---	68.20	17.05	500.0	200.0	H	129.0	3.6
6796.000000	56.01	---	68.20	12.19	500.0	200.0	V	32.0	6.8
7304.375000	---	43.86	54.00	10.14	500.0	200.0	V	50.0	7.0



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,281.250	49.74	74.00	24.26	37.93	54.00	16.07	8.74	H	331.7	1.00	1.000
1	8,618.750	48.60	68.20	19.60	36.49			5.60	V	1.4	2.00	1.000
1	9,021.250	47.08	74.00	26.92	35.23	54.00	18.77	5.37	H	221.2	1.00	1.000
1	9,371.250	47.12	74.00	26.88	35.07	54.00	18.93	5.38	H	162.1	2.00	1.000
1	10,358.750	47.17	68.20	21.03	35.50			5.75	V	208.3	2.00	1.000
1	10,946.250	47.95	74.00	26.05	35.95	54.00	18.05	6.55	H	228.3	1.00	1.000
1	13,021.250	46.31	68.20	21.89	34.43			5.83	H	81.9	1.00	1.000
1	13,268.750	45.20	74.00	28.80	33.66	54.00	20.34	5.51	H	52.4	1.00	1.000
1	13,972.500	45.59	68.20	22.61	33.62			5.52	H	309.3	1.00	1.000
1	14,953.750	45.94	68.20	22.26	34.12			6.45	H	0.7	2.00	1.000
1	15,498.750	46.23	74.00	27.77	34.43	54.00	19.57	5.92	H	15.5	1.00	1.000
1	17,471.250	50.35	68.20	17.85	38.43			10.70	H	96.3	2.00	1.000

802.11ax (HE20) CH40



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1112.000000	---	28.52	54.00	25.48	500.0	200.0	V	80.0	-10.0
1289.625000	40.72	---	68.20	27.48	500.0	200.0	V	188.0	-8.3
1379.750000	---	30.52	54.00	23.48	500.0	200.0	V	84.0	-7.7
1698.250000	---	31.75	54.00	22.25	500.0	200.0	H	344.0	-6.0
1958.125000	44.55	---	68.20	23.65	500.0	200.0	V	0.0	-4.7
2532.125000	47.12	---	68.20	21.08	500.0	200.0	V	129.0	-2.2
2791.125000	---	36.68	54.00	17.32	500.0	200.0	H	317.0	-1.3
3467.500000	51.04	---	68.20	17.16	500.0	200.0	H	267.0	1.6
3993.375000	---	40.80	54.00	13.20	500.0	200.0	V	214.0	3.2
4484.250000	51.64	---	68.20	16.56	500.0	200.0	V	125.0	3.8
6586.000000	56.26	---	68.20	11.94	500.0	200.0	V	71.0	6.6
7685.875000	---	43.83	54.00	10.17	500.0	200.0	V	219.0	7.5



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,313.750	51.50	74.00	22.50	39.20	54.00	14.80	8.55	H	192.2	1.00	1.000
1	8,768.750	48.31	68.20	19.89	36.79			5.36	H	360	1.00	1.000
1	9,156.250	46.83	74.00	27.17	34.96	54.00	19.04	5.48	H	14	2.00	1.000
1	10,400.000	52.35	68.20	15.85	46.88			5.67	V	138.7	2.00	1.000
1	10,952.500	48.43	74.00	25.57	36.48	54.00	17.52	6.61	H	333.6	1.00	1.000
1	11,590.000	47.94	74.00	26.06	35.74	54.00	18.26	6.79	H	348.4	1.00	1.000
1	12,500.000	47.10	74.00	26.90	37.28	54.00	16.72	5.53	V	160.6	2.00	1.000
1	13,015.000	46.26	68.20	21.94	34.22			5.82	H	118.1	1.00	1.000
1	14,157.500	47.68	68.20	20.52	34.62			5.69	H	59.3	1.00	1.000
1	14,863.750	46.36	68.20	21.84	35.25			6.31	V	36.5	1.00	1.000
1	15,487.500	46.46	74.00	27.54	34.85	54.00	19.15	5.83	V	118.4	1.00	1.000
1	17,448.750	49.88	68.20	18.32	37.61			10.42	H	318.6	1.00	1.000

802.11ax (HE20) CH48



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.375000	40.52	---	68.20	27.68	500.0	200.0	V	94.0	-8.6
1413.875000	---	30.42	54.00	23.58	500.0	200.0	V	53.0	-7.5
1686.875000	---	31.75	54.00	22.25	500.0	200.0	H	266.0	-6.0
1995.750000	44.43	---	68.20	23.77	500.0	200.0	V	94.0	-4.6
2613.500000	46.93	---	68.20	21.27	500.0	200.0	H	167.0	-2.0
2820.875000	---	36.43	54.00	17.57	500.0	200.0	H	307.0	-1.2
3478.000000	50.70	---	68.20	17.50	500.0	200.0	V	81.0	1.7
3988.125000	---	40.42	54.00	13.58	500.0	200.0	H	130.0	3.2
4458.875000	51.51	---	68.20	16.69	500.0	200.0	H	359.0	3.6
4823.750000	---	45.65	54.00	8.35	500.0	200.0	H	195.0	3.9
6835.375000	56.13	---	68.20	12.07	500.0	200.0	H	332.0	6.8
7260.625000	---	43.96	54.00	10.04	500.0	200.0	V	103.0	7.1



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,312.500	50.65	74.00	23.35	38.49	54.00	15.51	8.57	H	213.5	1.00	1.000
1	8,668.750	48.45	68.20	19.75	36.53			5.42	H	360	1.00	1.000
1	9,153.750	46.33	74.00	27.67	35.14	54.00	18.86	5.48	H	243	1.00	1.000
1	10,476.250	52.30	68.20	15.90	36.20			5.60	V	149	2.00	1.000
1	11,191.250	48.41	74.00	25.59	36.06	54.00	17.94	7.16	H	241.7	2.00	1.000
1	12,500.000	47.43	74.00	26.57	37.18	54.00	16.82	5.53	V	164.1	2.00	1.000
1	12,745.000	45.58	68.20	22.62	33.76			5.43	H	72.6	2.00	1.000
1	13,308.750	45.94	74.00	28.06	33.72	54.00	20.28	5.49	V	67.2	2.00	1.000
1	14,196.250	46.63	68.20	21.57	34.81			5.85	V	141.6	2.00	1.000
1	14,895.000	46.87	68.20	21.33	35.08			6.62	H	360	1.00	1.000
1	15,420.000	46.56	74.00	27.44	34.24	54.00	19.76	5.30	V	216.1	2.00	1.000
1	17,535.000	50.30	68.20	17.90	38.24			10.93	H	346.2	1.00	1.000

802.11ax (HE20) CH52



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	40.76	---	68.20	27.44	500.0	200.0	H	354.0	-8.5
1413.000000	---	30.87	54.00	23.13	500.0	200.0	H	251.0	-7.5
1614.250000	---	31.71	54.00	22.29	500.0	200.0	H	332.0	-6.3
1886.375000	44.18	---	68.20	24.02	500.0	200.0	H	186.0	-5.1
2659.000000	46.63	---	68.20	21.57	500.0	200.0	H	349.0	-1.9
2827.875000	---	36.33	54.00	17.67	500.0	200.0	H	246.0	-1.1
3528.750000	52.07	---	68.20	16.13	500.0	200.0	H	126.0	1.7
3998.625000	---	40.53	54.00	13.47	500.0	200.0	H	349.0	3.2
4467.625000	51.04	---	68.20	17.16	500.0	200.0	H	345.0	3.7
4823.750000	---	44.61	54.00	9.39	500.0	200.0	H	191.0	3.9
7087.375000	55.74	---	68.20	12.46	500.0	200.0	H	291.0	7.0
7328.000000	---	43.88	54.00	10.12	500.0	200.0	H	264.0	7.0



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,247.500	50.03	74.00	23.97	38.32	54.00	15.68	8.41	H	213.8	1.00	1.000
1	8,672.500	48.05	68.20	20.15	36.59			5.41	H	132.7	1.00	1.000
1	9,040.000	47.09	74.00	26.91	35.39	54.00	18.61	5.41	H	191.8	1.00	1.000
1	9,708.750	47.69	68.20	20.51	35.81			5.60	V	140.5	2.00	1.000
1	10,971.250	49.22	74.00	24.78	36.31	54.00	17.69	6.60	H	162.3	1.00	1.000
1	12,500.000	47.16	74.00	26.84	37.20	54.00	16.80	5.53	V	162.6	2.00	1.000
1	13,010.000	46.04	68.20	22.16	34.32			5.82	V	59.4	2.00	1.000
1	13,372.500	45.73	74.00	28.27	33.92	54.00	20.08	5.51	H	287.7	1.00	1.000
1	13,616.250	46.55	68.20	21.65	34.79			6.24	H	191.8	1.00	1.000
1	14,818.750	46.44	68.20	21.76	34.41			5.86	V	226.4	1.00	1.000
1	15,463.750	46.78	74.00	27.22	34.82	54.00	19.18	5.64	H	103.4	1.00	1.000
1	17,485.000	50.50	68.20	17.70	38.43			10.75	V	103.6	2.00	1.000

802.11ac (HT20) CH60



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.000000	40.96	---	68.20	27.24	500.0	200.0	V	1.0	-8.3
1404.250000	---	30.23	54.00	23.77	500.0	200.0	V	76.0	-7.6
1665.875000	---	31.91	54.00	22.09	500.0	200.0	H	328.0	-6.1
1950.250000	44.08	---	68.20	24.12	500.0	200.0	H	139.0	-4.7
2587.250000	47.08	---	68.20	21.12	500.0	200.0	H	341.0	-2.0
2817.375000	---	36.56	54.00	17.44	500.0	200.0	H	336.0	-1.2
3501.625000	51.35	---	68.20	16.85	500.0	200.0	H	176.0	1.8
3998.625000	---	40.47	54.00	13.53	500.0	200.0	H	251.0	3.2
4823.750000	---	44.67	54.00	9.33	500.0	200.0	H	194.0	3.9
5640.125000	53.78	---	68.20	14.42	500.0	200.0	V	31.0	5.4
6838.000000	55.81	---	68.20	12.39	500.0	200.0	V	40.0	6.8
7346.375000	---	44.02	54.00	9.98	500.0	200.0	H	318.0	7.0



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,300.000	51.32	74.00	22.68	39.60	54.00	14.40	8.79	H	195	1.00	1.000
1	8,773.750	48.09	68.20	20.11	36.27			5.37	H	172.6	1.00	1.000
1	9,068.750	46.38	74.00	27.62	35.11	54.00	18.89	5.46	H	262.4	1.00	1.000
1	9,492.500	46.62	74.00	27.38	35.17	54.00	18.83	5.48	H	89.8	1.00	1.000
1	10,593.750	53.95	68.20	14.25	38.14			5.78	V	169.1	2.00	1.000
1	11,556.250	48.16	74.00	25.84	36.02	54.00	17.98	6.79	H	179.9	1.00	1.000
1	12,940.000	46.65	68.20	21.55	34.22			5.74	H	134.4	1.00	1.000
1	13,318.750	45.65	74.00	28.35	33.85	54.00	20.15	5.48	H	112	1.00	1.000
1	13,695.000	46.67	68.20	21.53	34.52			6.19	V	288.2	2.00	1.000
1	14,886.250	46.59	68.20	21.61	34.67			6.53	H	307.1	1.00	1.000
1	15,468.750	47.05	74.00	26.95	34.49	54.00	19.51	5.68	V	218.7	1.00	1.000
1	17,500.000	50.16	68.20	18.04	38.15			10.80	H	104.9	1.00	1.000

802.11ax (HE20) CH64



Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1085.750000	---	28.25	54.00	25.75	500.0	200.0	H	241.0	-10.2
1255.500000	41.01	---	68.20	27.19	500.0	200.0	V	34.0	-8.6
1413.000000	---	30.12	54.00	23.88	500.0	200.0	H	187.0	-7.5
1692.125000	---	31.93	54.00	22.07	500.0	200.0	H	332.0	-6.0
1871.500000	44.64	---	68.20	23.56	500.0	200.0	H	223.0	-5.1
2643.250000	47.14	---	68.20	21.06	500.0	200.0	H	341.0	-2.0
2801.625000	---	36.47	54.00	17.53	500.0	200.0	H	310.0	-1.2
3306.500000	50.46	---	68.20	17.74	500.0	200.0	H	287.0	0.9
3916.375000	---	40.11	54.00	13.89	500.0	200.0	H	196.0	2.6
5515.000000	53.35	---	68.20	14.85	500.0	200.0	H	354.0	5.4
6713.750000	55.65	---	68.20	12.55	500.0	200.0	H	264.0	6.5
7287.750000	---	43.96	54.00	10.05	500.0	200.0	H	255.0	7.0