



Wi-Fi 5G_n40 CH151



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.250000	42.02	---	68.20	26.18	500.0	200.0	V	334.0	-8.3
1375.375000	---	31.05	54.00	22.95	500.0	200.0	V	334.0	-7.7
1701.750000	---	32.19	54.00	21.81	500.0	200.0	V	3.0	-6.0
1875.000000	44.74	---	68.20	23.46	500.0	200.0	H	150.0	-5.1
2480.500000	47.62	---	68.20	20.58	500.0	200.0	H	328.0	-2.2
2788.500000	---	36.77	54.00	17.23	500.0	200.0	H	238.0	-1.3
3529.625000	52.24	---	68.20	15.96	500.0	200.0	V	134.0	1.7
3995.125000	---	41.15	54.00	12.85	500.0	200.0	H	107.0	3.2
5375.875000	---	42.48	54.00	11.52	500.0	200.0	V	51.0	5.1
5562.250000	54.97	---	68.20	13.23	500.0	200.0	V	3.0	5.5
6974.500000	55.88	---	68.20	12.32	500.0	200.0	V	105.0	7.1
7281.625000	---	44.03	54.00	9.97	500.0	200.0	V	60.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8742.500000	40.85	---	68.20	27.35	150.0	200.0	V	302.0	5.0
9016.250000	---	31.92	54.00	22.08	150.0	100.0	V	320.0	5.0
9321.250000	---	31.72	54.00	22.28	150.0	200.0	H	306.0	5.2
10186.250000	41.79	---	68.20	26.41	150.0	200.0	H	152.0	6.2
11512.500000	---	51.54	54.00	2.46	150.0	200.0	H	123.0	7.5
13005.000000	43.21	---	68.20	24.99	150.0	200.0	H	26.0	10.9
13328.750000	---	34.42	54.00	19.58	150.0	100.0	V	116.0	10.9
14083.750000	43.63	---	68.20	24.57	150.0	200.0	H	89.0	9.2
15276.250000	45.55	---	68.20	22.65	150.0	200.0	V	280.0	13.3
15376.250000	---	36.32	54.00	17.68	150.0	200.0	V	146.0	13.5
17267.500000	53.21	---	68.20	14.99	150.0	100.0	H	149.0	20.1
17931.250000	---	42.08	54.00	11.92	150.0	200.0	V	165.0	20.3

Wi-Fi 5G_n40 CH159



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1267.750000	41.44	---	68.20	26.76	500.0	200.0	H	337.0	-8.5
1385.000000	---	30.63	54.00	23.37	500.0	200.0	H	217.0	-7.7
1708.750000	---	32.12	54.00	21.88	500.0	200.0	V	51.0	-5.9
1882.875000	44.52	---	68.20	23.68	500.0	200.0	H	355.0	-5.1
2668.625000	47.12	---	68.20	21.08	500.0	200.0	V	142.0	-1.9
2812.125000	---	36.58	54.00	17.42	500.0	200.0	H	306.0	-1.2
3499.000000	51.57	---	68.20	16.63	500.0	200.0	H	67.0	1.8
3995.125000	---	40.87	54.00	13.13	500.0	200.0	H	271.0	3.2
5179.875000	52.99	---	68.20	15.21	500.0	200.0	V	160.0	5.2
5401.250000	---	41.65	54.00	12.35	500.0	200.0	V	47.0	5.1
6057.500000	55.10	---	68.20	13.10	500.0	200.0	H	126.0	5.9
7297.375000	---	43.89	54.00	10.11	500.0	200.0	H	271.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8710.000000	40.53	---	68.20	27.67	150.0	200.0	V	342.0	5.0
9078.750000	---	31.67	54.00	22.33	150.0	100.0	V	162.0	5.0
9187.500000	---	31.47	54.00	22.53	150.0	200.0	V	308.0	5.2
10131.250000	42.42	---	68.20	25.78	150.0	100.0	H	93.0	6.2
11581.250000	---	51.31	54.00	2.69	150.0	200.0	H	168.0	7.5
12998.750000	42.14	---	68.20	26.06	150.0	200.0	H	198.0	10.9
13247.500000	43.12	---	68.20	25.08	150.0	100.0	H	75.0	10.6
13265.000000	---	34.07	54.00	19.93	150.0	200.0	V	263.0	10.7
15332.500000	46.26	---	68.20	21.94	150.0	200.0	V	60.0	13.5
15360.000000	---	36.51	54.00	17.49	150.0	100.0	V	282.0	13.6
17377.500000	52.49	---	68.20	15.71	150.0	200.0	H	160.0	20.3
17852.500000	---	42.70	54.00	11.30	150.0	200.0	V	80.0	20.5

Wi-Fi 5G_ac80 CH42



Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.000000	41.28	---	68.20	26.92	500.0	200.0	V	282.0	-8.5
1389.375000	---	30.60	54.00	23.40	500.0	200.0	V	348.0	-7.6
1682.500000	---	31.87	54.00	22.13	500.0	200.0	V	348.0	-6.0
1955.500000	44.85	---	68.20	23.35	500.0	200.0	H	31.0	-4.7
2474.375000	47.18	---	68.20	21.02	500.0	200.0	V	196.0	-2.3
2827.000000	---	36.54	54.00	17.46	500.0	200.0	V	201.0	-1.1
3457.875000	51.17	---	68.20	17.03	500.0	200.0	V	343.0	1.6
3987.250000	---	40.65	54.00	13.35	500.0	200.0	V	269.0	3.2
4479.875000	51.89	---	68.20	16.31	500.0	200.0	V	0.0	3.8
4926.125000	---	40.61	54.00	13.39	500.0	200.0	V	105.0	4.6
6610.500000	56.19	---	68.20	12.01	500.0	200.0	V	357.0	6.6
7272.000000	---	44.01	54.00	9.99	500.0	200.0	V	183.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8903.750000	40.99	---	68.20	27.21	150.0	100.0	H	211.0	5.1
9005.000000	---	31.51	54.00	22.49	150.0	200.0	V	263.0	5.0
9171.250000	---	31.28	54.00	22.72	150.0	200.0	V	147.0	5.1
10443.750000	54.88	---	68.20	13.32	150.0	200.0	H	115.0	6.2
10485.000000	50.77	---	68.20	17.43	150.0	100.0	H	121.0	6.2
10986.250000	---	32.65	54.00	21.35	150.0	200.0	V	126.0	7.1
13218.750000	42.94	---	68.20	25.26	150.0	200.0	H	168.0	10.4
13250.000000	---	33.50	54.00	20.50	150.0	200.0	H	179.0	10.6
14077.500000	43.75	---	68.20	24.45	150.0	200.0	H	84.0	9.2
15638.750000	---	46.22	54.00	7.78	150.0	100.0	H	179.0	12.6
17340.000000	50.84	---	68.20	17.36	150.0	200.0	H	26.0	20.3
17911.250000	---	42.21	54.00	11.79	150.0	200.0	H	84.0	20.6

Wi-Fi 5G_ac80 CH58



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	40.97	---	68.20	27.23	500.0	200.0	H	229.0	-8.2
1410.375000	---	31.10	54.00	22.90	500.0	200.0	V	343.0	-7.5
1664.125000	---	32.01	54.00	21.99	500.0	200.0	V	122.0	-6.1
1866.250000	45.07	---	68.20	23.13	500.0	200.0	V	209.0	-5.1
2577.625000	47.05	---	68.20	21.15	500.0	200.0	V	280.0	-2.0
2817.375000	---	36.74	54.00	17.26	500.0	200.0	V	325.0	-1.2
3545.375000	51.43	---	68.20	16.77	500.0	200.0	V	234.0	1.7
3982.875000	---	40.82	54.00	13.18	500.0	200.0	V	196.0	3.2
4488.625000	51.39	---	68.20	16.81	500.0	200.0	V	196.0	3.8
4939.250000	---	41.02	54.00	12.98	500.0	200.0	V	261.0	4.6
6985.875000	55.93	---	68.20	12.27	500.0	200.0	V	343.0	7.1
7264.125000	---	43.86	54.00	10.14	500.0	200.0	V	334.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8931.250000	40.71	---	68.20	27.49	150.0	200.0	V	320.0	5.2
9067.500000	---	31.64	54.00	22.36	150.0	100.0	H	118.0	5.0
9163.750000	---	31.35	54.00	22.65	150.0	200.0	V	284.0	5.1
10120.000000	41.66	---	68.20	26.54	150.0	200.0	V	236.0	6.2
10575.000000	60.75	---	68.20	7.45	150.0	200.0	H	118.0	6.4
10603.750000	---	51.85	54.00	2.15	150.0	100.0	H	118.0	6.6
13353.750000	---	33.44	54.00	20.56	150.0	200.0	H	182.0	11.0
13597.500000	42.81	---	68.20	25.39	150.0	200.0	V	0.0	10.1
15240.000000	45.78	---	68.20	22.42	150.0	100.0	V	179.0	12.9
15373.750000	---	36.78	54.00	17.22	150.0	200.0	V	226.0	13.5
17217.500000	50.00	---	68.20	18.20	150.0	200.0	H	102.0	20.1
17878.750000	---	42.00	54.00	12.00	150.0	100.0	V	356.0	20.5

Wi-Fi 5G_ac80 CH106



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.04	---	68.20	27.16	500.0	200.0	H	309.0	-8.2
1412.125000	---	30.70	54.00	23.30	500.0	200.0	H	314.0	-7.5
1720.125000	---	31.66	54.00	22.34	500.0	200.0	V	331.0	-5.9
1863.625000	44.74	---	68.20	23.46	500.0	200.0	H	82.0	-5.2
2679.125000	47.24	---	68.20	20.96	500.0	200.0	V	131.0	-1.8
2798.125000	---	35.99	54.00	18.01	500.0	200.0	H	347.0	-1.3
3310.000000	50.67	---	68.20	17.53	500.0	200.0	H	18.0	0.9
3994.250000	---	39.75	54.00	14.25	500.0	200.0	H	177.0	3.2
5224.500000	51.25	---	68.20	16.95	500.0	200.0	V	240.0	5.3
5375.875000	---	42.12	54.00	11.88	500.0	200.0	V	295.0	5.1
6664.750000	54.45	---	68.20	13.75	500.0	200.0	H	27.0	6.6
7431.250000	---	41.46	54.00	12.54	500.0	200.0	H	18.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8625.000000	40.95	---	68.20	27.25	150.0	200.0	V	23.0	4.9
9082.500000	---	31.71	54.00	22.29	150.0	100.0	V	19.0	5.0
9451.250000	---	31.60	54.00	22.40	150.0	200.0	V	75.0	5.6
10186.250000	41.53	---	68.20	26.67	150.0	200.0	V	60.0	6.2
11075.000000	---	49.36	54.00	4.64	150.0	100.0	H	117.0	7.2
13053.750000	43.16	---	68.20	25.04	150.0	200.0	H	121.0	10.8
13397.500000	---	33.73	54.00	20.27	150.0	200.0	V	75.0	11.1
14068.750000	42.74	---	68.20	25.46	150.0	200.0	V	112.0	9.2
15200.000000	45.98	---	68.20	22.22	150.0	100.0	H	337.0	12.6
15376.250000	---	36.37	54.00	17.63	150.0	200.0	H	140.0	13.5
17340.000000	50.87	---	68.20	17.33	150.0	200.0	H	0.0	20.3
17862.500000	---	42.51	54.00	11.49	150.0	100.0	V	257.0	20.5

Wi-Fi 5G_ac80 CH122



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	41.36	---	68.20	26.84	500.0	200.0	H	0.0	-8.2
1378.000000	---	30.66	54.00	23.34	500.0	200.0	V	327.0	-7.7
1660.625000	---	32.02	54.00	21.98	500.0	200.0	H	152.0	-6.1
1956.375000	44.72	---	68.20	23.48	500.0	200.0	H	24.0	-4.7
2680.875000	47.49	---	68.20	20.71	500.0	200.0	V	269.0	-1.8
2810.375000	---	36.72	54.00	17.28	500.0	200.0	V	214.0	-1.2
3399.250000	51.57	---	68.20	16.63	500.0	200.0	V	313.0	1.3
3997.750000	---	40.75	54.00	13.25	500.0	200.0	V	277.0	3.2
5107.250000	---	41.61	54.00	12.39	500.0	200.0	V	152.0	5.1
5235.875000	53.08	---	68.20	15.12	500.0	200.0	H	51.0	5.3
6969.250000	56.01	---	68.20	12.19	500.0	200.0	H	0.0	7.1
7297.375000	---	43.89	54.00	10.11	500.0	200.0	H	42.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8725.000000	40.92	---	68.20	27.28	150.0	200.0	V	236.0	5.0
9016.250000	---	31.40	54.00	22.60	150.0	200.0	H	304.0	5.0
9163.750000	---	31.99	54.00	22.01	150.0	200.0	H	124.0	5.1
9971.250000	42.24	---	68.20	25.96	150.0	100.0	H	247.0	5.9
11203.750000	---	49.70	54.00	4.30	150.0	200.0	H	120.0	7.3
13053.750000	43.76	---	68.20	24.44	150.0	200.0	H	328.0	10.8
13361.250000	---	33.33	54.00	20.67	150.0	200.0	V	150.0	11.0
13627.500000	43.58	---	68.20	24.62	150.0	200.0	H	266.0	10.0
15330.000000	45.34	---	68.20	22.86	150.0	100.0	H	355.0	13.5
15380.000000	---	36.57	54.00	17.43	150.0	200.0	H	222.0	13.5
17537.500000	51.20	---	68.20	17.00	150.0	200.0	V	101.0	20.0
17880.000000	---	42.26	54.00	11.74	150.0	200.0	V	45.0	20.5

Wi-Fi 5G_ac80 CH138



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.500000	42.64	---	68.20	25.56	500.0	200.0	V	298.0	-8.3
1386.750000	---	30.79	54.00	23.21	500.0	200.0	H	112.0	-7.7
1721.000000	---	32.20	54.00	21.80	500.0	200.0	H	245.0	-5.9
1876.750000	44.08	---	68.20	24.12	500.0	200.0	H	31.0	-5.1
2658.125000	47.55	---	68.20	20.65	500.0	200.0	H	258.0	-1.9
2813.875000	---	36.81	54.00	17.19	500.0	200.0	H	103.0	-1.2
3433.375000	51.41	---	68.20	16.79	500.0	200.0	H	295.0	1.5
3987.250000	---	40.68	54.00	13.32	500.0	200.0	V	143.0	3.2
5302.375000	53.68	---	68.20	14.52	500.0	200.0	H	166.0	5.4
5383.750000	---	42.11	54.00	11.89	500.0	200.0	V	352.0	5.1
6847.625000	56.13	---	68.20	12.07	500.0	200.0	V	147.0	6.8
7321.875000	---	43.90	54.00	10.10	500.0	200.0	H	135.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8785.000000	41.23	---	68.20	26.97	150.0	200.0	H	339.0	5.0
9095.000000	---	32.08	54.00	21.92	150.0	200.0	H	142.0	5.0
9301.250000	---	31.75	54.00	22.25	150.0	100.0	V	73.0	5.2
9926.250000	42.09	---	68.20	26.11	150.0	200.0	V	206.0	5.8
11395.000000	---	48.38	54.00	5.62	150.0	200.0	H	164.0	7.6
13005.000000	43.08	---	68.20	25.12	150.0	200.0	V	179.0	10.9
13348.750000	---	33.71	54.00	20.29	150.0	100.0	V	171.0	11.0
15308.750000	46.21	---	68.20	21.99	150.0	200.0	V	236.0	13.4
15361.250000	---	36.45	54.00	17.55	150.0	200.0	H	183.0	13.6
17123.750000	50.33	---	68.20	17.87	150.0	200.0	H	146.0	19.4
17572.500000	50.44	---	68.20	17.76	150.0	100.0	H	261.0	20.0
17940.000000	---	41.83	54.00	12.17	150.0	200.0	H	294.0	20.1

Wi-Fi 5G_ac80 CH155



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.250000	41.51	---	68.20	26.69	500.0	200.0	H	107.0	-8.4
1386.750000	---	30.62	54.00	23.38	500.0	200.0	H	213.0	-7.7
1674.625000	---	31.79	54.00	22.21	500.0	200.0	V	354.0	-6.1
1903.000000	44.70	---	68.20	23.50	500.0	200.0	V	156.0	-5.0
2526.875000	47.49	---	68.20	20.71	500.0	200.0	V	128.0	-2.2
2813.000000	---	36.46	54.00	17.54	500.0	200.0	V	281.0	-1.2
3345.000000	51.80	---	68.20	16.40	500.0	200.0	V	266.0	0.9
3970.625000	---	40.46	54.00	13.54	500.0	200.0	V	271.0	3.0
5249.000000	52.71	---	68.20	15.49	500.0	200.0	V	128.0	5.3
5375.875000	---	42.05	54.00	11.95	500.0	200.0	V	234.0	5.1
6579.000000	55.92	---	68.20	12.28	500.0	200.0	V	354.0	6.6
7318.375000	---	43.88	54.00	10.12	500.0	200.0	V	225.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8930.000000	40.78	---	68.20	27.42	150.0	200.0	H	177.0	5.2
9088.750000	---	31.53	54.00	22.47	150.0	200.0	V	234.0	5.0
9436.250000	---	31.42	54.00	22.58	150.0	100.0	H	229.0	5.6
9977.500000	41.62	---	68.20	26.58	150.0	200.0	V	279.0	5.9
11522.500000	60.07	---	74.00	13.93	150.0	200.0	H	126.0	7.5
11532.500000	---	51.77	54.00	2.23	150.0	100.0	H	122.0	7.5
13373.750000	---	33.82	54.00	20.18	150.0	200.0	V	186.0	11.1
13630.000000	43.06	---	68.20	25.14	150.0	200.0	H	19.0	10.0
15163.750000	45.58	---	68.20	22.62	150.0	200.0	V	323.0	12.3
15361.250000	---	36.61	54.00	17.39	150.0	100.0	V	212.0	13.6
17321.250000	54.32	---	68.20	13.88	150.0	200.0	H	145.0	20.2
17913.750000	---	42.23	54.00	11.77	150.0	200.0	H	170.0	20.6

Wi-Fi 5G_ax20 CH36



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1275.625000	41.58	---	68.20	26.62	500.0	200.0	V	0.0	-8.4
1407.750000	---	30.92	54.00	23.08	500.0	200.0	V	216.0	-7.5
1706.125000	---	32.01	54.00	21.99	500.0	200.0	H	57.0	-6.0
1869.750000	44.75	---	68.20	23.45	500.0	200.0	H	88.0	-5.1
2542.625000	47.16	---	68.20	21.04	500.0	200.0	H	116.0	-2.1
2792.000000	---	36.76	54.00	17.24	500.0	200.0	V	148.0	-1.3
3476.250000	51.52	---	68.20	16.68	500.0	200.0	V	184.0	1.7
3998.625000	---	40.68	54.00	13.32	500.0	200.0	H	2.0	3.2
4491.250000	51.73	---	68.20	16.47	500.0	200.0	H	30.0	3.8
4948.000000	---	40.55	54.00	13.45	500.0	200.0	H	48.0	4.6
6995.500000	57.10	---	68.20	11.10	500.0	200.0	H	219.0	7.1
7258.000000	---	44.08	54.00	9.92	500.0	200.0	H	0.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8870.000000	40.68	---	68.20	27.52	150.0	200.0	V	216.0	5.0
9080.000000	---	31.82	54.00	22.18	150.0	100.0	H	210.0	5.0
9435.000000	---	31.67	54.00	22.33	150.0	200.0	V	0.0	5.6
10353.750000	56.97	---	68.20	11.23	150.0	100.0	H	108.0	6.4
10600.000000	40.86	---	68.20	27.34	150.0	200.0	V	199.0	6.5
11910.000000	---	33.42	54.00	20.58	150.0	200.0	H	168.0	7.8
12992.500000	43.56	---	68.20	24.64	150.0	100.0	V	242.0	10.9
13323.750000	---	33.36	54.00	20.64	150.0	200.0	H	0.0	10.9
15535.000000	59.50	---	74.00	14.50	150.0	200.0	H	178.0	12.9
15546.250000	---	51.20	54.00	2.80	150.0	100.0	H	168.0	12.9
17287.500000	50.36	---	68.20	17.84	150.0	200.0	H	31.0	20.2
17763.750000	---	41.82	54.00	12.18	150.0	200.0	H	237.0	20.4

Wi-Fi 5G_ax20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.125000	41.89	---	68.20	26.31	500.0	200.0	H	99.0	-8.3
1398.125000	---	30.97	54.00	23.03	500.0	200.0	H	55.0	-7.6
1679.000000	---	32.02	54.00	21.98	500.0	200.0	H	77.0	-6.0
1978.250000	44.90	---	68.20	23.30	500.0	200.0	H	218.0	-4.7
2669.500000	48.21	---	68.20	19.99	500.0	200.0	V	209.0	-1.9
2824.375000	---	36.71	54.00	17.29	500.0	200.0	V	250.0	-1.2
3597.000000	51.18	---	68.20	17.02	500.0	200.0	H	13.0	1.8
3998.625000	---	40.70	54.00	13.30	500.0	200.0	H	27.0	3.2
4483.375000	52.16	---	68.20	16.04	500.0	200.0	H	112.0	3.8
4930.500000	---	41.10	54.00	12.90	500.0	200.0	V	304.0	4.6
6693.625000	56.70	---	68.20	11.50	500.0	200.0	V	191.0	6.5
7334.125000	---	43.85	54.00	10.15	500.0	200.0	H	240.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8947.500000	40.62	---	68.20	27.58	150.0	100.0	H	267.0	5.1
9116.250000	---	31.59	54.00	22.41	150.0	200.0	H	8.0	5.1
9172.500000	---	31.07	54.00	22.93	150.0	200.0	V	226.0	5.1
10405.000000	57.12	---	68.20	11.08	150.0	100.0	H	120.0	6.3
10563.750000	40.04	---	68.20	28.16	150.0	200.0	V	141.0	6.3
10730.000000	---	33.09	54.00	20.91	150.0	200.0	H	173.0	7.3
13116.250000	43.18	---	68.20	25.02	150.0	100.0	H	359.0	10.4
13396.250000	---	33.32	54.00	20.68	150.0	200.0	V	272.0	11.1
15593.750000	58.43	---	74.00	15.57	150.0	200.0	H	168.0	12.7
15602.500000	---	48.51	54.00	5.49	150.0	100.0	H	200.0	12.7
17191.250000	50.67	---	68.20	17.53	150.0	200.0	V	82.0	19.9
17881.250000	---	42.32	54.00	11.68	150.0	200.0	V	56.0	20.5

Wi-Fi 5G_ax20 CH48



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.625000	41.53	---	68.20	26.67	500.0	200.0	H	249.0	-8.6
1412.125000	---	31.08	54.00	22.92	500.0	200.0	H	114.0	-7.5
1708.750000	---	32.46	54.00	21.54	500.0	200.0	H	91.0	-5.9
1926.625000	45.23	---	68.20	22.97	500.0	200.0	H	52.0	-4.8
2513.750000	47.92	---	68.20	20.28	500.0	200.0	H	249.0	-2.1
2821.750000	---	36.80	54.00	17.20	500.0	200.0	H	15.0	-1.2
3448.250000	51.75	---	68.20	16.45	500.0	200.0	H	299.0	1.6
3965.375000	---	40.66	54.00	13.34	500.0	200.0	H	235.0	3.0
4475.500000	51.30	---	68.20	16.90	500.0	200.0	H	110.0	3.7
4939.250000	---	40.98	54.00	13.02	500.0	200.0	H	146.0	4.6
7054.125000	56.08	---	68.20	12.12	500.0	200.0	V	316.0	6.9
7347.250000	---	43.88	54.00	10.12	500.0	200.0	H	15.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8868.750000	40.33	---	68.20	27.87	150.0	100.0	H	352.0	5.0
9011.250000	---	31.49	54.00	22.51	150.0	200.0	H	359.0	5.0
9172.500000	---	31.40	54.00	22.60	150.0	200.0	H	0.0	5.1
10475.000000	61.88	---	68.20	6.32	150.0	100.0	H	107.0	6.2
10486.250000	63.21	---	68.20	4.99	150.0	200.0	H	112.0	6.2
11910.000000	---	32.86	54.00	21.14	150.0	100.0	H	285.0	7.8
13357.500000	---	33.71	54.00	20.29	150.0	200.0	V	66.0	11.0
13640.000000	42.65	---	68.20	25.55	150.0	200.0	H	254.0	10.0
15347.500000	45.59	---	68.20	22.61	150.0	100.0	H	310.0	13.6
15721.250000	---	41.18	54.00	12.82	150.0	200.0	H	191.0	12.5
17147.500000	50.71	---	68.20	17.49	150.0	100.0	V	271.0	19.6
17893.750000	---	42.29	54.00	11.71	150.0	200.0	V	66.0	20.5

Wi-Fi 5G_ax20 CH52



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.625000	41.72	---	68.20	26.48	500.0	200.0	V	0.0	-8.6
1403.375000	---	30.76	54.00	23.24	500.0	200.0	H	198.0	-7.6
1676.375000	---	32.20	54.00	21.80	500.0	200.0	H	207.0	-6.1
1896.000000	44.40	---	68.20	23.80	500.0	200.0	V	175.0	-5.0
2568.875000	47.32	---	68.20	20.88	500.0	200.0	V	147.0	-2.0
2827.000000	---	36.50	54.00	17.50	500.0	200.0	H	90.0	-1.1
3527.875000	51.33	---	68.20	16.87	500.0	200.0	H	225.0	1.7
3967.125000	---	40.94	54.00	13.06	500.0	200.0	H	152.0	3.0
4476.375000	51.98	---	68.20	16.22	500.0	200.0	H	349.0	3.7
4927.000000	---	40.96	54.00	13.04	500.0	200.0	H	289.0	4.6
6973.625000	56.32	---	68.20	11.88	500.0	200.0	H	0.0	7.1
7359.500000	---	43.81	54.00	10.19	500.0	200.0	H	148.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8953.750000	40.71	---	68.20	27.49	150.0	200.0	V	2.0	5.1
9027.500000	---	31.64	54.00	22.36	150.0	200.0	V	193.0	5.0
9321.250000	---	31.60	54.00	22.40	150.0	200.0	V	17.0	5.2
10235.000000	41.86	---	68.20	26.34	150.0	200.0	V	54.0	6.3
10513.750000	63.45	---	68.20	4.75	150.0	200.0	H	164.0	6.2
11910.000000	---	33.08	54.00	20.92	150.0	200.0	H	217.0	7.8
13092.500000	42.80	---	68.20	25.40	150.0	200.0	H	0.0	10.5
13290.000000	---	33.53	54.00	20.47	150.0	200.0	V	96.0	10.8
15350.000000	46.70	---	68.20	21.50	150.0	200.0	H	318.0	13.6
15361.250000	---	36.39	54.00	17.61	150.0	200.0	H	358.0	13.6
15786.250000	---	43.38	54.00	10.62	150.0	200.0	H	202.0	12.6
17597.500000	50.55	---	68.20	17.65	150.0	200.0	V	107.0	20.1

Wi-Fi 5G_ax20 CH60



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	41.06	---	68.20	27.14	500.0	200.0	H	130.0	-8.6
1322.000000	---	30.80	54.00	23.20	500.0	200.0	V	131.0	-8.0
1700.875000	---	32.11	54.00	21.89	500.0	200.0	H	200.0	-6.0
1857.500000	44.69	---	68.20	23.51	500.0	200.0	V	0.0	-5.2
2677.375000	47.49	---	68.20	20.71	500.0	200.0	H	122.0	-1.8
2785.000000	---	36.58	54.00	17.42	500.0	200.0	H	149.0	-1.4
3485.000000	51.49	---	68.20	16.71	500.0	200.0	V	0.0	1.7
3951.375000	---	40.61	54.00	13.39	500.0	200.0	V	181.0	2.8
4478.125000	51.82	---	68.20	16.38	500.0	200.0	H	97.0	3.7
4928.750000	---	41.16	54.00	12.84	500.0	200.0	H	334.0	4.6
6946.500000	56.42	---	68.20	11.78	500.0	200.0	H	232.0	7.1
7292.125000	---	43.85	54.00	10.15	500.0	200.0	V	318.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8946.250000	41.32	---	68.20	26.88	150.0	200.0	H	350.0	5.1
9026.250000	---	31.33	54.00	22.67	150.0	200.0	V	250.0	5.0
9403.750000	---	31.38	54.00	22.62	150.0	100.0	V	255.0	5.5
10042.500000	42.11	---	68.20	26.09	150.0	200.0	V	133.0	6.1
10595.000000	63.10	---	68.20	5.10	150.0	200.0	H	162.0	6.5
10603.750000	---	53.41	54.00	0.59	150.0	100.0	H	173.0	6.6
13351.250000	---	33.43	54.00	20.57	150.0	200.0	V	91.0	11.0
13438.750000	42.70	---	68.20	25.50	150.0	100.0	H	184.0	11.1
15350.000000	45.56	---	68.20	22.64	150.0	200.0	V	101.0	13.6
15901.250000	---	41.23	54.00	12.77	150.0	100.0	H	184.0	12.9
17362.500000	50.52	---	68.20	17.68	150.0	200.0	V	274.0	20.3
17910.000000	---	42.61	54.00	11.39	150.0	200.0	V	266.0	20.6

Wi-Fi 5G_ax20 CH64



Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.000000	41.52	---	68.20	26.68	500.0	200.0	V	28.0	-8.3
1411.250000	---	30.86	54.00	23.14	500.0	200.0	V	356.0	-7.5
1669.375000	---	32.00	54.00	22.00	500.0	200.0	H	358.0	-6.1
1993.125000	44.69	---	68.20	23.51	500.0	200.0	H	344.0	-4.6
2457.750000	47.95	---	68.20	20.25	500.0	200.0	H	330.0	-2.3
2811.250000	---	36.48	54.00	17.52	500.0	200.0	H	288.0	-1.2
3538.375000	51.61	---	68.20	16.59	500.0	200.0	H	320.0	1.7
3984.625000	---	41.08	54.00	12.92	500.0	200.0	V	23.0	3.2
4474.625000	51.42	---	68.20	16.78	500.0	200.0	V	206.0	3.7
4906.875000	---	41.09	54.00	12.91	500.0	200.0	H	302.0	4.6
5910.500000	56.05	---	68.20	12.15	500.0	200.0	H	247.0	5.1
7323.625000	---	43.95	54.00	10.05	500.0	200.0	H	133.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8898.750000	40.58	---	68.20	27.62	150.0	200.0	H	138.0	5.1
9097.500000	---	31.31	54.00	22.69	150.0	100.0	H	215.0	5.0
9167.500000	---	31.75	54.00	22.25	150.0	100.0	V	94.0	5.1
9937.500000	41.52	---	68.20	26.68	150.0	100.0	H	79.0	5.8
10633.750000	61.74	---	74.00	12.26	150.0	200.0	H	178.0	6.7
10635.000000	---	53.97	54.00	0.03	150.0	200.0	H	117.0	6.7
13282.500000	---	33.51	54.00	20.49	150.0	200.0	V	42.0	10.8
13561.250000	43.34	---	68.20	24.86	150.0	200.0	H	252.0	10.2
15345.000000	45.60	---	68.20	22.60	150.0	200.0	H	189.0	13.6
15352.500000	---	36.62	54.00	17.38	150.0	100.0	H	173.0	13.6
17345.000000	51.00	---	68.20	17.20	150.0	200.0	V	198.0	20.3
17862.500000	---	41.94	54.00	12.06	150.0	100.0	H	278.0	20.5

Wi-Fi 5G_ax20 CH100



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	42.37	---	68.20	25.83	500.0	200.0	V	48.0	-8.2
1394.625000	---	30.92	54.00	23.08	500.0	200.0	H	290.0	-7.6
1720.125000	---	32.02	54.00	21.98	500.0	200.0	H	253.0	-5.9
1969.500000	45.44	---	68.20	22.76	500.0	200.0	H	332.0	-4.7
2576.750000	47.42	---	68.20	20.78	500.0	200.0	H	152.0	-2.0
2811.250000	---	36.76	54.00	17.24	500.0	200.0	H	66.0	-1.2
3533.125000	51.17	---	68.20	17.03	500.0	200.0	H	120.0	1.7
3992.500000	---	40.75	54.00	13.25	500.0	200.0	V	145.0	3.2
5305.875000	53.68	---	68.20	14.52	500.0	200.0	V	62.0	5.4
5375.875000	---	43.76	54.00	10.24	500.0	200.0	V	234.0	5.1
6602.625000	56.50	---	68.20	11.70	500.0	200.0	H	235.0	6.7
7273.750000	---	43.92	54.00	10.08	500.0	200.0	H	10.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8937.500000	41.15	---	68.20	27.05	150.0	200.0	V	133.0	5.2
9051.250000	---	31.44	54.00	22.56	150.0	100.0	V	352.0	5.0
9163.750000	---	31.51	54.00	22.49	150.0	200.0	H	257.0	5.1
10171.250000	41.49	---	68.20	26.71	150.0	200.0	V	163.0	6.2
10996.250000	61.93	---	74.00	12.07	150.0	100.0	H	206.0	7.1
11005.000000	---	53.81	54.00	0.19	150.0	200.0	H	168.0	7.1
13080.000000	42.98	---	68.20	25.22	150.0	200.0	V	13.0	10.6
13355.000000	---	33.36	54.00	20.64	150.0	100.0	H	347.0	11.0
15331.250000	45.42	---	68.20	22.78	150.0	200.0	H	347.0	13.5
15397.500000	---	36.70	54.00	17.30	150.0	200.0	H	104.0	13.4
17383.750000	50.28	---	68.20	17.92	150.0	100.0	H	238.0	20.3
17752.500000	---	42.16	54.00	11.84	150.0	200.0	H	279.0	20.4

Wi-Fi 5G_ax20 CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	41.21	---	68.20	26.99	500.0	200.0	H	358.0	-8.2
1371.875000	---	32.33	54.00	21.68	500.0	200.0	V	57.0	-7.7
1707.000000	---	32.20	54.00	21.80	500.0	200.0	H	268.0	-5.9
1971.250000	44.92	---	68.20	23.28	500.0	200.0	H	122.0	-4.7
2665.125000	47.36	---	68.20	20.84	500.0	200.0	V	0.0	-1.9
2822.625000	---	36.70	54.00	17.30	500.0	200.0	V	31.0	-1.2
3526.125000	51.11	---	68.20	17.09	500.0	200.0	H	247.0	1.7
3989.875000	---	40.84	54.00	13.16	500.0	200.0	H	349.0	3.2
5167.625000	53.48	---	68.20	14.72	500.0	200.0	V	116.0	5.1
5395.125000	---	43.30	54.00	10.70	500.0	200.0	V	313.0	5.1
6972.750000	55.99	---	68.20	12.21	500.0	200.0	H	247.0	7.1
7349.000000	---	43.98	54.00	10.02	500.0	200.0	H	296.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8886.250000	40.64	---	68.20	27.56	150.0	100.0	H	198.0	5.1
9073.750000	---	31.84	54.00	22.16	150.0	200.0	V	140.0	5.0
9167.500000	---	31.61	54.00	22.39	150.0	200.0	H	267.0	5.1
10016.250000	42.15	---	68.20	26.05	150.0	100.0	H	287.0	6.0
11163.750000	---	53.67	54.00	0.33	150.0	200.0	H	111.0	7.2
11163.750000	60.86	---	74.00	13.14	150.0	200.0	H	111.0	7.2
13015.000000	43.25	---	68.20	24.95	150.0	200.0	H	62.0	10.9
13313.750000	---	33.56	54.00	20.44	150.0	100.0	V	155.0	10.9
15217.500000	45.53	---	68.20	22.67	150.0	200.0	V	10.0	12.7
15351.250000	---	36.67	54.00	17.33	150.0	200.0	H	198.0	13.6
17628.750000	50.26	---	68.20	17.94	150.0	100.0	H	168.0	20.2
17826.250000	---	41.99	54.00	12.01	150.0	200.0	V	242.0	20.5

Wi-Fi 5G_ax20 CH140



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.250000	41.48	---	68.20	26.72	500.0	200.0	H	260.0	-8.6
1413.875000	---	30.84	54.00	23.16	500.0	200.0	H	315.0	-7.5
1660.625000	---	32.08	54.00	21.92	500.0	200.0	V	113.0	-6.1
1950.250000	44.53	---	68.20	23.67	500.0	200.0	H	343.0	-4.7
2686.125000	47.58	---	68.20	20.62	500.0	200.0	H	347.0	-1.7
2813.875000	---	36.93	54.00	17.07	500.0	200.0	V	140.0	-1.2
3480.625000	51.59	---	68.20	16.61	500.0	200.0	H	329.0	1.7
3977.625000	---	40.74	54.00	13.26	500.0	200.0	V	0.0	3.1
5114.250000	---	41.84	54.00	12.16	500.0	200.0	V	153.0	5.1
5298.000000	53.08	---	68.20	15.12	500.0	200.0	H	347.0	5.4
6926.375000	55.92	---	68.20	12.28	500.0	200.0	H	284.0	6.9
7291.250000	---	43.91	54.00	10.09	500.0	200.0	V	36.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8932.500000	40.75	---	68.20	27.45	150.0	100.0	H	132.0	5.2
9017.500000	---	31.75	54.00	22.25	150.0	200.0	V	220.0	5.0
9307.500000	---	31.35	54.00	22.65	150.0	200.0	H	147.0	5.2
10097.500000	42.12	---	68.20	26.08	150.0	200.0	V	102.0	6.1
11403.750000	61.69	---	74.00	12.31	150.0	100.0	H	121.0	7.6
11405.000000	---	53.72	54.00	0.28	150.0	200.0	H	166.0	7.6
12976.250000	42.95	---	68.20	25.25	150.0	200.0	V	80.0	10.8
13253.750000	---	33.77	54.00	20.23	150.0	100.0	V	34.0	10.6
15290.000000	45.71	---	68.20	22.49	150.0	200.0	H	287.0	13.3
15356.250000	---	37.08	54.00	16.92	150.0	200.0	V	0.0	13.6
17101.250000	53.31	---	68.20	14.89	150.0	100.0	H	132.0	19.2
17881.250000	---	42.34	54.00	11.66	150.0	200.0	H	298.0	20.5

Wi-Fi 5G_ax20 CH144



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	40.85	---	68.20	27.35	500.0	200.0	V	9.0	-8.6
1387.625000	---	30.86	54.00	23.14	500.0	200.0	V	243.0	-7.7
1512.750000	---	33.13	54.00	20.87	500.0	200.0	V	50.0	-7.0
1923.125000	44.81	---	68.20	23.39	500.0	200.0	V	137.0	-4.9
2655.500000	47.42	---	68.20	20.78	500.0	200.0	V	73.0	-1.9
2797.250000	---	37.06	54.00	16.94	500.0	200.0	H	347.0	-1.3
3369.500000	51.29	---	68.20	16.91	500.0	200.0	V	82.0	1.0
3998.625000	---	41.04	54.00	12.96	500.0	200.0	H	347.0	3.2
5419.625000	---	43.06	54.00	10.94	500.0	200.0	V	265.0	5.1
5466.000000	53.60	---	68.20	14.60	500.0	200.0	V	265.0	5.4
6762.750000	57.22	---	68.20	10.98	500.0	200.0	V	73.0	6.6
7251.000000	---	44.02	54.00	9.98	500.0	200.0	V	160.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8892.500000	40.92	---	68.20	27.28	150.0	200.0	V	221.0	5.1
9063.750000	---	31.83	54.00	22.17	150.0	100.0	H	130.0	5.0
9453.750000	---	31.33	54.00	22.67	150.0	200.0	H	157.0	5.6
9997.500000	42.25	---	68.20	25.95	150.0	200.0	V	75.0	6.0
11443.750000	---	53.08	54.00	0.92	150.0	100.0	H	168.0	7.6
11443.750000	63.65	---	74.00	10.35	150.0	200.0	H	168.0	7.6
13272.500000	---	33.73	54.00	20.27	150.0	200.0	H	0.0	10.7
13613.750000	42.98	---	68.20	25.22	150.0	100.0	H	250.0	10.1
15282.500000	45.46	---	68.20	22.74	150.0	200.0	H	359.0	13.3
15376.250000	---	36.61	54.00	17.39	150.0	200.0	V	86.0	13.5
17151.250000	54.64	---	68.20	13.56	150.0	100.0	H	142.0	19.6
17896.250000	---	42.08	54.00	11.92	150.0	200.0	V	288.0	20.6

Wi-Fi 5G_ax20 CH149



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1089.250000	---	28.54	54.00	25.46	500.0	200.0	V	99.0	-10.2
1294.875000	41.20	---	68.20	27.00	500.0	200.0	V	121.0	-8.2
1405.125000	---	30.71	54.00	23.29	500.0	200.0	V	153.0	-7.6
1540.750000	---	32.60	54.00	21.40	500.0	200.0	V	334.0	-6.8
1975.625000	44.41	---	68.20	23.79	500.0	200.0	H	356.0	-4.7
2679.125000	47.31	---	68.20	20.89	500.0	200.0	V	12.0	-1.8
2813.875000	---	36.74	54.00	17.26	500.0	200.0	H	0.0	-1.2
3562.875000	51.87	---	68.20	16.33	500.0	200.0	H	333.0	1.7
3998.625000	---	40.83	54.00	13.17	500.0	200.0	V	171.0	3.2
4464.125000	51.64	---	68.20	16.56	500.0	200.0	V	130.0	3.6
6497.625000	55.67	---	68.20	12.53	500.0	200.0	V	162.0	6.2
7266.750000	---	44.02	54.00	9.98	500.0	200.0	V	117.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8982.500000	40.36	---	68.20	27.84	150.0	200.0	V	186.0	5.0
9140.000000	---	31.90	54.00	22.10	150.0	200.0	H	212.0	5.1
9188.750000	---	31.58	54.00	22.42	150.0	200.0	H	252.0	5.2
10015.000000	41.52	---	68.20	26.68	150.0	200.0	H	160.0	6.0
11491.250000	63.41	---	74.00	10.59	150.0	200.0	H	122.0	7.5
11493.750000	---	53.18	54.00	0.82	150.0	200.0	H	171.0	7.5
13057.500000	43.10	---	68.20	25.10	150.0	200.0	V	142.0	10.8
13273.750000	---	33.85	54.00	20.15	150.0	200.0	V	68.0	10.7
15260.000000	45.58	---	68.20	22.62	150.0	200.0	H	311.0	13.1
15386.250000	---	36.39	54.00	17.61	150.0	200.0	H	58.0	13.5
17227.500000	52.07	---	68.20	16.13	150.0	200.0	H	145.0	20.1
17900.000000	---	41.78	54.00	12.22	150.0	200.0	V	101.0	20.6

Wi-Fi 5G_ax20 CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.000000	41.84	---	68.20	26.36	500.0	200.0	H	202.0	-8.3
1388.500000	---	30.74	54.00	23.26	500.0	200.0	V	197.0	-7.6
1581.875000	---	33.07	54.00	20.93	500.0	200.0	V	6.0	-6.5
1944.125000	44.52	---	68.20	23.68	500.0	200.0	H	319.0	-4.7
2645.000000	47.04	---	68.20	21.16	500.0	200.0	V	129.0	-2.0
2813.875000	---	36.57	54.00	17.43	500.0	200.0	V	124.0	-1.2
3418.500000	51.18	---	68.20	17.02	500.0	200.0	H	343.0	1.4
3982.875000	---	40.99	54.00	13.01	500.0	200.0	H	328.0	3.2
5375.875000	---	41.74	54.00	12.26	500.0	200.0	V	233.0	5.1
5583.250000	53.43	---	68.20	14.77	500.0	200.0	V	51.0	5.6
6962.250000	55.99	---	68.20	12.21	500.0	200.0	V	261.0	7.1
7262.375000	---	43.88	54.00	10.12	500.0	200.0	H	0.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8927.500000	40.96	---	68.20	27.24	150.0	100.0	V	28.0	5.2
9016.250000	---	32.17	54.00	21.83	150.0	200.0	V	43.0	5.0
9435.000000	---	31.32	54.00	22.68	150.0	200.0	V	287.0	5.6
10097.500000	41.89	---	68.20	26.31	150.0	100.0	V	189.0	6.1
11563.750000	60.66	---	74.00	13.34	150.0	200.0	H	172.0	7.5
11572.500000	---	52.48	54.00	1.52	150.0	100.0	H	210.0	7.5
13358.750000	---	33.99	54.00	20.01	150.0	200.0	V	3.0	11.0
13436.250000	43.43	---	68.20	24.77	150.0	100.0	H	287.0	11.1
15196.250000	45.89	---	68.20	22.31	150.0	200.0	V	103.0	12.6
15358.750000	---	36.39	54.00	17.61	150.0	200.0	H	55.0	13.6
17357.500000	52.78	---	68.20	15.42	150.0	100.0	H	187.0	20.3
17906.250000	---	42.02	54.00	11.98	150.0	200.0	H	276.0	20.6

Wi-Fi 5G_ax20 CH165



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1091.875000	---	28.61	54.00	25.39	500.0	200.0	H	343.0	-10.2
1295.750000	40.80	---	68.20	27.40	500.0	200.0	H	343.0	-8.2
1317.625000	---	30.42	54.00	23.58	500.0	200.0	H	333.0	-8.1
1620.375000	---	33.05	54.00	20.95	500.0	200.0	V	345.0	-6.3
1909.125000	44.27	---	68.20	23.93	500.0	200.0	H	358.0	-5.0
2464.750000	46.93	---	68.20	21.27	500.0	200.0	V	21.0	-2.3
2810.375000	---	36.93	54.00	17.07	500.0	200.0	H	319.0	-1.2
3422.875000	51.35	---	68.20	16.85	500.0	200.0	V	354.0	1.4
3997.750000	---	40.70	54.00	13.30	500.0	200.0	H	343.0	3.2
4522.750000	51.01	---	74.00	22.99	500.0	200.0	V	306.0	3.8
6842.375000	56.28	---	68.20	11.92	500.0	200.0	H	323.0	6.8
7314.875000	---	43.98	54.00	10.02	500.0	200.0	H	358.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8926.250000	40.73	---	68.20	27.47	150.0	100.0	H	302.0	5.2
9113.750000	---	31.56	54.00	22.44	150.0	200.0	H	249.0	5.1
9178.750000	---	31.48	54.00	22.52	150.0	100.0	H	63.0	5.1
10130.000000	41.97	---	68.20	26.23	150.0	200.0	H	324.0	6.2
11650.000000	60.57	---	74.00	13.43	150.0	200.0	H	161.0	7.4
11652.500000	---	52.78	54.00	1.22	150.0	100.0	H	119.0	7.4
13048.750000	43.29	---	68.20	24.91	150.0	200.0	H	180.0	10.9
13298.750000	---	33.30	54.00	20.70	150.0	200.0	H	187.0	10.8
15312.500000	45.27	---	68.20	22.93	150.0	100.0	V	126.0	13.4
15352.500000	---	36.86	54.00	17.14	150.0	200.0	V	47.0	13.6
17475.000000	52.64	---	68.20	15.56	150.0	200.0	H	164.0	20.2
17837.500000	---	42.18	54.00	11.82	150.0	100.0	V	103.0	20.5

Wi-Fi 5G_ax40 CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1275.625000	41.71	---	68.20	26.49	500.0	200.0	V	88.0	-8.4
1384.125000	---	30.67	54.00	23.33	500.0	200.0	V	181.0	-7.7
1709.625000	---	32.09	54.00	21.91	500.0	200.0	V	37.0	-5.9
1960.750000	44.64	---	68.20	23.56	500.0	200.0	V	41.0	-4.7
2681.750000	47.29	---	68.20	20.91	500.0	200.0	H	115.0	-1.8
2826.125000	---	36.74	54.00	17.26	500.0	200.0	H	241.0	-1.2
3504.250000	51.13	---	68.20	17.07	500.0	200.0	V	60.0	1.8
3996.000000	---	40.80	54.00	13.20	500.0	200.0	H	227.0	3.2
4489.500000	52.89	---	68.20	15.31	500.0	200.0	V	111.0	3.8
4939.250000	---	41.27	54.00	12.73	500.0	200.0	H	273.0	4.6
6810.000000	56.03	---	68.20	12.17	500.0	200.0	H	143.0	6.8
7360.375000	---	43.97	54.00	10.03	500.0	200.0	V	9.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8976.250000	40.53	---	68.20	27.67	150.0	100.0	H	332.0	5.1
9123.750000	---	31.65	54.00	22.35	150.0	200.0	H	3.0	5.1
9173.750000	---	31.61	54.00	22.39	150.0	200.0	V	0.0	5.1
10376.250000	54.91	---	68.20	13.29	150.0	100.0	H	109.0	6.3
10576.250000	40.05	---	68.20	28.15	150.0	200.0	H	352.0	6.4
11910.000000	---	32.88	54.00	21.12	150.0	200.0	H	171.0	7.8
13018.750000	43.06	---	68.20	25.14	150.0	200.0	V	27.0	11.0
13370.000000	---	33.64	54.00	20.36	150.0	100.0	H	62.0	11.0
15553.750000	60.58	---	74.00	13.42	150.0	200.0	H	177.0	12.8
15573.750000	---	52.68	54.00	1.32	150.0	200.0	H	182.0	12.8
17241.250000	50.79	---	68.20	17.41	150.0	100.0	H	99.0	20.1
17903.750000	---	41.89	54.00	12.11	150.0	200.0	H	249.0	20.6

Wi-Fi 5G_ax40 CH46



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.08	---	68.20	27.12	500.0	200.0	H	244.0	-8.2
1406.875000	---	30.70	54.00	23.30	500.0	200.0	V	143.0	-7.5
1706.125000	---	31.97	54.00	22.03	500.0	200.0	V	111.0	-6.0
1965.125000	45.08	---	68.20	23.12	500.0	200.0	V	217.0	-4.7
2643.250000	47.21	---	68.20	20.99	500.0	200.0	V	172.0	-2.0
2815.625000	---	36.72	54.00	17.28	500.0	200.0	H	205.0	-1.2
3590.875000	51.52	---	68.20	16.68	500.0	200.0	V	281.0	1.8
3984.625000	---	40.84	54.00	13.16	500.0	200.0	H	327.0	3.2
4472.000000	52.56	---	68.20	15.64	500.0	200.0	V	88.0	3.7
4710.000000	---	40.53	54.00	13.47	500.0	200.0	V	88.0	4.3
6995.500000	56.09	---	68.20	12.11	500.0	200.0	H	159.0	7.1
7342.000000	---	43.93	54.00	10.07	500.0	200.0	V	9.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8811.250000	40.62	---	68.20	27.58	150.0	100.0	H	359.0	5.0
9006.250000	---	31.45	54.00	22.55	150.0	200.0	H	217.0	5.0
9168.750000	---	31.33	54.00	22.67	150.0	200.0	H	253.0	5.1
10465.000000	60.48	---	68.20	7.72	150.0	100.0	H	110.0	6.2
10485.000000	56.30	---	68.20	11.90	150.0	200.0	H	115.0	6.2
11910.000000	---	33.12	54.00	20.88	150.0	200.0	H	175.0	7.8
13225.000000	43.04	---	68.20	25.16	150.0	100.0	V	0.0	10.5
13352.500000	---	33.61	54.00	20.39	150.0	200.0	V	0.0	11.0
15667.500000	51.31	---	74.00	22.69	150.0	200.0	H	170.0	12.5
15686.250000	---	42.22	54.00	11.78	150.0	100.0	H	175.0	12.5
17628.750000	50.85	---	68.20	17.35	150.0	200.0	H	248.0	20.2
17873.750000	---	41.95	54.00	12.05	150.0	200.0	V	114.0	20.5

Wi-Fi 5G_ax40 CH54



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	41.17	---	68.20	27.03	500.0	200.0	V	44.0	-8.2
1409.500000	---	30.80	54.00	23.20	500.0	200.0	V	113.0	-7.5
1720.125000	---	31.89	54.00	22.11	500.0	200.0	H	324.0	-5.9
1961.625000	45.11	---	68.20	23.09	500.0	200.0	V	44.0	-4.7
2625.750000	47.63	---	68.20	20.57	500.0	200.0	H	215.0	-2.0
2790.250000	---	36.73	54.00	17.27	500.0	200.0	V	221.0	-1.3
3533.125000	51.75	---	68.20	16.45	500.0	200.0	V	35.0	1.7
3996.875000	---	41.11	54.00	12.89	500.0	200.0	H	229.0	3.2
4465.000000	51.47	---	68.20	16.73	500.0	200.0	V	16.0	3.6
4932.250000	---	41.06	54.00	12.94	500.0	200.0	V	0.0	4.6
6824.000000	55.89	---	68.20	12.31	500.0	200.0	V	72.0	6.8
7326.250000	---	43.99	54.00	10.01	500.0	200.0	V	35.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8928.750000	41.32	---	68.20	26.88	150.0	200.0	V	0.0	5.2
9046.250000	---	31.54	54.00	22.46	150.0	100.0	V	49.0	5.0
9188.750000	---	31.46	54.00	22.54	150.0	200.0	H	53.0	5.2
10025.000000	42.23	---	68.20	25.97	150.0	200.0	H	84.0	6.0
10535.000000	64.12	---	68.20	4.08	150.0	100.0	H	168.0	6.2
11910.000000	---	33.16	54.00	20.84	150.0	200.0	H	162.0	7.8
13018.750000	43.26	---	68.20	24.94	150.0	200.0	V	172.0	11.0
13330.000000	---	33.77	54.00	20.23	150.0	200.0	H	315.0	10.9
15265.000000	45.58	---	68.20	22.62	150.0	100.0	H	116.0	13.2
15356.250000	---	36.39	54.00	17.61	150.0	200.0	H	356.0	13.6
15816.250000	---	42.64	54.00	11.36	150.0	100.0	H	178.0	12.7
17281.250000	50.40	---	68.20	17.80	150.0	200.0	H	310.0	20.2

Wi-Fi 5G_ax40 CH62



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.500000	41.73	---	68.20	26.47	500.0	200.0	V	4.0	-8.6
1385.000000	---	30.96	54.00	23.04	500.0	200.0	H	259.0	-7.7
1687.750000	---	32.05	54.00	21.95	500.0	200.0	V	30.0	-6.0
1994.000000	44.52	---	68.20	23.68	500.0	200.0	H	249.0	-4.6
2599.500000	47.40	---	68.20	20.80	500.0	200.0	V	111.0	-2.0
2820.000000	---	36.71	54.00	17.29	500.0	200.0	V	128.0	-1.2
3511.250000	51.57	---	68.20	16.63	500.0	200.0	H	187.0	1.8
3999.500000	---	40.91	54.00	13.09	500.0	200.0	H	83.0	3.2
4468.500000	52.23	---	68.20	15.97	500.0	200.0	V	192.0	3.7
4931.375000	---	41.07	54.00	12.93	500.0	200.0	H	174.0	4.6
6572.875000	56.67	---	68.20	11.53	500.0	200.0	H	358.0	6.6
7369.125000	---	43.86	54.00	10.14	500.0	200.0	V	17.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8746.250000	40.31	---	68.20	27.89	150.0	200.0	V	0.0	5.0
9086.250000	---	31.29	54.00	22.71	150.0	200.0	H	290.0	5.0
9165.000000	---	31.51	54.00	22.49	150.0	200.0	H	336.0	5.1
10098.750000	42.20	---	68.20	26.00	150.0	200.0	H	295.0	6.1
10595.000000	57.92	---	68.20	10.28	150.0	200.0	H	116.0	6.5
10623.750000	---	52.94	54.00	1.06	150.0	200.0	H	110.0	6.7
13306.250000	---	33.66	54.00	20.34	150.0	200.0	V	18.0	10.8
13691.250000	43.74	---	68.20	24.46	150.0	200.0	V	54.0	9.7
15285.000000	46.09	---	68.20	22.11	150.0	200.0	H	36.0	13.3
15383.750000	---	36.32	54.00	17.68	150.0	200.0	V	271.0	13.5
17336.250000	50.61	---	68.20	17.59	150.0	200.0	H	300.0	20.2
17943.750000	---	42.22	54.00	11.78	150.0	200.0	V	178.0	20.1

Wi-Fi 5G_ax40 CH102



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.500000	41.68	---	68.20	26.52	500.0	200.0	V	8.0	-8.4
1307.125000	---	30.58	54.00	23.42	500.0	200.0	V	0.0	-8.1
1720.125000	---	31.66	54.00	22.34	500.0	200.0	H	3.0	-5.9
1951.125000	44.33	---	68.20	23.87	500.0	200.0	V	352.0	-4.7
2676.500000	47.09	---	68.20	21.11	500.0	200.0	V	211.0	-1.8
2759.625000	---	36.53	54.00	17.47	500.0	200.0	V	242.0	-1.5
3552.375000	51.87	---	68.20	16.33	500.0	200.0	V	215.0	1.7
3996.875000	---	41.20	54.00	12.80	500.0	200.0	V	269.0	3.2
5209.625000	52.57	---	68.20	15.63	500.0	200.0	V	202.0	5.3
5382.000000	---	41.90	54.00	12.10	500.0	200.0	V	301.0	5.1
6922.000000	55.97	---	68.20	12.23	500.0	200.0	V	242.0	6.9
7325.375000	---	43.97	54.00	10.03	500.0	200.0	V	288.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8933.750000	41.04	---	68.20	27.16	150.0	100.0	H	245.0	5.2
9018.750000	---	31.30	54.00	22.70	150.0	200.0	H	238.0	5.0
9175.000000	---	31.31	54.00	22.69	150.0	200.0	V	28.0	5.1
10277.500000	41.83	---	68.20	26.37	150.0	200.0	H	267.0	6.3
11017.500000	---	52.80	54.00	1.20	150.0	100.0	H	116.0	7.1
11025.000000	61.59	---	74.00	12.41	150.0	200.0	H	112.0	7.1
13023.750000	42.96	---	68.20	25.24	150.0	200.0	V	105.0	11.0
13395.000000	---	33.69	54.00	20.31	150.0	200.0	H	205.0	11.1
15320.000000	46.00	---	68.20	22.20	150.0	200.0	H	208.0	13.5
15386.250000	---	37.12	54.00	16.88	150.0	100.0	V	152.0	13.5
17660.000000	50.62	---	68.20	17.58	150.0	200.0	H	153.0	20.3
17840.000000	---	42.12	54.00	11.88	150.0	200.0	V	137.0	20.5

Wi-Fi 5G_ax40 CH142



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.95	---	68.20	27.25	500.0	200.0	H	105.0	-8.2
1386.750000	---	30.63	54.00	23.37	500.0	200.0	H	191.0	-7.7
1709.625000	---	31.84	54.00	22.16	500.0	200.0	H	177.0	-5.9
1987.875000	43.73	---	68.20	24.47	500.0	200.0	H	146.0	-4.6
2656.375000	47.03	---	68.20	21.17	500.0	200.0	H	18.0	-1.9
2806.000000	---	36.46	54.00	17.54	500.0	200.0	V	6.0	-1.2
3515.625000	51.57	---	68.20	16.63	500.0	200.0	V	335.0	1.8
3884.875000	---	40.68	54.00	13.32	500.0	200.0	V	303.0	2.6
5280.500000	54.19	---	68.20	14.01	500.0	200.0	V	340.0	5.3
5375.875000	---	43.13	54.00	10.87	500.0	200.0	V	231.0	5.1
5850.125000	57.65	---	68.20	10.55	500.0	200.0	V	231.0	5.1
7286.875000	---	43.93	54.00	10.07	500.0	200.0	V	173.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8722.500000	40.92	---	68.20	27.28	150.0	200.0	V	228.0	5.0
9003.750000	---	31.62	54.00	22.38	150.0	100.0	H	104.0	5.0
9431.250000	---	31.42	54.00	22.58	150.0	200.0	H	89.0	5.5
10241.250000	42.18	---	68.20	26.02	150.0	200.0	H	152.0	6.3
11337.500000	59.33	---	74.00	14.67	150.0	200.0	H	119.0	7.5
11343.750000	---	52.10	54.00	1.90	150.0	200.0	H	126.0	7.5
13251.250000	---	34.06	54.00	19.94	150.0	100.0	H	26.0	10.6
13428.750000	43.77	---	68.20	24.43	150.0	200.0	V	65.0	11.2
15290.000000	45.27	---	68.20	22.93	150.0	200.0	H	281.0	13.3
15366.250000	---	36.80	54.00	17.20	150.0	200.0	V	69.0	13.6
17378.750000	51.19	---	68.20	17.01	150.0	100.0	H	22.0	20.3
17913.750000	---	42.95	54.00	11.05	150.0	200.0	V	269.0	20.6

Wi-Fi 5G_ax40 CH151



Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	40.69	---	68.20	27.51	500.0	200.0	V	119.0	-8.6
1391.125000	---	30.48	54.00	23.52	500.0	200.0	H	93.0	-7.6
1709.625000	---	31.73	54.00	22.27	500.0	200.0	H	301.0	-5.9
1902.125000	44.15	---	68.20	24.05	500.0	200.0	H	305.0	-5.0
2680.000000	47.40	---	68.20	20.80	500.0	200.0	H	8.0	-1.8
2773.625000	---	36.51	54.00	17.49	500.0	200.0	V	32.0	-1.4
3513.875000	51.34	---	68.20	16.86	500.0	200.0	V	137.0	1.8
3961.875000	---	40.67	54.00	13.33	500.0	200.0	V	5.0	2.9
5247.250000	52.64	---	68.20	15.56	500.0	200.0	V	194.0	5.3
5375.875000	---	42.96	54.00	11.04	500.0	200.0	V	128.0	5.1
6883.500000	55.64	---	68.20	12.56	500.0	200.0	V	318.0	6.7
7390.125000	---	43.77	54.00	10.23	500.0	200.0	V	55.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8902.500000	40.60	---	68.20	27.60	150.0	200.0	V	130.0	5.1
9006.250000	---	31.64	54.00	22.36	150.0	100.0	H	339.0	5.0
9170.000000	---	31.22	54.00	22.78	150.0	200.0	H	22.0	5.1
10263.750000	41.82	---	68.20	26.38	150.0	200.0	H	0.0	6.3
11502.500000	---	50.75	54.00	3.25	150.0	200.0	H	119.0	7.5
11510.000000	59.91	---	74.00	14.09	150.0	200.0	H	119.0	7.5
13290.000000	---	33.72	54.00	20.28	150.0	100.0	H	51.0	10.8
13423.750000	43.15	---	68.20	25.05	150.0	200.0	H	308.0	11.2
15333.750000	45.59	---	68.20	22.61	150.0	200.0	H	249.0	13.5
15358.750000	---	36.33	54.00	17.67	150.0	100.0	H	316.0	13.6
17275.000000	53.94	---	68.20	14.26	150.0	200.0	H	158.0	20.1
17880.000000	---	42.57	54.00	11.43	150.0	200.0	H	279.0	20.5

Wi-Fi 5G_ax40 CH159



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.625000	41.30	---	68.20	26.90	500.0	200.0	H	280.0	-8.3
1402.500000	---	30.88	54.00	23.12	500.0	200.0	V	197.0	-7.6
1684.250000	---	31.77	54.00	22.23	500.0	200.0	V	331.0	-6.0
1961.625000	44.33	---	68.20	23.87	500.0	200.0	H	10.0	-4.7
2566.250000	47.55	---	68.20	20.65	500.0	200.0	V	318.0	-2.1
2809.500000	---	36.82	54.00	17.18	500.0	200.0	V	245.0	-1.2
3470.125000	51.54	---	68.20	16.66	500.0	200.0	V	10.0	1.6
3989.875000	---	40.35	54.00	13.65	500.0	200.0	V	335.0	3.2
5204.375000	53.38	---	68.20	14.82	500.0	200.0	V	202.0	5.3
5375.875000	---	42.43	54.00	11.57	500.0	200.0	V	131.0	5.1
6796.875000	55.15	---	68.20	13.05	500.0	200.0	V	109.0	6.8
7297.375000	---	44.05	54.00	9.95	500.0	200.0	V	229.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8940.000000	40.58	---	68.20	27.62	150.0	200.0	V	164.0	5.2
9081.250000	---	31.54	54.00	22.46	150.0	100.0	H	287.0	5.0
9427.500000	---	31.33	54.00	22.67	150.0	200.0	H	133.0	5.5
10026.250000	41.87	---	68.20	26.33	150.0	200.0	V	249.0	6.0
11582.500000	---	52.97	54.00	1.03	150.0	200.0	H	125.0	7.5
13005.000000	43.60	---	68.20	24.60	150.0	100.0	V	0.0	10.9
13272.500000	---	34.03	54.00	19.97	150.0	200.0	V	355.0	10.7
14116.250000	42.72	---	68.20	25.48	150.0	200.0	H	265.0	9.2
15291.250000	45.78	---	68.20	22.42	150.0	200.0	H	96.0	13.3
15386.250000	---	36.66	54.00	17.34	150.0	100.0	V	249.0	13.5
17378.750000	54.01	---	68.20	14.19	150.0	200.0	H	151.0	20.3
17895.000000	---	42.65	54.00	11.35	150.0	200.0	H	20.0	20.6

Wi-Fi 5G_ax80 CH42



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.125000	40.97	---	68.20	27.23	500.0	200.0	H	87.0	-8.3
1400.750000	---	30.24	54.00	23.76	500.0	200.0	H	55.0	-7.6
1708.750000	---	31.67	54.00	22.33	500.0	200.0	H	55.0	-5.9
1985.250000	43.87	---	68.20	24.33	500.0	200.0	V	146.0	-4.6
2670.375000	47.12	---	68.20	21.08	500.0	200.0	V	109.0	-1.9
2813.875000	---	36.31	54.00	17.69	500.0	200.0	V	359.0	-1.2
3445.625000	50.75	---	68.20	17.45	500.0	200.0	H	153.0	1.5
3992.500000	---	40.96	54.00	13.04	500.0	200.0	V	215.0	3.2
4467.625000	51.11	---	68.20	17.09	500.0	200.0	V	359.0	3.7
4875.375000	---	40.87	54.00	13.13	500.0	200.0	V	314.0	4.2
6743.500000	56.50	---	68.20	11.70	500.0	200.0	V	255.0	6.5
7286.000000	---	44.05	54.00	9.95	500.0	200.0	V	187.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8987.500000	40.62	---	68.20	27.58	150.0	100.0	H	153.0	5.0
9002.500000	---	31.41	54.00	22.59	150.0	200.0	H	105.0	5.0
9161.250000	---	31.46	54.00	22.54	150.0	100.0	V	109.0	5.1
10446.250000	54.37	---	68.20	13.83	150.0	100.0	H	110.0	6.2
10483.750000	50.49	---	68.20	17.71	150.0	200.0	H	121.0	6.2
11910.000000	---	32.91	54.00	21.09	150.0	200.0	H	179.0	7.8
13215.000000	42.95	---	68.20	25.25	150.0	200.0	V	337.0	10.4
13326.250000	---	33.61	54.00	20.39	150.0	200.0	H	148.0	10.9
15575.000000	55.50	---	74.00	18.50	150.0	100.0	H	174.0	12.8
15585.000000	---	46.30	54.00	7.70	150.0	200.0	H	174.0	12.8
17336.250000	50.30	---	68.20	17.90	150.0	200.0	V	130.0	20.2
17746.250000	---	42.47	54.00	11.53	150.0	200.0	V	77.0	20.4

Wi-Fi 5G_ax80 CH58



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1276.500000	40.76	---	68.20	27.44	500.0	200.0	V	353.0	-8.4
1413.875000	---	30.55	54.00	23.45	500.0	200.0	V	339.0	-7.5
1721.000000	---	31.64	54.00	22.36	500.0	200.0	H	53.0	-5.9
1952.875000	44.58	---	68.20	23.62	500.0	200.0	H	67.0	-4.7
2637.125000	47.13	---	68.20	21.07	500.0	200.0	H	198.0	-2.0
2813.875000	---	36.55	54.00	17.45	500.0	200.0	V	273.0	-1.2
3505.125000	51.09	---	68.20	17.11	500.0	200.0	V	222.0	1.8
3994.250000	---	40.71	54.00	13.29	500.0	200.0	V	330.0	3.2
4465.000000	51.50	---	68.20	16.70	500.0	200.0	V	335.0	3.6
4938.375000	---	40.64	54.00	13.36	500.0	200.0	V	0.0	4.6
6586.000000	55.92	---	68.20	12.28	500.0	200.0	V	317.0	6.6
7333.250000	---	44.24	54.00	9.76	500.0	200.0	V	227.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8541.250000	40.46	---	68.20	27.74	150.0	200.0	H	185.0	4.8
9095.000000	---	32.04	54.00	21.96	150.0	100.0	H	353.0	5.0
9186.250000	---	31.33	54.00	22.67	150.0	200.0	H	317.0	5.2
9883.750000	42.44	---	68.20	25.76	150.0	200.0	H	322.0	5.7
10593.750000	59.44	---	68.20	8.76	150.0	100.0	H	122.0	6.5
10615.000000	---	50.61	54.00	3.39	150.0	200.0	H	122.0	6.6
13005.000000	43.45	---	68.20	24.75	150.0	200.0	V	77.0	10.9
13262.500000	---	33.51	54.00	20.49	150.0	200.0	V	88.0	10.7
15226.250000	45.69	---	68.20	22.51	150.0	100.0	H	286.0	12.8
15383.750000	---	36.87	54.00	17.13	150.0	200.0	V	356.0	13.5
17352.500000	50.52	---	68.20	17.68	150.0	200.0	V	9.0	20.3
17901.250000	---	41.86	54.00	12.14	150.0	100.0	H	35.0	20.6

Wi-Fi 5G_ax80 CH106



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1243.250000	40.98	---	68.20	27.22	500.0	200.0	H	92.0	-8.6
1374.500000	---	30.22	54.00	23.78	500.0	200.0	V	310.0	-7.7
1709.625000	---	31.64	54.00	22.36	500.0	200.0	V	219.0	-5.9
1964.250000	44.39	---	68.20	23.81	500.0	200.0	V	315.0	-4.7
2688.750000	47.35	---	68.20	20.85	500.0	200.0	H	212.0	-1.7
2814.750000	---	36.08	54.00	17.92	500.0	200.0	H	88.0	-1.2
3591.750000	51.07	---	68.20	17.13	500.0	200.0	H	42.0	1.8
3985.500000	---	40.11	54.00	13.89	500.0	200.0	H	171.0	3.2
5249.000000	51.95	---	68.20	16.25	500.0	200.0	H	83.0	5.3
5375.875000	---	43.32	54.00	10.68	500.0	200.0	V	115.0	5.1
6776.750000	53.68	---	68.20	14.52	500.0	200.0	H	352.0	6.7
7283.375000	---	41.47	54.00	12.53	500.0	200.0	V	219.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8886.250000	40.96	---	68.20	27.24	150.0	100.0	V	236.0	5.1
9006.250000	---	31.60	54.00	22.40	150.0	200.0	H	106.0	5.0
9180.000000	---	31.57	54.00	22.43	150.0	200.0	H	334.0	5.1
10085.000000	41.97	---	68.20	26.23	150.0	200.0	H	348.0	6.1
11055.000000	---	52.48	54.00	1.52	150.0	200.0	H	158.0	7.2
11055.000000	61.43	---	74.00	12.57	150.0	100.0	H	158.0	7.2
13355.000000	---	33.91	54.00	20.09	150.0	200.0	H	196.0	11.0
13731.250000	43.01	---	68.20	25.19	150.0	200.0	H	0.0	9.5
15225.000000	45.08	---	68.20	23.12	150.0	200.0	H	233.0	12.8
15357.500000	---	36.45	54.00	17.55	150.0	100.0	H	289.0	13.6
17591.250000	50.20	---	68.20	18.00	150.0	200.0	V	16.0	20.1
17902.500000	---	42.53	54.00	11.47	150.0	200.0	H	196.0	20.6

Wi-Fi 5G_ax80 CH122



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	41.51	---	68.20	26.69	500.0	200.0	V	176.0	-8.2
1402.500000	---	30.68	54.00	23.32	500.0	200.0	V	313.0	-7.6
1678.125000	---	32.15	54.00	21.85	500.0	200.0	V	190.0	-6.1
1950.250000	45.15	---	68.20	23.05	500.0	200.0	V	318.0	-4.7
2505.875000	46.79	---	68.20	21.41	500.0	200.0	V	204.0	-2.1
2810.375000	---	36.31	54.00	17.69	500.0	200.0	V	272.0	-1.2
3435.125000	51.06	---	68.20	17.14	500.0	200.0	H	260.0	1.5
3986.375000	---	40.52	54.00	13.48	500.0	200.0	V	358.0	3.2
5244.625000	53.46	---	68.20	14.74	500.0	200.0	V	308.0	5.3
5375.875000	---	44.67	54.00	9.33	500.0	200.0	V	159.0	5.1
6949.125000	56.27	---	68.20	11.93	500.0	200.0	V	46.0	7.1
7332.375000	---	43.83	54.00	10.17	500.0	200.0	V	69.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8943.750000	40.43	---	68.20	27.77	150.0	200.0	V	258.0	5.1
9121.250000	---	31.18	54.00	22.82	150.0	100.0	H	236.0	5.1
9378.750000	---	31.31	54.00	22.69	150.0	200.0	V	114.0	5.4
9972.500000	42.39	---	68.20	25.81	150.0	200.0	V	74.0	5.9
11223.750000	---	52.35	54.00	1.65	150.0	100.0	H	128.0	7.4
11223.750000	59.49	---	74.00	14.51	150.0	200.0	H	128.0	7.4
12890.000000	43.74	---	68.20	24.46	150.0	200.0	V	2.0	10.5
13272.500000	---	33.85	54.00	20.15	150.0	100.0	V	85.0	10.7
15335.000000	45.74	---	68.20	22.46	150.0	200.0	V	306.0	13.6
15386.250000	---	37.20	54.00	16.80	150.0	200.0	H	160.0	13.5
17556.250000	50.75	---	68.20	17.45	150.0	100.0	V	89.0	20.0
17891.250000	---	42.57	54.00	11.43	150.0	200.0	V	158.0	20.5

Wi-Fi 5G_ax80 CH138



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	41.18	---	68.20	27.02	500.0	200.0	V	208.0	-8.2
1378.000000	---	30.49	54.00	23.51	500.0	200.0	V	283.0	-7.7
1662.375000	---	32.01	54.00	21.99	500.0	200.0	V	0.0	-6.1
1993.125000	44.77	---	68.20	23.43	500.0	200.0	V	109.0	-4.6
2505.000000	46.98	---	68.20	21.22	500.0	200.0	V	193.0	-2.1
2792.875000	---	36.30	54.00	17.70	500.0	200.0	H	150.0	-1.3
3536.625000	50.53	---	68.20	17.67	500.0	200.0	V	302.0	1.7
3990.750000	---	40.66	54.00	13.34	500.0	200.0	V	0.0	3.2
5280.500000	53.81	---	68.20	14.39	500.0	200.0	V	311.0	5.3
5375.875000	---	42.92	54.00	11.08	500.0	200.0	V	338.0	5.1
6974.500000	56.62	---	68.20	11.58	500.0	200.0	V	113.0	5.1
7329.750000	---	43.79	54.00	10.21	500.0	200.0	V	52.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8938.750000	40.33	---	68.20	27.87	150.0	200.0	V	170.0	5.2
9005.000000	---	32.22	54.00	21.78	150.0	200.0	H	225.0	5.0
9158.750000	---	31.91	54.00	22.09	150.0	100.0	H	294.0	5.1
9647.500000	42.45	---	68.20	25.75	150.0	200.0	H	210.0	5.5
11376.250000	61.20	---	74.00	12.80	150.0	200.0	H	120.0	7.5
11383.750000	---	53.41	54.00	0.59	150.0	100.0	H	127.0	7.6
13376.250000	---	33.82	54.00	20.18	150.0	200.0	V	163.0	11.1
13421.250000	43.31	---	68.20	24.89	150.0	100.0	V	45.0	11.2
15225.000000	45.35	---	68.20	22.85	150.0	200.0	H	94.0	12.8
15355.000000	---	36.51	54.00	17.49	150.0	200.0	H	240.0	13.6
17126.250000	52.77	---	68.20	15.43	150.0	100.0	H	142.0	19.4
17936.250000	---	41.85	54.00	12.15	150.0	200.0	V	181.0	20.2

Wi-Fi 5G_ax80 CH155



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	41.75	---	68.20	26.45	500.0	200.0	V	251.0	-8.5
1407.750000	---	30.59	54.00	23.41	500.0	200.0	V	144.0	-7.5
1705.250000	---	31.90	54.00	22.10	500.0	200.0	V	171.0	-6.0
1898.625000	44.46	---	68.20	23.74	500.0	200.0	V	251.0	-5.0
2673.875000	48.10	---	68.20	20.10	500.0	200.0	V	343.0	-1.8
2825.250000	---	36.48	54.00	17.52	500.0	200.0	V	126.0	-1.2
3554.125000	51.25	---	68.20	16.95	500.0	200.0	V	247.0	1.7
3989.000000	---	40.28	54.00	13.72	500.0	200.0	V	176.0	3.2
5375.875000	---	42.86	54.00	11.14	500.0	200.0	V	122.0	5.1
5499.250000	53.96	---	68.20	14.24	500.0	200.0	V	0.0	5.5
6928.125000	56.44	---	68.20	11.76	500.0	200.0	V	117.0	6.9
7279.875000	---	43.76	54.00	10.24	500.0	200.0	V	357.0	7.1



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8898.750000	41.48	---	68.20	26.72	150.0	200.0	V	203.0	5.1
9008.750000	---	32.27	54.00	21.73	150.0	200.0	V	355.0	5.0
9158.750000	---	32.06	54.00	21.94	150.0	100.0	H	309.0	5.1
10343.750000	42.15	---	68.20	26.05	150.0	200.0	V	307.0	6.4
11532.500000	---	52.29	54.00	1.71	150.0	200.0	H	117.0	7.5
11553.750000	61.25	---	74.00	12.75	150.0	200.0	H	166.0	7.5
13013.750000	43.87	---	68.20	24.33	150.0	100.0	H	0.0	10.9
13305.000000	---	34.57	54.00	19.43	150.0	200.0	H	17.0	10.8
15323.750000	45.99	---	68.20	22.21	150.0	200.0	H	40.0	13.5
15385.000000	---	37.23	54.00	16.77	150.0	100.0	H	117.0	13.5
17311.250000	54.45	---	68.20	13.75	150.0	200.0	H	147.0	20.2
17885.000000	---	43.18	54.00	10.82	150.0	200.0	V	258.0	20.5

During the test, the Radiates Emission from 18GHz to 40GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.




Radiates Emission from 18GHz to 26.5GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18150.875000	---	37.41	54.00	16.59	500.0	100.0	H	145.0	-3.8
18194.437500	49.16	---	74.00	24.84	500.0	100.0	H	168.0	-3.8
20412.937500	---	37.86	54.00	16.14	500.0	100.0	V	2.0	-3.1
20457.562500	49.07	---	74.00	24.93	500.0	200.0	V	337.0	-2.9
21105.687500	---	38.58	54.00	15.42	500.0	100.0	V	80.0	-2.1
21269.312500	50.00	---	74.00	24.00	500.0	100.0	H	262.0	-2.5
22535.812500	---	39.14	54.00	14.86	500.0	200.0	V	357.0	-1.4
22574.062500	50.32	---	74.00	23.68	500.0	100.0	H	309.0	-1.4
23940.437500	---	39.51	54.00	14.49	500.0	200.0	V	195.0	-1.3
24866.937500	50.75	---	74.00	23.25	500.0	100.0	V	71.0	-0.8
25754.125000	50.34	---	74.00	23.66	500.0	100.0	V	170.0	-0.4
25774.312500	---	38.67	54.00	15.34	500.0	100.0	H	291.0	-0.5

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit-MAX Peak/ Average



Radiates Emission from 26.5GHz to 40GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
26737.937500	49.84	---	74.00	24.16	500.0	100.0	V	291.0	-0.5
27448.375000	---	38.92	54.00	15.08	500.0	100.0	V	168.0	-0.3
27718.375000	50.67	---	74.00	23.33	500.0	200.0	H	11.0	-0.5
28432.187500	---	37.85	54.00	16.15	500.0	200.0	H	0.0	-0.5
29243.875000	50.75	---	74.00	23.25	500.0	200.0	H	229.0	0.0
29390.687500	---	39.05	54.00	14.95	500.0	200.0	V	0.0	-0.1
31695.812500	---	39.70	54.00	14.30	500.0	100.0	H	260.0	-1.4
32546.312500	50.93	---	74.00	23.07	500.0	200.0	V	342.0	-1.2
34630.375000	51.38	---	74.00	22.62	500.0	100.0	H	0.0	1.0
34762.000000	---	40.02	54.00	13.98	500.0	100.0	H	260.0	1.2
36201.437500	53.46	---	74.00	20.54	500.0	100.0	V	272.0	3.6
36626.687500	---	42.16	54.00	11.84	500.0	100.0	H	284.0	4.2

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit-MAX Peak/ Average

5.6. Conducted Emission

Ambient condition


Temperature	Relative humidity	Pressure
15°C ~ 35°C	20% ~ 80%	86 kPa ~ 106 kPa

Methods of Measurement

The EUT IS placed on a non-metallic table of 80cm height above the horizontal metal reference ground plane. During the test, the EUT was operating in its typical mode. The test method is according to ANSI C63.10. Connect the AC power line of the EUT to the LISN Use EMI receiver to detect the average and Quasi-peak value. RBW is set to 9kHz, VBW is set to 30kHz The measurement result should include both L line and N line.

The test is in transmitting mode.

Test Setup



Note: AC Power source is used to change the voltage 110V/60Hz.

Limits

Frequency (MHz)	Conducted Limits(dB μ V)	
	Quasi-peak	Average
0.15 - 0.5	66 to 56 *	56 to 46*
0.5 - 5	56	46
5 - 30	60	50

*: Decreases with the logarithm of the frequency.


Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor $k = 1.96$, $U = 2.69$ dB.

Test Results:

Following plots, Blue trace uses the peak detection and Green trace uses the average detection.


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.15	46.70	---	65.88	19.18	1000.0	9.000	L1	ON	20.9
0.28	---	29.12	50.74	21.61	1000.0	9.000	L1	ON	21.0
0.85	---	37.29	46.00	8.71	1000.0	9.000	L1	ON	20.3
0.85	38.10	---	56.00	17.90	1000.0	9.000	L1	ON	20.3
1.41	---	43.58	46.00	2.42	1000.0	9.000	L1	ON	19.9
1.41	44.65	---	56.00	11.35	1000.0	9.000	L1	ON	19.9
2.25	30.67	---	56.00	25.33	1000.0	9.000	L1	ON	19.6
2.26	---	28.90	46.00	17.10	1000.0	9.000	L1	ON	19.6
5.22	23.70	---	60.00	36.30	1000.0	9.000	L1	ON	19.4
5.22	---	18.01	50.00	31.99	1000.0	9.000	L1	ON	19.4
24.92	---	29.35	50.00	20.65	1000.0	9.000	L1	ON	19.8
25.45	31.56	---	60.00	28.44	1000.0	9.000	L1	ON	19.8

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.15	46.89	---	65.88	18.99	1000.0	9.000	N	ON	20.9
0.28	---	29.26	50.74	21.48	1000.0	9.000	N	ON	21.0
0.85	38.03	---	56.00	17.97	1000.0	9.000	N	ON	20.3
0.85	---	37.79	46.00	8.21	1000.0	9.000	N	ON	20.3
1.27	---	44.08	46.00	1.92	1000.0	9.000	N	ON	20.0
1.41	44.42	---	56.00	11.59	1000.0	9.000	N	ON	19.9
2.25	---	29.13	46.00	16.87	1000.0	9.000	N	ON	19.6
2.25	30.58	---	56.00	25.42	1000.0	9.000	N	ON	19.6
5.21	---	18.52	50.00	31.48	1000.0	9.000	N	ON	19.4
5.22	22.29	---	60.00	37.71	1000.0	9.000	N	ON	19.4
24.93	---	28.21	50.00	21.79	1000.0	9.000	N	ON	19.9
25.19	31.38	---	60.00	28.62	1000.0	9.000	N	ON	19.9

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

6. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power Sensor	R&S	NRP18S	101954	2024-05-07	2025-05-06
Signal Analyzer	KEYSIGHT	N9020A	MY51330870	2024-05-07	2025-05-06
DC Power Supply	UNI-T	UTP1306S+	2205D0517426	2024-12-02	2025-12-01
Climate Chamber	ESPEC	SU-242	93000506	2024-12-02	2025-12-01
Attenuator	HASCO	HA18A-10	0003	/	/
Unwanted Emissions					
EMI Test Receiver	R&S	ESCI3	100948	2024-05-07	2025-05-06
Signal Analyzer	R&S	FSV40	101186	2024-05-07	2025-05-06
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	SCHWARZBECK	BBHA 9120D	430	2024-07-18	2027-07-17
Horn Antenna	ETS-Lindgren	3160-09	00102643	2024-09-24	2027-09-23
Horn Antenna	STEATITE	QSH-SL-26-4 0-K-15	16779	2023-01-17	2026-01-16
Amplifier	MicroWave	KLNA-180400 50	220826001	2024-05-08	2025-05-07
Software	R&S	EMC32	9.26.01	/	/
Conducted Emissions					
Artificial main network	R&S	ENV216	102191	2024-12-02	2026-12-01
EMI Test Receiver	R&S	ESR	101667	2024-05-07	2025-05-06
Software	R&S	EMC32	10.35.10	/	/

ANNEX A: The EUT Appearance

The EUT Appearance are submitted separately.

ANNEX B: Test Setup Photos

The Test Setup Photos are submitted separately.

***** END OF REPORT *****