

vivo

V2118

Quick Start Guide

Welcome to vivo

This Quick Start Guide tells you how to set up your phone and use its key features. For more detailed instructions, turn on your phone, then go to [Settings > About phone > Customer service > Manual](#). You can also learn more useful information on vivo's official website.

For legal information, go to [Settings > About phone > Legal information](#).

For the FCC ID of this phone, please go to [Settings > About phone > Status](#).

The features and images shown in this guide are for reference only. They may differ from the actual product.

It is recommended to charge the device for at least 30 minutes before turning it on for the first time.

Special Instructions

- Ambient Light Sensor & Proximity Sensor


The ambient light sensor and proximity sensor of this device are hidden on the right side of the receiver. To ensure the sensors function well, please keep them away from any dust, grease or light-proof film. Using a third-party screen protector may cause the sensors blocking alert or locked screen nonresponsive to incoming calls, so you need to cut the film to expose the sensors.

Product Standard Accessories

Cell phone x 1	Eject tool x 1
Charger x 1	Warranty card x 1
USB cable x 1	Quick start guide x 1
Phone case x 1	

Optimum operating temperature is 0°C to 35°C and optimum storage temperature is -20°C to 45°C. Extreme heat or cold may damage your device or accessories.

Appearance



- | | |
|-----------------|---|
| ① Receiver | ② Ambient light sensor & Proximity sensor (hidden hole) |
| ③ Front camera | ④ Volume button |
| ⑤ Power button | ⑥ Speaker |
| ⑦ USB port | ⑧ Microphone |
| ⑨ Headset port | ⑩ Flash |
| ⑪ Rear camera | ⑫ SIM card eject hole |
| ⑬ SIM card tray | |

5G WiFi statement

Operation in the band 5150-5350MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.

FCC statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not expressly approved by the vivo Mobile Communication Co.,Ltd. could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

SAR statement

This device meets the government's requirements for exposure to radio waves.

This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government.

The SAR limit set by the FCC is 1.6W/Kg. For body-worn operation, this device has been tested and meets the FCC RF exposure guidelines for use with an accessory that contains no metal and positions the device a minimum of 15mm from the body. RF exposure compliance with any body-worn accessory that contains metal was not tested and certified, and use of such body-worn accessory should be avoided. Accessory available in market and must be used to keep use distance 15mm from EUT to body-worn operation.