



Test Mode	IEEE 802.11a_Antenna 2
-----------	------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	26.790	17.600	No limit
5200	26.800	17.600	No limit
5240	26.290	17.500	No limit

5180 MHz




Date: 19.OCT.2022 14:57:32




Date: 19.OCT.2022 14:57:02

5200 MHz




Date: 19.OCT.2022 13:21:07




Date: 19.OCT.2022 13:20:37

5240 MHz




Date: 19.OCT.2022 13:23:49




Date: 19.OCT.2022 13:23:21

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	26.390	17.500	No limit
5300	25.689	17.500	No limit
5320	26.289	17.600	No limit

5260 MHz




Date: 19.OCT.2022 13:27:59




Date: 19.OCT.2022 13:27:28

5300 MHz




Date: 19.OCT.2022 13:30:46




Date: 19.OCT.2022 13:30:13

5320 MHz




Date: 19.OCT.2022 13:34:47




Date: 19.OCT.2022 13:34:18

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.298	17.600	No limit
5580	26.690	17.600	No limit
5700	26.746	17.500	No limit

5500 MHz




Date: 19.OCT.2022 15:04:21




Date: 19.OCT.2022 15:03:50

5580 MHz




Date: 19.OCT.2022 15:07:37




Date: 19.OCT.2022 15:07:06

5700 MHz




Date: 19.OCT.2022 15:11:21




Date: 19.OCT.2022 15:10:54

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	14.489	17.600	500	Pass
5785	15.150	17.600	500	Pass
5825	15.150	17.800	500	Pass

5745 MHz




Date: 19.OCT.2022 15:13:37




Date: 19.OCT.2022 15:12:59

5785 MHz




Date: 19.OCT.2022 15:16:19




Date: 19.OCT.2022 15:15:42

5825 MHz



Date: 19.OCT.2022 15:22:37




Date: 19.OCT.2022 15:22:00


Test Mode	IEEE 802.11ac (VHT20)_Antenna 1
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	24.199	18.100	No limit
5200	24.950	18.100	No limit
5240	25.190	18.000	No limit

5180 MHz




Date: 19.OCT.2022 20:12:42




Date: 19.OCT.2022 20:12:11

5200 MHz




Date: 19.OCT.2022 20:14:48




Date: 19.OCT.2022 20:14:19

5240 MHz




Date: 19.OCT.2022 20:19:31




Date: 19.OCT.2022 20:19:02

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	24.699	18.000	No limit
5300	25.390	18.100	No limit
5320	24.389	18.000	No limit

5260 MHz




Date: 19.OCT.2022 20:24:04




Date: 19.OCT.2022 20:23:35

5300 MHz




Date: 19.OCT.2022 20:26:42




Date: 19.OCT.2022 20:26:11

5320 MHz




Date: 19.OCT.2022 20:29:17




Date: 19.OCT.2022 20:28:45

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.650	18.000	No limit
5580	25.850	18.000	No limit
5700	24.749	18.000	No limit

5500 MHz




Date: 19.OCT.2022 20:32:01




Date: 19.OCT.2022 20:31:34

5580 MHz




Date: 19.OCT.2022 20:35:35




Date: 19.OCT.2022 20:35:08

5700 MHz




Date: 19.OCT.2022 20:38:02




Date: 19.OCT.2022 20:37:32

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	15.900	18.000	500	Pass
5785	16.350	18.000	500	Pass
5825	15.748	18.000	500	Pass

5745 MHz




Date: 19.OCT.2022 20:41:02




Date: 19.OCT.2022 20:40:21

5785 MHz




Date: 19.OCT.2022 20:43:31




Date: 19.OCT.2022 20:42:56

5825 MHz






Date: 19.OCT.2022 20:46:09



Date: 19.OCT.2022 20:45:33


Test Mode	IEEE 802.11ac (VHT20)_Antenna 2
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	28.989	18.600	No limit
5200	27.690	18.700	No limit
5240	28.789	18.700	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	26.649	18.600	No limit
5300	27.099	18.600	No limit
5320	27.389	18.700	No limit

5260 MHz




Date: 19.OCT.2022 15:36:08




Date: 19.OCT.2022 15:35:39

5300 MHz




Date: 19.OCT.2022 15:48:52




Date: 19.OCT.2022 15:48:23

5320 MHz




Date: 19.OCT.2022 15:51:00




Date: 19.OCT.2022 15:50:34

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	27.990	18.700	No limit
5580	27.699	18.700	No limit
5700	26.800	18.500	No limit

5500 MHz




Date: 19.OCT.2022 15:53:21




Date: 19.OCT.2022 15:52:52

5580 MHz




Date: 19.OCT.2022 15:55:31




Date: 19.OCT.2022 15:55:03

5700 MHz




Date: 19.OCT.2022 15:57:59




Date: 19.OCT.2022 15:57:28

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	15.300	18.700	500	Pass
5785	15.200	18.700	500	Pass
5825	15.150	18.500	500	Pass

5745 MHz




Date: 19.OCT.2022 16:07:37




Date: 19.OCT.2022 16:07:01

5785 MHz




Date: 19.OCT.2022 16:05:19




Date: 19.OCT.2022 16:04:42

5825 MHz



Date: 19.OCT.2022 16:09:54




Date: 19.OCT.2022 16:09:17


Test Mode	IEEE 802.11ac (VHT40)_Antenna 1
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	40.700	36.400	No limit
5230	40.708	36.800	No limit

5190 MHz




Date: 20.OCT.2022 16:55:30




Date: 20.OCT.2022 16:54:43

5230 MHz





Date: 20.OCT.2022 16:59:08




Date: 20.OCT.2022 16:58:23

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	45.198	36.800	No limit
5310	40.700	36.400	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	40.100	36.400	No limit
5550	49.500	37.000	No limit
5670	40.898	36.800	No limit

5510 MHz




Date: 20.OCT.2022 17:13:46




Date: 20.OCT.2022 17:12:58

5550 MHz




Date: 20.OCT.2022 17:18:58




Date: 20.OCT.2022 17:18:18

5670 MHz




Date: 20.OCT.2022 17:23:39




Date: 20.OCT.2022 17:22:54

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	35.400	36.800	500	Pass
5795	35.300	37.000	500	Pass

5755 MHz




Date: 20.OCT.2022 17:36:26




Date: 20.OCT.2022 17:35:40

5795 MHz



Date: 20.OCT.2022 17:39:20




Date: 20.OCT.2022 17:38:30


Test Mode	IEEE 802.11ac (VHT40)_Antenna 2
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	40.200	36.400	No limit
5230	40.700	36.600	No limit

5190 MHz




Date: 20.OCT.2022 13:04:16




Date: 20.OCT.2022 13:03:27

5230 MHz




Date: 20.OCT.2022 13:09:18




Date: 20.OCT.2022 13:08:33

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	40.900	36.800	No limit
5310	40.200	36.400	No limit

5270 MHz




Date: 20.OCT.2022 13:18:58




Date: 20.OCT.2022 13:18:01

5310 MHz




Date: 20.OCT.2022 13:22:08




Date: 20.OCT.2022 13:21:17

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	40.500	36.600	No limit
5550	48.100	37.000	No limit
5670	40.790	36.800	No limit

5510 MHz




Date: 20.OCT.2022 13:25:25




Date: 20.OCT.2022 13:24:37

5550 MHz




Date: 20.OCT.2022 13:28:46




Date: 20.OCT.2022 13:27:54

5670 MHz




Date: 20.OCT.2022 13:33:59




Date: 20.OCT.2022 13:32:47

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	35.100	36.800	500	Pass
5795	35.400	36.800	500	Pass

5755 MHz




Date: 20.OCT.2022 13:40:40




Date: 20.OCT.2022 13:39:51

5795 MHz




Date: 20.OCT.2022 13:43:59




Date: 20.OCT.2022 13:43:10

Test Mode	IEEE 802.11ac (VHT80)_Antenna 1
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	81.200	76.000	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	81.000	76.000	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	81.200	76.000	No limit
5610	81.000	76.000	No limit

5530 MHz




Date: 20.OCT.2022 22:24:13




Date: 20.OCT.2022 22:23:31

5610 MHz




Date: 20.OCT.2022 22:27:06




Date: 20.OCT.2022 22:26:23

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	76.000	76.000	500	Pass




Test Mode	IEEE 802.11ac (VHT80)_Antenna 2
-----------	---------------------------------



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	82.000	77.600	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	81.800	77.600	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	81.600	77.600	No limit
5610	91.000	77.600	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	78.200	77.600	500	Pass




Test Mode	IEEE 802.11ax (HE20)_Antenna 1
-----------	--------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	23.300	19.100	No limit
5200	28.249	19.100	No limit
5240	24.790	19.000	No limit

5180 MHz




Date: 19.OCT.2022 21:13:14




Date: 19.OCT.2022 21:12:41

5200 MHz




Date: 19.OCT.2022 21:16:02




Date: 19.OCT.2022 21:15:37

5240 MHz




Date: 19.OCT.2022 21:19:38




Date: 19.OCT.2022 21:18:50

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	25.800	19.000	No limit
5300	22.700	19.000	No limit
5320	23.250	19.100	No limit

5260 MHz




Date: 19.OCT.2022 21:23:51




Date: 19.OCT.2022 21:23:20

5300 MHz




Date: 19.OCT.2022 21:26:04




Date: 19.OCT.2022 21:25:31

5320 MHz




Date: 19.OCT.2022 21:28:57




Date: 19.OCT.2022 21:28:27

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.150	19.000	No limit
5580	23.850	19.000	No limit
5700	23.999	19.100	No limit

5500 MHz




Date: 19.OCT.2022 21:32:48




Date: 19.OCT.2022 21:32:20

5580 MHz




Date: 19.OCT.2022 21:35:17




Date: 19.OCT.2022 21:34:47

5700 MHz




Date: 19.OCT.2022 21:37:55




Date: 19.OCT.2022 21:37:26

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	15.750	19.000	500	Pass
5785	16.089	19.100	500	Pass
5825	16.350	19.100	500	Pass

5745 MHz




Date: 19.OCT.2022 21:40:17




Date: 19.OCT.2022 21:39:38

5785 MHz




Date: 19.OCT.2022 21:42:44




Date: 19.OCT.2022 21:42:06

5825 MHz



Date: 19.OCT.2022 21:45:37




Date: 19.OCT.2022 21:44:58


Test Mode	IEEE 802.11ax (HE20)_Antenna 2
-----------	--------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	25.600	19.100	No limit
5200	24.600	19.000	No limit
5240	29.799	19.000	No limit

5180 MHz




Date: 20.OCT.2022 12:05:14




Date: 20.OCT.2022 12:04:40

5200 MHz




Date: 20.OCT.2022 12:08:54




Date: 20.OCT.2022 12:08:18

5240 MHz




Date: 20.OCT.2022 12:11:45




Date: 20.OCT.2022 12:11:01

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	25.650	19.000	No limit
5300	28.950	19.000	No limit
5320	24.250	19.100	No limit

5260 MHz




Date: 20.OCT.2022 12:14:40




Date: 20.OCT.2022 12:14:12

5300 MHz




Date: 20.OCT.2022 12:16:51




Date: 20.OCT.2022 12:16:26

5320 MHz




Date: 20.OCT.2022 12:20:32




Date: 20.OCT.2022 12:20:01

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.350	19.000	No limit
5580	23.350	19.000	No limit
5700	32.150	19.100	No limit

5500 MHz




Date: 20.OCT.2022 12:25:07




Date: 20.OCT.2022 12:24:39

5580 MHz




Date: 20.OCT.2022 12:37:54




Date: 20.OCT.2022 12:37:22

5700 MHz




Date: 20.OCT.2022 12:56:41




Date: 20.OCT.2022 12:56:19

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	17.199	19.200	500	Pass
5785	18.350	19.300	500	Pass
5825	17.400	19.000	500	Pass

5745 MHz




Date: 20.OCT.2022 11:55:16




Date: 20.OCT.2022 11:55:20

5785 MHz




Date: 20.OCT.2022 11:58:36




Date: 20.OCT.2022 11:58:02

5825 MHz



Date: 20.OCT.2022 12:01:48




Date: 20.OCT.2022 12:01:09


Test Mode	IEEE 802.11ax (HE40)_Antenna 1
-----------	--------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	39.500	37.800	No limit
5230	39.600	38.000	No limit

5190 MHz




Date: 20.OCT.2022 17:59:07




Date: 20.OCT.2022 17:58:20

5230 MHz





Date: 20.OCT.2022 18:03:45




Date: 20.OCT.2022 18:02:58

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	39.500	38.000	No limit
5310	39.500	37.800	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	39.800	38.000	No limit
5550	44.300	38.000	No limit
5670	39.600	38.000	No limit

5510 MHz




Date: 20.OCT.2022 18:21:27




Date: 20.OCT.2022 18:20:40

5550 MHz




Date: 20.OCT.2022 18:24:54




Date: 20.OCT.2022 18:24:10

5670 MHz




Date: 20.OCT.2022 18:27:17




Date: 20.OCT.2022 18:26:32

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	35.500	38.000	500	Pass
5795	36.400	38.000	500	Pass

5755 MHz




Date: 20.OCT.2022 18:42:58




Date: 20.OCT.2022 18:42:09

5795 MHz



Date: 20.OCT.2022 18:46:04




Date: 20.OCT.2022 18:45:16


Test Mode	IEEE 802.11ax (HE40)_Antenna 2
-----------	--------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	39.500	37.800	No limit
5230	39.600	38.000	No limit

5190 MHz




Date: 20.OCT.2022 14:59:12




Date: 20.OCT.2022 14:58:25

5230 MHz





Date: 20.OCT.2022 15:03:25




Date: 20.OCT.2022 15:02:40

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	39.500	38.000	No limit
5310	39.700	37.800	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	39.800	38.000	No limit
5550	39.700	38.000	No limit
5670	39.800	38.000	No limit

5510 MHz




Date: 20.OCT.2022 15:11:25




Date: 20.OCT.2022 15:10:36

5550 MHz




Date: 20.OCT.2022 15:15:19




Date: 20.OCT.2022 15:14:32

5670 MHz




Date: 20.OCT.2022 15:19:14




Date: 20.OCT.2022 15:18:29

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	36.300	38.000	500	Pass
5795	35.300	38.000	500	Pass

5755 MHz




Date: 20.OCT.2022 15:22:18




Date: 20.OCT.2022 15:21:32

5795 MHz




Date: 20.OCT.2022 15:56:16




Date: 20.OCT.2022 15:55:26

Test Mode	IEEE 802.11ax (HE80)_Antenna 1
-----------	--------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	82.000	77.600	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	81.606	77.600	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	81.600	78.000	No limit
5610	81.000	77.600	No limit

5530 MHz




Date: 20.OCT.2022 19:24:22




Date: 20.OCT.2022 19:23:40

5610 MHz




Date: 20.OCT.2022 19:30:14



Date: 20.OCT.2022 19:29:29


Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	77.998	77.600	500	Pass

5775 MHz




Test Mode	IEEE 802.11ax (HE80)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	81.608	77.600	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	81.800	77.600	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	82.000	77.600	No limit
5610	91.206	78.000	No limit



Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	77.800	77.600	500	Pass



APPENDIX E CONDUCTED OUTPUT POWER

Test Mode	IEEE 802.11a_Antenna 1	Tested Date	2022/10/24
-----------	------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	23.30	0.2138	23.98	0.2500	Pass
5200	23.71	0.2350	23.98	0.2500	Pass
5240	23.99	0.2506	23.98	0.2500	Pass
5260	23.63	0.2307	23.98	0.2500	Pass
5300	23.97	0.2495	23.98	0.2500	Pass
5320	24.35	0.2723	23.98	0.2500	Pass
5500	22.90	0.1950	23.98	0.2500	Pass
5580	24.04	0.2535	23.98	0.2500	Pass
5700	21.85	0.1531	23.98	0.2500	Pass
5745	24.45	0.2786	30.00	1.0000	Pass
5785	24.15	0.2600	30.00	1.0000	Pass
5825	24.54	0.2844	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Antenna 2	Tested Date	2022/10/24
-----------	------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.37	0.1726	23.98	0.2500	Pass
5200	22.87	0.1936	23.98	0.2500	Pass
5240	22.90	0.1950	23.98	0.2500	Pass
5260	23.75	0.2371	23.98	0.2500	Pass
5300	23.91	0.2460	23.98	0.2500	Pass
5320	24.15	0.2600	23.98	0.2500	Pass
5500	22.16	0.1644	23.98	0.2500	Pass
5580	23.67	0.2328	23.98	0.2500	Pass
5700	21.83	0.1524	23.98	0.2500	Pass
5745	23.33	0.2153	30.00	1.0000	Pass
5785	23.12	0.2051	30.00	1.0000	Pass
5825	22.76	0.1888	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Total	Tested Date	2022/10/24
-----------	--------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.87	0.3864	23.98	0.2500	Pass
5200	26.32	0.4285	23.98	0.2500	Pass
5240	26.49	0.4457	23.98	0.2500	Pass
5260	26.70	0.4677	23.98	0.2500	Pass
5300	26.95	0.4955	23.98	0.2500	Pass
5320	27.26	0.5321	23.98	0.2500	Pass
5500	25.56	0.3597	23.98	0.2500	Pass
5580	26.87	0.4864	23.98	0.2500	Pass
5700	24.85	0.3055	23.98	0.2500	Pass
5745	26.94	0.4943	30.00	1.0000	Pass
5785	26.68	0.4656	30.00	1.0000	Pass
5825	26.75	0.4732	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Antenna 1	Tested Date	2022/10/24
-----------	-------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.27	0.1687	23.98	0.2500	Pass
5200	22.77	0.1892	23.98	0.2500	Pass
5240	22.89	0.1945	23.98	0.2500	Pass
5260	23.29	0.2133	23.98	0.2500	Pass
5300	23.42	0.2198	23.98	0.2500	Pass
5320	22.52	0.1786	23.98	0.2500	Pass
5500	22.05	0.1603	23.98	0.2500	Pass
5580	23.21	0.2094	23.98	0.2500	Pass
5700	21.63	0.1455	23.98	0.2500	Pass
5745	23.73	0.2360	30.00	1.0000	Pass
5785	23.78	0.2388	30.00	1.0000	Pass
5825	23.71	0.2350	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Antenna 2	Tested Date	2022/10/24
-----------	-------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.39	0.1734	23.98	0.2500	Pass
5200	22.60	0.1820	23.98	0.2500	Pass
5240	22.31	0.1702	23.98	0.2500	Pass
5260	22.91	0.1954	23.98	0.2500	Pass
5300	22.81	0.1910	23.98	0.2500	Pass
5320	22.10	0.1622	23.98	0.2500	Pass
5500	21.77	0.1503	23.98	0.2500	Pass
5580	23.06	0.2023	23.98	0.2500	Pass
5700	20.96	0.1247	23.98	0.2500	Pass
5745	23.12	0.2051	30.00	1.0000	Pass
5785	23.08	0.2032	30.00	1.0000	Pass
5825	22.48	0.1770	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2022/10/24
-----------	---------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.34	0.3420	23.98	0.2500	Pass
5200	25.70	0.3715	23.98	0.2500	Pass
5240	25.62	0.3648	23.98	0.2500	Pass
5260	26.11	0.4083	23.98	0.2500	Pass
5300	26.14	0.4111	23.98	0.2500	Pass
5320	25.33	0.3412	23.98	0.2500	Pass
5500	24.92	0.3105	23.98	0.2500	Pass
5580	26.15	0.4121	23.98	0.2500	Pass
5700	24.32	0.2704	23.98	0.2500	Pass
5745	26.45	0.4416	30.00	1.0000	Pass
5785	26.45	0.4416	30.00	1.0000	Pass
5825	26.15	0.4121	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Antenna 1	Tested Date	2022/10/24
-----------	-------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.98	0.1578	23.98	0.2500	Pass
5230	25.08	0.3221	23.98	0.2500	Pass
5270	24.96	0.3133	23.98	0.2500	Pass
5310	21.51	0.1416	23.98	0.2500	Pass
5510	21.34	0.1361	23.98	0.2500	Pass
5550	22.71	0.1866	23.98	0.2500	Pass
5670	22.54	0.1795	23.98	0.2500	Pass
5755	22.64	0.1837	30.00	1.0000	Pass
5795	22.60	0.1820	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Antenna 2	Tested Date	2022/10/24
-----------	-------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.04	0.1271	23.98	0.2500	Pass
5230	24.80	0.3020	23.98	0.2500	Pass
5270	23.42	0.2198	23.98	0.2500	Pass
5310	20.44	0.1107	23.98	0.2500	Pass
5510	22.01	0.1589	23.98	0.2500	Pass
5550	22.77	0.1892	23.98	0.2500	Pass
5670	22.68	0.1854	23.98	0.2500	Pass
5755	22.74	0.1879	30.00	1.0000	Pass
5795	22.70	0.1862	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2022/10/24
-----------	---------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	24.55	0.2851	23.98	0.2500	Pass
5230	27.95	0.6237	23.98	0.2500	Pass
5270	27.27	0.5333	23.98	0.2500	Pass
5310	24.02	0.2523	23.98	0.2500	Pass
5510	24.70	0.2951	23.98	0.2500	Pass
5550	25.75	0.3758	23.98	0.2500	Pass
5670	25.62	0.3648	23.98	0.2500	Pass
5755	25.70	0.3715	30.00	1.0000	Pass
5795	25.66	0.3681	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Antenna 1	Tested Date	2022/10/24
-----------	---------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.40	0.1738	23.98	0.2500	Pass
5200	22.96	0.1977	23.98	0.2500	Pass
5240	23.04	0.2014	23.98	0.2500	Pass
5260	24.12	0.2582	23.98	0.2500	Pass
5300	24.28	0.2679	23.98	0.2500	Pass
5320	23.09	0.2037	23.98	0.2500	Pass
5500	22.46	0.1762	23.98	0.2500	Pass
5580	23.86	0.2432	23.98	0.2500	Pass
5700	21.92	0.1556	23.98	0.2500	Pass
5745	23.96	0.2489	30.00	1.0000	Pass
5785	23.84	0.2421	30.00	1.0000	Pass
5825	23.96	0.2489	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Antenna 2	Tested Date	2022/10/24
-----------	---------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.51	0.1782	23.98	0.2500	Pass
5200	22.81	0.1910	23.98	0.2500	Pass
5240	22.51	0.1782	23.98	0.2500	Pass
5260	23.43	0.2203	23.98	0.2500	Pass
5300	23.11	0.2046	23.98	0.2500	Pass
5320	22.47	0.1766	23.98	0.2500	Pass
5500	22.81	0.1910	23.98	0.2500	Pass
5580	23.59	0.2286	23.98	0.2500	Pass
5700	21.54	0.1426	23.98	0.2500	Pass
5745	22.83	0.1919	30.00	1.0000	Pass
5785	22.13	0.1633	30.00	1.0000	Pass
5825	22.63	0.1832	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Total	Tested Date	2022/10/24
-----------	-----------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.47	0.3524	23.98	0.2500	Pass
5200	25.90	0.3890	23.98	0.2500	Pass
5240	25.79	0.3793	23.98	0.2500	Pass
5260	26.80	0.4786	23.98	0.2500	Pass
5300	26.74	0.4721	23.98	0.2500	Pass
5320	25.80	0.3802	23.98	0.2500	Pass
5500	25.65	0.3673	23.98	0.2500	Pass
5580	26.74	0.4721	23.98	0.2500	Pass
5700	24.74	0.2979	23.98	0.2500	Pass
5745	26.44	0.4406	30.00	1.0000	Pass
5785	26.08	0.4055	30.00	1.0000	Pass
5825	26.36	0.4325	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Antenna 1	Tested Date	2022/10/24
-----------	---------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	20.91	0.1233	23.98	0.2500	Pass
5230	25.08	0.3221	23.98	0.2500	Pass
5270	23.03	0.2009	23.98	0.2500	Pass
5310	20.16	0.1038	23.98	0.2500	Pass
5510	22.02	0.1592	23.98	0.2500	Pass
5550	22.71	0.1866	23.98	0.2500	Pass
5670	22.53	0.1791	23.98	0.2500	Pass
5755	22.64	0.1837	30.00	1.0000	Pass
5795	22.57	0.1807	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Antenna 2	Tested Date	2022/10/24
-----------	---------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.10	0.1288	23.98	0.2500	Pass
5230	24.80	0.3020	23.98	0.2500	Pass
5270	23.11	0.2046	23.98	0.2500	Pass
5310	20.24	0.1057	23.98	0.2500	Pass
5510	22.27	0.1687	23.98	0.2500	Pass
5550	22.68	0.1854	23.98	0.2500	Pass
5670	22.42	0.1746	23.98	0.2500	Pass
5755	22.53	0.1791	30.00	1.0000	Pass
5795	22.64	0.1837	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Total	Tested Date	2022/10/24
-----------	-----------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	24.02	0.2523	23.98	0.2500	Pass
5230	27.95	0.6237	23.98	0.2500	Pass
5270	26.08	0.4055	23.98	0.2500	Pass
5310	23.21	0.2094	23.98	0.2500	Pass
5510	25.16	0.3281	23.98	0.2500	Pass
5550	25.71	0.3724	23.98	0.2500	Pass
5670	25.49	0.3540	23.98	0.2500	Pass
5755	25.60	0.3631	30.00	1.0000	Pass
5795	25.62	0.3648	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Antenna 1	Tested Date	2022/10/24
-----------	---------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	18.91	0.0778	23.98	0.2500	Pass
5290	19.04	0.0802	23.98	0.2500	Pass
5530	18.21	0.0662	23.98	0.2500	Pass
5610	24.88	0.3076	23.98	0.2500	Pass
5775	24.86	0.3062	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Antenna 2	Tested Date	2022/10/24
-----------	---------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	19.34	0.0859	23.98	0.2500	Pass
5290	18.92	0.0780	23.98	0.2500	Pass
5530	18.39	0.0690	23.98	0.2500	Pass
5610	22.84	0.1923	23.98	0.2500	Pass
5775	22.46	0.1762	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2022/10/24
-----------	-----------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	22.14	0.1637	23.98	0.2500	Pass
5290	21.99	0.1581	23.98	0.2500	Pass
5530	21.31	0.1352	23.98	0.2500	Pass
5610	26.99	0.5000	23.98	0.2500	Pass
5775	26.83	0.4819	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Antenna 1	Tested Date	2022/10/24
-----------	--------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.53	0.1791	23.98	0.2500	Pass
5200	22.97	0.1982	23.98	0.2500	Pass
5240	23.57	0.2275	23.98	0.2500	Pass
5260	23.08	0.2032	23.98	0.2500	Pass
5300	22.91	0.1954	23.98	0.2500	Pass
5320	23.30	0.2138	23.98	0.2500	Pass
5500	23.56	0.2270	23.98	0.2500	Pass
5580	23.62	0.2301	23.98	0.2500	Pass
5700	23.39	0.2183	23.98	0.2500	Pass
5745	25.07	0.3214	30.00	1.0000	Pass
5785	25.03	0.3184	30.00	1.0000	Pass
5825	25.05	0.3199	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Antenna 2	Tested Date	2022/10/24
-----------	--------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.40	0.1738	23.98	0.2500	Pass
5200	22.77	0.1892	23.98	0.2500	Pass
5240	23.08	0.2032	23.98	0.2500	Pass
5260	23.19	0.2084	23.98	0.2500	Pass
5300	22.96	0.1977	23.98	0.2500	Pass
5320	23.24	0.2109	23.98	0.2500	Pass
5500	23.54	0.2259	23.98	0.2500	Pass
5580	23.07	0.2028	23.98	0.2500	Pass
5700	22.47	0.1766	23.98	0.2500	Pass
5745	23.56	0.2270	30.00	1.0000	Pass
5785	23.23	0.2104	30.00	1.0000	Pass
5825	23.05	0.2018	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2022/10/24
-----------	----------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.48	0.3532	23.98	0.2500	Pass
5200	25.88	0.3873	23.98	0.2500	Pass
5240	26.34	0.4305	23.98	0.2500	Pass
5260	26.15	0.4121	23.98	0.2500	Pass
5300	25.95	0.3936	23.98	0.2500	Pass
5320	26.28	0.4246	23.98	0.2500	Pass
5500	26.56	0.4529	23.98	0.2500	Pass
5580	26.36	0.4325	23.98	0.2500	Pass
5700	25.96	0.3945	23.98	0.2500	Pass
5745	27.39	0.5483	30.00	1.0000	Pass
5785	27.23	0.5284	30.00	1.0000	Pass
5825	27.17	0.5212	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Antenna 1	Tested Date	2022/10/24
-----------	--------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	23.81	0.2404	23.98	0.2500	Pass
5230	23.91	0.2460	23.98	0.2500	Pass
5270	23.89	0.2449	23.98	0.2500	Pass
5310	22.51	0.1782	23.98	0.2500	Pass
5510	23.58	0.2280	23.98	0.2500	Pass
5550	23.47	0.2223	23.98	0.2500	Pass
5670	20.47	0.1114	23.98	0.2500	Pass
5755	23.16	0.2070	30.00	1.0000	Pass
5795	23.03	0.2009	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Antenna 2	Tested Date	2022/10/24
-----------	--------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	23.67	0.2328	23.98	0.2500	Pass
5230	23.71	0.2350	23.98	0.2500	Pass
5270	23.80	0.2399	23.98	0.2500	Pass
5310	22.43	0.1750	23.98	0.2500	Pass
5510	23.14	0.2061	23.98	0.2500	Pass
5550	23.13	0.2056	23.98	0.2500	Pass
5670	19.74	0.0942	23.98	0.2500	Pass
5755	22.83	0.1919	30.00	1.0000	Pass
5795	22.97	0.1982	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2022/10/24
-----------	----------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	26.75	0.4732	23.98	0.2500	Pass
5230	26.82	0.4808	23.98	0.2500	Pass
5270	26.86	0.4853	23.98	0.2500	Pass
5310	25.48	0.3532	23.98	0.2500	Pass
5510	26.38	0.4345	23.98	0.2500	Pass
5550	26.31	0.4276	23.98	0.2500	Pass
5670	23.13	0.2056	23.98	0.2500	Pass
5755	26.01	0.3990	30.00	1.0000	Pass
5795	26.01	0.3990	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 1	Tested Date	2022/10/24
-----------	--------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	19.35	0.0861	23.98	0.2500	Pass
5290	19.11	0.0815	23.98	0.2500	Pass
5530	18.30	0.0676	23.98	0.2500	Pass
5610	24.91	0.3097	23.98	0.2500	Pass
5775	24.89	0.3083	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 2	Tested Date	2022/10/24
-----------	--------------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	19.39	0.0869	23.98	0.2500	Pass
5290	19.27	0.0845	23.98	0.2500	Pass
5530	19.25	0.0841	23.98	0.2500	Pass
5610	22.99	0.1991	23.98	0.2500	Pass
5775	22.81	0.1910	30.00	1.0000	Pass


Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2022/10/24
-----------	----------------------------	-------------	------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	22.38	0.1730	23.98	0.2500	Pass
5290	22.20	0.1660	23.98	0.2500	Pass
5530	21.81	0.1517	23.98	0.2500	Pass
5610	27.07	0.5093	23.98	0.2500	Pass
5775	26.98	0.4989	30.00	1.0000	Pass


APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Antenna 1
-----------	------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.48	0.15	2.63	11.00	Pass
5200	2.91	0.15	3.06	11.00	Pass
5240	3.05	0.15	3.20	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.55	0.15	2.78	11.00	Pass
5300	3.58	0.15	3.21	11.00	Pass
5320	3.56	0.15	3.35	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.91	0.15	4.06	11.00	Pass
5580	4.37	0.15	4.52	11.00	Pass
5700	3.45	0.15	3.60	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.78	10.77	0.15	10.92	30.00	Pass
5785	3.50	10.49	0.15	10.64	30.00	Pass
5825	3.12	10.11	0.15	10.26	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11a_Antenna 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.26	0.15	2.41	11.00	Pass
5200	2.41	0.15	2.56	11.00	Pass
5240	2.28	0.15	2.43	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.91	0.15	4.06	11.00	Pass
5300	3.81	0.15	3.96	11.00	Pass
5320	3.40	0.15	3.55	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.32	0.15	4.47	11.00	Pass
5580	4.08	0.15	4.23	11.00	Pass
5700	3.52	0.15	3.67	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.22	11.21	0.15	11.36	30.00	Pass
5785	4.36	11.35	0.15	11.50	30.00	Pass
5825	3.82	10.81	0.15	10.96	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.53	11.00	Pass
5200	5.83	11.00	Pass
5240	5.84	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.48	11.00	Pass
5300	6.61	11.00	Pass
5320	6.46	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	7.28	11.00	Pass
5580	7.39	11.00	Pass
5700	6.65	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	14.16	30.00	Pass
5785	14.10	30.00	Pass
5825	13.63	30.00	Pass

Test Mode IEEE 802.11ac (VHT20)_Antenna 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.19	0.24	2.43	11.00	Pass
5200	2.39	0.24	2.63	11.00	Pass
5240	2.47	0.24	2.71	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.90	0.24	3.14	11.00	Pass
5300	3.08	0.24	3.32	11.00	Pass
5320	2.99	0.24	3.23	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.59	0.24	3.83	11.00	Pass
5580	3.65	0.24	3.89	11.00	Pass
5700	3.05	0.24	3.29	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.29	10.28	0.24	10.52	30.00	Pass
5785	2.95	9.94	0.24	10.18	30.00	Pass
5825	3.00	9.99	0.24	10.23	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11ac (VHT20)_Antenna 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.13	0.24	2.37	11.00	Pass
5200	1.92	0.24	2.16	11.00	Pass
5240	1.81	0.24	2.05	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.33	0.24	3.57	11.00	Pass
5300	3.17	0.24	3.41	11.00	Pass
5320	2.51	0.24	2.75	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.21	0.24	4.45	11.00	Pass
5580	3.69	0.24	3.93	11.00	Pass
5700	2.77	0.24	3.01	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.32	10.31	0.24	10.55	30.00	Pass
5785	2.73	9.72	0.24	9.96	30.00	Pass
5825	3.15	10.14	0.24	10.38	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.41	11.00	Pass
5200	5.41	11.00	Pass
5240	5.40	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.37	11.00	Pass
5300	6.38	11.00	Pass
5320	6.01	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	7.16	11.00	Pass
5580	6.92	11.00	Pass
5700	6.16	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	13.55	30.00	Pass
5785	13.08	30.00	Pass
5825	13.32	30.00	Pass

Test Mode IEEE 802.11ac (VHT40)_Antenna 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.92	1.60	0.68	11.00	Pass
5230	1.67	1.60	3.27	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	2.91	1.60	4.51	11.00	Pass
5310	-2.75	1.60	-1.15	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.21	1.60	1.81	11.00	Pass
5550	3.69	1.60	5.29	11.00	Pass
5670	2.32	1.60	3.92	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-0.84	6.15	1.60	7.75	30.00	Pass
5795	-0.83	6.16	1.60	7.76	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11ac (VHT40)_Antenna 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-1.03	1.60	0.57	11.00	Pass
5230	1.66	1.60	3.26	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	2.89	1.60	4.49	11.00	Pass
5310	-2.73	1.60	-1.13	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.28	1.60	1.88	11.00	Pass
5550	3.66	1.60	5.26	11.00	Pass
5670	2.22	1.60	3.82	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-0.58	6.41	1.60	8.01	30.00	Pass
5795	-0.82	6.17	1.60	7.77	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	3.64	11.00	Pass
5230	6.28	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	7.51	11.00	Pass
5310	1.87	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	4.86	11.00	Pass
5550	8.29	11.00	Pass
5670	6.88	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	10.89	30.00	Pass
5795	10.78	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Antenna 1
-----------	---------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-8.88	2.59	-6.29	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-9.36	2.59	-6.77	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-9.18	2.59	-6.59	11.00	Pass
5610	-1.38	2.59	1.21	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-4.67	2.32	2.59	4.91	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Antenna 2
-----------	---------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.64	2.59	-5.05	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.05	2.59	-5.46	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.65	2.59	-5.06	11.00	Pass
5610	-2.35	2.59	0.24	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.74	1.25	2.59	3.84	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-2.62	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.06	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-2.75	11.00	Pass
5610	3.76	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	7.42	30.00	Pass

Test Mode IEEE 802.11ax (HE20)_Antenna 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.79	0.30	2.09	11.00	Pass
5200	2.20	0.30	2.50	11.00	Pass
5240	2.07	0.30	2.37	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.78	0.30	3.08	11.00	Pass
5300	2.43	0.30	2.73	11.00	Pass
5320	2.58	0.30	2.88	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.43	0.30	3.73	11.00	Pass
5580	3.80	0.30	4.10	11.00	Pass
5700	3.00	0.30	3.30	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	2.04	9.03	0.30	9.33	30.00	Pass
5785	1.76	8.75	0.30	9.05	30.00	Pass
5825	1.75	8.74	0.30	9.04	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11ax (HE20)_Antenna 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.57	0.30	1.87	11.00	Pass
5200	1.57	0.30	1.87	11.00	Pass
5240	1.20	0.30	1.50	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.87	0.30	3.17	11.00	Pass
5300	2.31	0.30	2.61	11.00	Pass
5320	2.29	0.30	2.59	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.57	0.30	3.87	11.00	Pass
5580	3.27	0.30	3.57	11.00	Pass
5700	2.09	0.30	2.39	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	1.56	8.55	0.30	8.85	30.00	Pass
5785	1.81	8.80	0.30	9.10	30.00	Pass
5825	1.65	8.64	0.30	8.94	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.99	11.00	Pass
5200	5.21	11.00	Pass
5240	4.97	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.14	11.00	Pass
5300	5.68	11.00	Pass
5320	5.75	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.81	11.00	Pass
5580	6.85	11.00	Pass
5700	5.88	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	12.11	30.00	Pass
5785	12.09	30.00	Pass
5825	12.00	30.00	Pass

Test Mode	IEEE 802.11ax (HE40)_Antenna 1
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.07	1.84	2.91	11.00	Pass
5230	0.96	1.84	2.80	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	1.58	1.84	3.42	11.00	Pass
5310	-1.11	1.84	0.73	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	1.11	1.84	2.95	11.00	Pass
5550	2.92	1.84	4.76	11.00	Pass
5670	-3.59	1.84	-1.75	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-1.54	5.45	1.84	7.29	30.00	Pass
5795	-1.63	5.36	1.84	7.20	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.99	1.84	2.83	11.00	Pass
5230	0.87	1.84	2.71	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	0.93	1.84	2.77	11.00	Pass
5310	-1.36	1.84	0.48	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.60	1.84	2.44	11.00	Pass
5550	2.32	1.84	4.16	11.00	Pass
5670	-4.01	1.84	-2.17	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-1.93	5.06	1.84	6.90	30.00	Pass
5795	-2.01	4.98	1.84	6.82	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	5.88	11.00	Pass
5230	5.77	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	6.12	11.00	Pass
5310	3.62	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	5.71	11.00	Pass
5550	7.48	11.00	Pass
5670	1.06	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	10.11	30.00	Pass
5795	10.02	30.00	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 1
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.64	2.73	-4.91	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.16	2.73	-5.43	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-8.52	2.73	-5.79	11.00	Pass
5610	-2.39	2.73	0.34	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.90	1.09	2.73	3.82	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.55	2.73	-4.82	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.50	2.73	-5.77	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.98	2.73	-5.25	11.00	Pass
5610	-2.94	2.73	-0.21	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.78	1.21	2.73	3.94	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-1.85	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.59	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-2.50	11.00	Pass
5610	3.80	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	6.89	30.00	Pass

End of Test Report