

USER MANUAL

Car Adapter



U2AIR Pro

CONTENT

How to check a car has CarPlay or not	5
What's in the box	6
Interface and connector	6
Connection diagram	7
How to set up wireless CarPlay	8
Firmware update & report an issue	9

READ ME FIRST


This adapter is designed for iPhone to use Apple CarPlay wirelessly on factory car multimedia system which has built-in wired Apple CarPlay.

However, NOT every car with built-in CarPlay could fit this adapter. If there is any issue while using the adapter, please do not hesitate to email us at support@ottocast.com.


Function	Convert OEM Apple CarPlay to wireless Apple CarPlay
Compatibility	Car: with OEM Apple CarPlay
	iPhone: running iOS 10 or newer
Control	OEM touch screen, steering wheel, and joystick control
Input Power	USB 5V~1A
Connectivity	Wi-Fi & Bluetooth

How to check a car has CarPlay or not

1. Plug an iPhone (running iOS 10 or newer) into the car USB ports with genuine factory lightning cable. If there is a notification pop up on iPhone like below, that your car has built-in Apple CarPlay.



2. If there is a CarPlay icon in the car stereo menu, that your car has built-in Apple CarPlay.




3. Contact your car dealer for help.

What's in the box

- Wireless adapter *1
- USB cable (Type-C to A) *1
- USB cable (Type-C to C) *1
- User manual *1
- Double-sided sticky pad *1


Interface and connector



Click once while working: disconnect the current iPhone.

Press and hold for more than 10s: factory reset, all connection history will be erased.


Connection diagram



NOTE! The adapter should be plugged into the USB port that is for wired Apple CarPlay connecting if there are multi USB ports in your car.

How to set up wireless CarPlay

- Turn on your iPhone's Wi-Fi and Bluetooth, then pair to the Bluetooth named "OTTO-xxxx"
- Tap "Pair-Allow-Use CarPlay" on the iPhone pop-up notifications
- It will then connect to CarPlay wirelessly after a few seconds.



NOTE! Before pairing to a new iPhone, please disconnect the currently connected phone from Bluetooth/Wi-Fi in iPhone's control center or click the adapter's buttons once.

Firmware update & report an issue

Firmware updating is NOT recommended when every function works well.

Car Make E.g. Toyota

Model Name E.g. Camry XLE

Year E.g. 2020

Detailed description of the problem:

Please enter text here

Submit

Online Update

New version is available

Update

Update Notes

1. fix some bugs

Copyright©2020 - 2021

AA 192.168.1.101

● How to update or report

- If your iPhone is connecting to the wireless CarPlay, enter **192.168.1.101** on iPhone's browser, next tap "**Update**" if there is an update available
- If your iPhone could not connect to the wireless CarPlay, please join the adapter's Wi-Fi network [**OTTO-xxxx**] by manual and the password is **88888888**
- Next enter **192.168.1.101** on iPhone's browser, tap "**Update**".
- At the same web interface, you could also fill in the car make, model years, and issue details, next tap "**Submit**" to report the issue. After the success notification appears, take a screenshot and email us at support@ottocast.com. We will fix it as soon as possible.

NOTE! The blue and red LED indicators will flash alternative while updating. Wait for more 30s after the white indicator is solid, then disconnect and reconnect the adapter from USB port to finish the whole update.

Operating temperature:-15 -50

FCC Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT NOTE:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no

guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Warning

This device complies with Innovation, Science, and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
(2) this device must accept any interference, including

interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil n' doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Radiation Exposure Statement:

The equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. The equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

L'équipement est conforme aux limites d'exposition aux rayonnements FCC/ISED fixées pour un

environnement non contrôlé. L'équipement doit être installé et utilisé avec une distance minimale de 20cm entre le radiateur et votre corps.