

22-03-12

**RE FCC ID: A5FEIA605MRF****To the certification reviewer:**

We are hereby applying for limited modular approval of the above-referenced FCC ID, based on compliance with most of the criteria as detailed below.

Sincerely,

  
David Keating  
VP Business Development**Part 15 Unlicensed Single Modular Transmitter Approval Justification per 15.212**

Requirement per 15.212	reference
(i) The radio elements of the modular transmitter must have their own RF shielding.	Shielding is provided by a ground plane on the printed wiring board.
(ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided.	All modulation and data inputs are buffered by circuitry on the transmitter chip.
(iii) The modular transmitter must have its own power supply regulation.	Power supply regulation is provided by circuitry on the transmitter chip and additional regulation is provided by circuitry on the module over the range of 9V to 3V volts.

22-03-12

<p>(iv) The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c).</p>	<p>The antenna is permanently attached.</p>
<p>(v) The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing for compliance with Part 15 parameters.</p>	<p>Testing was performed with the module located inside of the intended host device.</p> <p>The Module will be used in the following Models:</p> <p><b>EiA605 Series Optical Smoke Alarms</b>  <b>EiA650 Series Optical Smoke Alarms</b>  <b>EiA603 Series Heat Alarms</b></p>
<p>(vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number. If the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.</p>	<p>A sample of the host label is provided as an exhibit, showing the FCC identifier of the module.</p>
<p>(vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.</p>	<p>The module complies fully with the operating requirements of Part 15 section FCC Part 15.249 as demonstrated in the test report exhibit.</p>

22-03-12

(viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	This module operates under Part 15 section FCC Part 15.249, which is exempt from RF exposure evaluation owing to the very low operating power:  FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f), 15.255(g), and 15.257(g) require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(i).
---	--