

APPENDIX 3: Photographs of test setup

Conducted Emission




Photo 1




Photo 2

Radiated Spurious Emission



Photo 1




Photo 2

Worst Case Position (Horizontal: X-axis/ Vertical:Y-axis)


X-axis



Y-axis



Test Configuration and peripherals



*Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No	Item	Model number	Serial number	Manufacturer	Remarks
A	Computer Entertainment System	CUH-1115A	9CD21EEA1209 for AT* 1300099 for CE* and RE*	Sony Computer Entertainment	EUT
B	Laptop PC	X40	KV-DNK71	Lenovo	-
C	Monitor	VW26L+DTV20 F	LFMBBAI1333183	VISIO	-
D	USB3.0 HDD	HD-EG5 BE (500G)	8CV0A5K34118A63	SONY	-
E	AC Adaptor	02K6810	11S02K6810Z1Z3BJ5698K8	Lenovo	-
F	Controller	CUH-ZCT1U	FEP11DVT700116	Sony Computer Entertainment	-
G	Camera	CUH-ZEY1	D0104370101173	Sony Computer Entertainment	-
H	Earphone	-	-	Sony Computer Entertainment	-

*AT: Antenna Terminal Conducted test, CE: Conducted Emission test, RE: Radiated Emission test

List of cables used

No	Name	Length (m)	Shield		Remarks
			Cable	Connector	
1	HDMI Cable	2.0	Shielded	Shielded	-
2	LAN Cable	1.0	Unshielded	Unshielded	-
3	USB Cable	1.5	Shielded	Shielded	-
4	USB Cable	1.0	Shielded	Shielded	-
5	AC Cable	1.5	Unshielded	Unshielded	-
6	DC Cable	1.8	Shielded	Shielded	-
7	AC Cable	1.8	Unshielded	Unshielded	-
8	AC Cable	1.0	Unshielded	Unshielded	-
9	Earphone Cable	1.2	Unshielded	Unshielded	-
10	USB Cable	2.0	Shielded	Shielded	-

End of Report

UL Japan, Inc.

Ise HQ EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124