

APPENDIX F - MAXIMUM OUTPUT POWER

For 2T2R

Non-Beamforming

Test Mode	TX AX (HE20) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	52/37	17.69	2.43	20.12	29.99	0.9977	Complies
		52/38	18.05	2.43	20.48	29.99	0.9977	Complies
		52/40	17.57	2.43	20.00	29.99	0.9977	Complies
		106/53	18.39	2.43	20.82	29.99	0.9977	Complies
		106/54	17.90	2.43	20.33	29.99	0.9977	Complies
		242/61	15.25	2.43	17.68	29.99	0.9977	Complies
06	2437	52/37	20.52	2.43	22.95	29.99	0.9977	Complies
		52/38	20.96	2.43	23.39	29.99	0.9977	Complies
		52/40	20.83	2.43	23.26	29.99	0.9977	Complies
		106/53	21.48	2.43	23.91	29.99	0.9977	Complies
		106/54	21.44	2.43	23.87	29.99	0.9977	Complies
		242/61	19.43	2.43	21.86	29.99	0.9977	Complies
11	2462	52/37	17.73	2.43	20.16	29.99	0.9977	Complies
		52/38	18.32	2.43	20.75	29.99	0.9977	Complies
		52/40	17.69	2.43	20.12	29.99	0.9977	Complies
		106/53	19.02	2.43	21.45	29.99	0.9977	Complies
		106/54	18.53	2.43	20.96	29.99	0.9977	Complies
		242/61	15.91	2.43	18.34	29.99	0.9977	Complies

Test Mode	TX AX (HE20) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	52/37	18.57	2.43	21.00	29.99	0.9977	Complies
		52/38	18.54	2.43	20.97	29.99	0.9977	Complies
		52/40	18.40	2.43	20.83	29.99	0.9977	Complies
		106/53	18.31	2.43	20.74	29.99	0.9977	Complies
		106/54	18.36	2.43	20.79	29.99	0.9977	Complies
		242/61	14.81	2.43	17.24	29.99	0.9977	Complies
06	2437	52/37	21.78	2.43	24.21	29.99	0.9977	Complies
		52/38	22.36	2.43	24.79	29.99	0.9977	Complies
		52/40	22.07	2.43	24.50	29.99	0.9977	Complies
		106/53	22.47	2.43	24.90	29.99	0.9977	Complies
		106/54	22.46	2.43	24.89	29.99	0.9977	Complies
		242/61	20.05	2.43	22.48	29.99	0.9977	Complies
11	2462	52/37	18.61	2.43	21.04	29.99	0.9977	Complies
		52/38	18.94	2.43	21.37	29.99	0.9977	Complies
		52/40	18.48	2.43	20.91	29.99	0.9977	Complies
		106/53	19.33	2.43	21.76	29.99	0.9977	Complies
		106/54	18.95	2.43	21.38	29.99	0.9977	Complies
		242/61	16.06	2.43	18.49	29.99	0.9977	Complies

Test Mode	TX AX (HE20) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	52/37	23.59	29.99	0.9977	Complies
		52/38	23.74	29.99	0.9977	Complies
		52/40	23.45	29.99	0.9977	Complies
		106/53	23.79	29.99	0.9977	Complies
		106/54	23.58	29.99	0.9977	Complies
		242/61	20.48	29.99	0.9977	Complies
06	2437	52/37	26.64	29.99	0.9977	Complies
		52/38	27.16	29.99	0.9977	Complies
		52/40	26.93	29.99	0.9977	Complies
		106/53	27.44	29.99	0.9977	Complies
		106/54	27.42	29.99	0.9977	Complies
		242/61	25.19	29.99	0.9977	Complies
11	2462	52/37	23.63	29.99	0.9977	Complies
		52/38	24.08	29.99	0.9977	Complies
		52/40	23.54	29.99	0.9977	Complies
		106/53	24.62	29.99	0.9977	Complies
		106/54	24.19	29.99	0.9977	Complies
		242/61	21.43	29.99	0.9977	Complies

Test Mode	TX AX (HE40) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	52/37	15.06	1.19	16.25	29.99	0.9977	Complies
		52/40	16.31	1.19	17.50	29.99	0.9977	Complies
		52/44	14.88	1.19	16.07	29.99	0.9977	Complies
		106/53	15.33	1.19	16.52	29.99	0.9977	Complies
		106/54	16.02	1.19	17.21	29.99	0.9977	Complies
		106/56	15.92	1.19	17.11	29.99	0.9977	Complies
		242/61	16.45	1.19	17.64	29.99	0.9977	Complies
		242/62	17.02	1.19	18.21	29.99	0.9977	Complies
		484/65	14.01	1.19	15.20	29.99	0.9977	Complies
06	2437	52/37	17.69	1.19	18.88	29.99	0.9977	Complies
		52/40	17.67	1.19	18.86	29.99	0.9977	Complies
		52/44	17.61	1.19	18.80	29.99	0.9977	Complies
		106/53	15.81	1.19	17.00	29.99	0.9977	Complies
		106/54	17.56	1.19	18.75	29.99	0.9977	Complies
		106/56	16.55	1.19	17.74	29.99	0.9977	Complies
		242/61	19.04	1.19	20.23	29.99	0.9977	Complies
		242/62	18.82	1.19	20.01	29.99	0.9977	Complies
		484/65	16.33	1.19	17.52	29.99	0.9977	Complies
09	2452	52/37	16.21	1.19	17.40	29.99	0.9977	Complies
		52/40	17.16	1.19	18.35	29.99	0.9977	Complies
		52/44	16.06	1.19	17.25	29.99	0.9977	Complies
		106/53	16.38	1.19	17.57	29.99	0.9977	Complies
		106/54	17.26	1.19	18.45	29.99	0.9977	Complies
		106/56	17.11	1.19	18.30	29.99	0.9977	Complies
		242/61	16.67	1.19	17.86	29.99	0.9977	Complies
		242/62	17.29	1.19	18.48	29.99	0.9977	Complies
		484/65	14.94	1.19	16.13	29.99	0.9977	Complies

Test Mode	TX AX (HE40) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	52/37	15.84	1.19	17.03	29.99	0.9977	Complies
		52/40	16.27	1.19	17.46	29.99	0.9977	Complies
		52/44	15.70	1.19	16.89	29.99	0.9977	Complies
		106/53	15.10	1.19	16.29	29.99	0.9977	Complies
		106/54	16.44	1.19	17.63	29.99	0.9977	Complies
		106/56	15.75	1.19	16.94	29.99	0.9977	Complies
		242/61	17.09	1.19	18.28	29.99	0.9977	Complies
		242/62	16.96	1.19	18.15	29.99	0.9977	Complies
		484/65	14.53	1.19	15.72	29.99	0.9977	Complies
06	2437	52/37	18.13	1.19	19.32	29.99	0.9977	Complies
		52/40	18.83	1.19	20.02	29.99	0.9977	Complies
		52/44	18.10	1.19	19.29	29.99	0.9977	Complies
		106/53	16.38	1.19	17.57	29.99	0.9977	Complies
		106/54	17.61	1.19	18.80	29.99	0.9977	Complies
		106/56	17.14	1.19	18.33	29.99	0.9977	Complies
		242/61	19.29	1.19	20.48	29.99	0.9977	Complies
		242/62	19.45	1.19	20.64	29.99	0.9977	Complies
		484/65	16.57	1.19	17.76	29.99	0.9977	Complies
09	2452	52/37	16.95	1.19	18.14	29.99	0.9977	Complies
		52/40	17.55	1.19	18.74	29.99	0.9977	Complies
		52/44	16.77	1.19	17.96	29.99	0.9977	Complies
		106/53	16.65	1.19	17.84	29.99	0.9977	Complies
		106/54	17.89	1.19	19.08	29.99	0.9977	Complies
		106/56	17.43	1.19	18.62	29.99	0.9977	Complies
		242/61	17.43	1.19	18.62	29.99	0.9977	Complies
		242/62	17.34	1.19	18.53	29.99	0.9977	Complies
		484/65	15.56	1.19	16.75	29.99	0.9977	Complies

Test Mode	TX AX (HE40) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	52/37	19.67	29.99	0.9977	Complies
		52/40	20.49	29.99	0.9977	Complies
		52/44	19.51	29.99	0.9977	Complies
		106/53	19.42	29.99	0.9977	Complies
		106/54	20.44	29.99	0.9977	Complies
		106/56	20.04	29.99	0.9977	Complies
		242/61	20.98	29.99	0.9977	Complies
		242/62	21.19	29.99	0.9977	Complies
		484/65	18.48	29.99	0.9977	Complies
06	2437	52/37	22.12	29.99	0.9977	Complies
		52/40	22.49	29.99	0.9977	Complies
		52/44	22.06	29.99	0.9977	Complies
		106/53	20.30	29.99	0.9977	Complies
		106/54	21.79	29.99	0.9977	Complies
		106/56	21.06	29.99	0.9977	Complies
		242/61	23.37	29.99	0.9977	Complies
		242/62	23.35	29.99	0.9977	Complies
		484/65	20.65	29.99	0.9977	Complies
09	2452	52/37	20.80	29.99	0.9977	Complies
		52/40	21.56	29.99	0.9977	Complies
		52/44	20.63	29.99	0.9977	Complies
		106/53	20.72	29.99	0.9977	Complies
		106/54	21.79	29.99	0.9977	Complies
		106/56	21.47	29.99	0.9977	Complies
		242/61	21.27	29.99	0.9977	Complies
		242/62	21.52	29.99	0.9977	Complies
		484/65	19.46	29.99	0.9977	Complies

For 2T2R
Beamforming

Test Mode	TX AX (HE20) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	52/37	17.31	2.43	19.74	29.99	0.9977	Complies
		52/38	17.76	2.43	20.19	29.99	0.9977	Complies
		52/40	17.30	2.43	19.73	29.99	0.9977	Complies
		106/53	17.98	2.43	20.41	29.99	0.9977	Complies
		106/54	17.55	2.43	19.98	29.99	0.9977	Complies
		242/61	21.11	2.43	23.54	29.99	0.9977	Complies
06	2437	52/37	21.24	2.43	23.67	29.99	0.9977	Complies
		52/38	19.04	2.43	21.47	29.99	0.9977	Complies
		52/40	20.60	2.43	23.03	29.99	0.9977	Complies
		106/53	21.11	2.43	23.54	29.99	0.9977	Complies
		106/54	21.24	2.43	23.67	29.99	0.9977	Complies
		242/61	19.04	2.43	21.47	29.99	0.9977	Complies
11	2462	52/37	17.50	2.43	19.93	29.99	0.9977	Complies
		52/38	17.93	2.43	20.36	29.99	0.9977	Complies
		52/40	17.42	2.43	19.85	29.99	0.9977	Complies
		106/53	18.68	2.43	21.11	29.99	0.9977	Complies
		106/54	18.29	2.43	20.72	29.99	0.9977	Complies
		242/61	15.66	2.43	18.09	29.99	0.9977	Complies

Test Mode	TX AX (HE20) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	52/37	18.14	2.43	20.57	29.99	0.9977	Complies
		52/38	18.28	2.43	20.71	29.99	0.9977	Complies
		52/40	18.10	2.43	20.53	29.99	0.9977	Complies
		106/53	18.01	2.43	20.44	29.99	0.9977	Complies
		106/54	18.01	2.43	20.44	29.99	0.9977	Complies
		242/61	14.60	2.43	17.03	29.99	0.9977	Complies
06	2437	52/37	21.54	2.43	23.97	29.99	0.9977	Complies
		52/38	22.00	2.43	24.43	29.99	0.9977	Complies
		52/40	21.64	2.43	24.07	29.99	0.9977	Complies
		106/53	22.25	2.43	24.68	29.99	0.9977	Complies
		106/54	22.14	2.43	24.57	29.99	0.9977	Complies
		242/61	19.78	2.43	22.21	29.99	0.9977	Complies
11	2462	52/37	18.34	2.43	20.77	29.99	0.9977	Complies
		52/38	18.65	2.43	21.08	29.99	0.9977	Complies
		52/40	18.11	2.43	20.54	29.99	0.9977	Complies
		106/53	18.90	2.43	21.33	29.99	0.9977	Complies
		106/54	18.63	2.43	21.06	29.99	0.9977	Complies
		242/61	15.72	2.43	18.15	29.99	0.9977	Complies

Test Mode	TX AX (HE20) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	52/37	23.19	29.99	0.9977	Complies
		52/38	23.47	29.99	0.9977	Complies
		52/40	23.16	29.99	0.9977	Complies
		106/53	23.44	29.99	0.9977	Complies
		106/54	23.23	29.99	0.9977	Complies
		242/61	24.42	29.99	0.9977	Complies
06	2437	52/37	26.83	29.99	0.9977	Complies
		52/38	26.21	29.99	0.9977	Complies
		52/40	26.59	29.99	0.9977	Complies
		106/53	27.16	29.99	0.9977	Complies
		106/54	27.15	29.99	0.9977	Complies
		242/61	24.87	29.99	0.9977	Complies
11	2462	52/37	23.38	29.99	0.9977	Complies
		52/38	23.75	29.99	0.9977	Complies
		52/40	23.22	29.99	0.9977	Complies
		106/53	24.23	29.99	0.9977	Complies
		106/54	23.90	29.99	0.9977	Complies
		242/61	21.13	29.99	0.9977	Complies

Test Mode	TX AX (HE40) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	52/37	14.61	1.19	15.80	29.99	0.9977	Complies
		52/40	16.06	1.19	17.25	29.99	0.9977	Complies
		52/44	14.54	1.19	15.73	29.99	0.9977	Complies
		106/53	15.07	1.19	16.26	29.99	0.9977	Complies
		106/54	15.75	1.19	16.94	29.99	0.9977	Complies
		106/56	15.64	1.19	16.83	29.99	0.9977	Complies
		242/61	16.08	1.19	17.27	29.99	0.9977	Complies
		242/62	16.67	1.19	17.86	29.99	0.9977	Complies
		484/65	13.58	1.19	14.77	29.99	0.9977	Complies
06	2437	52/37	17.37	1.19	18.56	29.99	0.9977	Complies
		52/40	17.38	1.19	18.57	29.99	0.9977	Complies
		52/44	17.24	1.19	18.43	29.99	0.9977	Complies
		106/53	15.41	1.19	16.60	29.99	0.9977	Complies
		106/54	17.31	1.19	18.50	29.99	0.9977	Complies
		106/56	16.10	1.19	17.29	29.99	0.9977	Complies
		242/61	18.84	1.19	20.03	29.99	0.9977	Complies
		242/62	18.49	1.19	19.68	29.99	0.9977	Complies
		484/65	16.10	1.19	17.29	29.99	0.9977	Complies
09	2452	52/37	15.96	1.19	17.15	29.99	0.9977	Complies
		52/40	16.93	1.19	18.12	29.99	0.9977	Complies
		52/44	15.75	1.19	16.94	29.99	0.9977	Complies
		106/53	16.02	1.19	17.21	29.99	0.9977	Complies
		106/54	16.88	1.19	18.07	29.99	0.9977	Complies
		106/56	16.84	1.19	18.03	29.99	0.9977	Complies
		242/61	16.36	1.19	17.55	29.99	0.9977	Complies
		242/62	16.93	1.19	18.12	29.99	0.9977	Complies
		484/65	14.53	1.19	15.72	29.99	0.9977	Complies

Test Mode	TX AX (HE40) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	52/37	15.52	1.19	16.71	29.99	0.9977	Complies
		52/40	15.96	1.19	17.15	29.99	0.9977	Complies
		52/44	15.42	1.19	16.61	29.99	0.9977	Complies
		106/53	14.66	1.19	15.85	29.99	0.9977	Complies
		106/54	16.16	1.19	17.35	29.99	0.9977	Complies
		106/56	15.53	1.19	16.72	29.99	0.9977	Complies
		242/61	16.65	1.19	17.84	29.99	0.9977	Complies
		242/62	16.65	1.19	17.84	29.99	0.9977	Complies
		484/65	14.27	1.19	15.46	29.99	0.9977	Complies
06	2437	52/37	17.86	1.19	19.05	29.99	0.9977	Complies
		52/40	18.49	1.19	19.68	29.99	0.9977	Complies
		52/44	17.74	1.19	18.93	29.99	0.9977	Complies
		106/53	15.97	1.19	17.16	29.99	0.9977	Complies
		106/54	17.34	1.19	18.53	29.99	0.9977	Complies
		106/56	16.85	1.19	18.04	29.99	0.9977	Complies
		242/61	19.06	1.19	20.25	29.99	0.9977	Complies
		242/62	19.05	1.19	20.24	29.99	0.9977	Complies
		484/65	16.31	1.19	17.50	29.99	0.9977	Complies
09	2452	52/37	16.74	1.19	17.93	29.99	0.9977	Complies
		52/40	17.17	1.19	18.36	29.99	0.9977	Complies
		52/44	16.47	1.19	17.66	29.99	0.9977	Complies
		106/53	16.41	1.19	17.60	29.99	0.9977	Complies
		106/54	17.51	1.19	18.70	29.99	0.9977	Complies
		106/56	17.03	1.19	18.22	29.99	0.9977	Complies
		242/61	17.16	1.19	18.35	29.99	0.9977	Complies
		242/62	17.12	1.19	18.31	29.99	0.9977	Complies
		484/65	15.25	1.19	16.44	29.99	0.9977	Complies

Test Mode	TX AX (HE40) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	RU configuration	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	52/37	19.29	29.99	0.9977	Complies
		52/40	20.21	29.99	0.9977	Complies
		52/44	19.20	29.99	0.9977	Complies
		106/53	19.07	29.99	0.9977	Complies
		106/54	20.16	29.99	0.9977	Complies
		106/56	19.79	29.99	0.9977	Complies
		242/61	20.57	29.99	0.9977	Complies
		242/62	20.86	29.99	0.9977	Complies
		484/65	18.14	29.99	0.9977	Complies
06	2437	52/37	21.82	29.99	0.9977	Complies
		52/40	22.17	29.99	0.9977	Complies
		52/44	21.70	29.99	0.9977	Complies
		106/53	19.90	29.99	0.9977	Complies
		106/54	21.53	29.99	0.9977	Complies
		106/56	20.69	29.99	0.9977	Complies
		242/61	23.15	29.99	0.9977	Complies
		242/62	22.98	29.99	0.9977	Complies
		484/65	20.41	29.99	0.9977	Complies
09	2452	52/37	20.57	29.99	0.9977	Complies
		52/40	21.25	29.99	0.9977	Complies
		52/44	20.33	29.99	0.9977	Complies
		106/53	20.42	29.99	0.9977	Complies
		106/54	21.41	29.99	0.9977	Complies
		106/56	21.14	29.99	0.9977	Complies
		242/61	20.98	29.99	0.9977	Complies
		242/62	21.23	29.99	0.9977	Complies
		484/65	19.11	29.99	0.9977	Complies


APPENDIX G - CONDUCTED SPURIOUS EMISSIONS

For 2T2R

Non-Beamforming


Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	52/38
-----------	--------------------------	------------------	-------

Bandedge-CH01




Date: 19.MAR.2020 01:16:11

Bandedge-CH11




Date: 19.MAR.2020 01:12:26


CH01 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:16:24




Date: 19.MAR.2020 01:16:31




Date: 19.MAR.2020 01:16:38


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:18:17




Date: 19.MAR.2020 01:18:24




Date: 19.MAR.2020 01:18:31


CH11 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:22:39




Date: 19.MAR.2020 01:22:46



Date: 19.MAR.2020 01:22:53


Test Mode	TX AX (HE20) Mode_Ant. 2	RU configuration	52/38
-----------	--------------------------	------------------	-------

Bandedge-CH01




Date: 19.MAR.2020 01:14:29

Bandedge-CH11




Date: 19.MAR.2020 01:21:32


CH01 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:14:42




Date: 19.MAR.2020 01:14:49




Date: 19.MAR.2020 01:14:56


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:20:21




Date: 19.MAR.2020 01:20:28




Date: 19.MAR.2020 01:20:35


CH11 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:21:45




Date: 19.MAR.2020 01:21:52



Date: 19.MAR.2020 01:21:59


Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	106/53
-----------	--------------------------	------------------	--------

Bandedge-CH01




Date: 19.MAR.2020 00:45:47

Bandedge-CH11




Date: 19.MAR.2020 00:50:36


CH01 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:46:00




Date: 19.MAR.2020 00:46:07




Date: 19.MAR.2020 00:46:14


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:49:11




Date: 19.MAR.2020 00:49:18




Date: 19.MAR.2020 00:49:25


CH11 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:50:49




Date: 19.MAR.2020 00:50:56



Date: 19.MAR.2020 00:51:03


Test Mode	TX AX (HE20) Mode_Ant. 2	RU configuration	106/53
-----------	--------------------------	------------------	--------

Bandedge-CH01




Date: 19.MAR.2020 10:22:11

Bandedge-CH11




Date: 19.MAR.2020 00:15:131


CH01 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 10:22:124




Date: 19.MAR.2020 10:22:131




Date: 19.MAR.2020 10:22:138


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:148:19




Date: 19.MAR.2020 00:148:126




Date: 19.MAR.2020 00:148:133


CH11 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:15:144




Date: 19.MAR.2020 00:15:151



Date: 19.MAR.2020 00:15:158


Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	242/61
-----------	--------------------------	------------------	--------

Bandedge-CH01




Date: 19.MAR.2020 00:22:19

Bandedge-CH11




Date: 19.MAR.2020 00:13:126


CH01 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:22:142




Date: 19.MAR.2020 00:22:149




Date: 19.MAR.2020 00:22:156


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:13:118




Date: 19.MAR.2020 00:13:125




Date: 19.MAR.2020 00:13:132


CH11 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:13:139




Date: 19.MAR.2020 00:13:146



Date: 19.MAR.2020 00:13:153


Test Mode	TX AX (HE20) Mode_Ant. 2	RU configuration	242/61
-----------	--------------------------	------------------	--------

Bandedge-CH01




Date: 19.MAR.2020 10:12458

Bandedge-CH11




Date: 19.MAR.2020 00:135134


CH01 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 10:12510




Date: 19.MAR.2020 10:12518




Date: 19.MAR.2020 10:12525


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:134109




Date: 19.MAR.2020 00:134116




Date: 19.MAR.2020 00:134123


CH11 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 00:135147




Date: 19.MAR.2020 00:135154



Date: 19.MAR.2020 00:136101


Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	52/40
-----------	--------------------------	------------------	-------

Bandedge-CH03




Date: 19.MAR.2020 03:08:35

Bandedge-CH09




Date: 19.MAR.2020 03:13:10


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 03:08:48




Date: 19.MAR.2020 03:08:55




Date: 19.MAR.2020 03:09:02


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 03:12:15




Date: 19.MAR.2020 03:12:22




Date: 19.MAR.2020 03:12:29


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 03:13:23




Date: 19.MAR.2020 03:13:30



Date: 19.MAR.2020 03:13:37


Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	52/40
-----------	--------------------------	------------------	-------

Bandedge-CH03




Date: 19.MAR.2020 03:09:28

Bandedge-CH09




Date: 19.MAR.2020 03:11:00


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 03:09:42




Date: 19.MAR.2020 03:09:49




Date: 19.MAR.2020 03:09:56


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 03:11:05




Date: 19.MAR.2020 03:11:02




Date: 19.MAR.2020 03:11:09


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 03:11:13




Date: 19.MAR.2020 03:11:20



Date: 19.MAR.2020 03:11:27


Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	106/54
-----------	--------------------------	------------------	--------

Bandedge-CH03




Date: 19.MAR.2020 02:48:47

Bandedge-CH09




Date: 19.MAR.2020 02:48:00


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:49:00




Date: 19.MAR.2020 02:49:08




Date: 19.MAR.2020 02:49:14


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:47:47




Date: 19.MAR.2020 02:47:54




Date: 19.MAR.2020 02:49:01


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:46:13




Date: 19.MAR.2020 02:46:20



Date: 19.MAR.2020 02:46:27


Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	106/54
-----------	--------------------------	------------------	--------

Bandedge-CH03




Date: 19.MAR.2020 02:49:38

Bandedge-CH09




Date: 19.MAR.2020 02:49:50


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:49:51




Date: 19.MAR.2020 02:49:58




Date: 19.MAR.2020 02:50:05


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:46:26




Date: 19.MAR.2020 02:46:33




Date: 19.MAR.2020 02:46:40


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:45:03




Date: 19.MAR.2020 02:45:10



Date: 19.MAR.2020 02:45:17


Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	242/62
-----------	--------------------------	------------------	--------

Bandedge-CH03




Date: 19.MAR.2020 02:13:27

Bandedge-CH09




Date: 19.MAR.2020 02:14:33


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:13:40




Date: 19.MAR.2020 02:13:47




Date: 19.MAR.2020 02:13:54


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:18:50




Date: 19.MAR.2020 02:18:57




Date: 19.MAR.2020 02:19:04


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:14:46




Date: 19.MAR.2020 02:14:53



Date: 19.MAR.2020 02:15:00


Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	242/62
-----------	--------------------------	------------------	--------

Bandedge-CH03




Date: 19.MAR.2020 02:13:16

Bandedge-CH09




Date: 19.MAR.2020 02:13:24


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:13:29




Date: 19.MAR.2020 02:13:36




Date: 19.MAR.2020 02:13:43


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:19:41




Date: 19.MAR.2020 02:19:48




Date: 19.MAR.2020 02:19:55


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 02:25:37




Date: 19.MAR.2020 02:25:44



Date: 19.MAR.2020 02:25:51


Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	484/65
-----------	--------------------------	------------------	--------

Bandedge-CH03




Date: 19.MAR.2020 01:37:03

Bandedge-CH09




Date: 19.MAR.2020 01:42:130


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:37:16




Date: 19.MAR.2020 01:37:23




Date: 19.MAR.2020 01:37:30


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:41:26




Date: 19.MAR.2020 01:41:33




Date: 19.MAR.2020 01:41:40


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:42:43




Date: 19.MAR.2020 01:42:50



Date: 19.MAR.2020 01:42:57


Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	484/65
-----------	--------------------------	------------------	--------

Bandedge-CH03




Date: 19.MAR.2020 01:34:24

Bandedge-CH09




Date: 19.MAR.2020 01:43:21


CH03 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:34:37




Date: 19.MAR.2020 01:34:44




Date: 19.MAR.2020 01:38:02


CH06 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:40:02




Date: 19.MAR.2020 01:40:09




Date: 19.MAR.2020 01:40:16


CH09 – 10th Harmonic of the fundamental frequency



Date: 19.MAR.2020 01:43:34



Date: 19.MAR.2020 01:43:41



Date: 19.MAR.2020 01:43:48


APPENDIX H - POWER SPECTRAL DENSITY

For 2T2R


Non-Beamforming

Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	52/38
-----------	--------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.53	7.99	Complies
06	2437	1.26	7.99	Complies
11	2462	1.37	7.99	Complies



Date: 16/MAR/2020 20:00:37




Date: 16/MAR/2020 20:02:43




Date: 16/MAR/2020 20:03:33

Test Mode	TX AX (HE20) Mode_Ant. 2	RU configuration	52/38
-----------	--------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.76	7.99	Complies
06	2437	2.21	7.99	Complies
11	2462	2.19	7.99	Complies



Date: 16/MAR/2020 20:01:06



Date: 16/MAR/2020 20:02:10




Date: 16/MAR/2020 20:04:02

Test Mode	TX AX (HE20) Mode_Total	RU configuration	52/38
-----------	-------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	4.66	7.99	Complies
06	2437	4.77	7.99	Complies
11	2462	4.81	7.99	Complies

Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	106/53
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.70	7.99	Complies
06	2437	0.83	7.99	Complies
11	2462	2.21	7.99	Complies



Date: 16.MAR.2020 20116127




Date: 16.MAR.2020 20117133




Date: 16.MAR.2020 20119130

Test Mode	TX AX (HE20) Mode_Ant. 2	RU configuration	106/53
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.87	7.99	Complies
06	2437	1.65	7.99	Complies
11	2462	1.44	7.99	Complies



Date: 16.MAR.2020 20115154



Date: 16.MAR.2020 20118106




Date: 16.MAR.2020 20119101

Test Mode	TX AX (HE20) Mode_Total	RU configuration	106/53
-----------	-------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	4.80	7.99	Complies
06	2437	4.27	7.99	Complies
11	2462	4.85	7.99	Complies

Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	242/61
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-1.80	7.99	Complies
06	2437	-0.84	7.99	Complies
11	2462	-1.54	7.99	Complies



Date: 16.MAR.2020 21:09:58




Date: 16.MAR.2020 21:10:44




Date: 16.MAR.2020 21:11:27

Test Mode	TX AX (HE20) Mode_Ant. 2	RU configuration	242/61
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-0.61	7.99	Complies
06	2437	-0.38	7.99	Complies
11	2462	-0.30	7.99	Complies



Date: 16.MAR.2020 21:10:56



Date: 16.MAR.2020 21:10:49




Date: 16.MAR.2020 21:11:50

Test Mode	TX AX (HE20) Mode_Total	RU configuration	242/61
-----------	-------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.85	7.99	Complies
06	2437	2.41	7.99	Complies
11	2462	2.13	7.99	Complies

Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	52/40
-----------	--------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-4.43	7.99	Complies
06	2437	-2.25	7.99	Complies
09	2452	-3.23	7.99	Complies



Date: 18.MAR.2020 11:20:44




Date: 18.MAR.2020 11:18:07




Date: 18.MAR.2020 11:17:00

Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	52/40
-----------	--------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.77	7.99	Complies
06	2437	-7.75	7.99	Complies
09	2452	-8.46	7.99	Complies



Date: 18.MAR.2020 11:19:47



Date: 18.MAR.2020 11:18:44




Date: 18.MAR.2020 11:15:11

Test Mode	TX AX (HE40) Mode_Total	RU configuration	52/40
-----------	-------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-3.32	7.99	Complies
06	2437	-1.17	7.99	Complies
09	2452	-2.09	7.99	Complies

Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	106/54
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-7.35	7.99	Complies
06	2437	-6.90	7.99	Complies
09	2452	-5.36	7.99	Complies



Date: 18.MAR.2020 11:32:09




Date: 18.MAR.2020 11:33:48




Date: 18.MAR.2020 13:10:27

Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	106/54
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-12.07	7.99	Complies
06	2437	-12.45	7.99	Complies
09	2452	-10.40	7.99	Complies



Date: 18.MAR.2020 11:32:36



Date: 18.MAR.2020 11:33:22




Date: 18.MAR.2020 13:11:01

Test Mode	TX AX (HE40) Mode_Total	RU configuration	106/54
-----------	-------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-6.09	7.99	Complies
06	2437	-5.83	7.99	Complies
09	2452	-4.18	7.99	Complies

Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	242/62
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.14	7.99	Complies
06	2437	-7.26	7.99	Complies
09	2452	-8.17	7.99	Complies



Date: 18.MAR.2020 15:16:03




Date: 18.MAR.2020 15:12:16




Date: 18.MAR.2020 13:12:17

Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	242/62
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.88	7.99	Complies
06	2437	-12.19	7.99	Complies
09	2452	-8.52	7.99	Complies



Date: 18.MAR.2020 15:16:34



Date: 18.MAR.2020 15:12:16




Date: 18.MAR.2020 13:12:15

Test Mode	TX AX (HE40) Mode_Total	RU configuration	242/62
-----------	-------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-8.11	7.99	Complies
06	2437	-6.05	7.99	Complies
09	2452	-5.33	7.99	Complies

Test Mode	TX AX (HE40) Mode_Ant. 1	RU configuration	484/65
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-13.89	7.99	Complies
06	2437	-11.44	7.99	Complies
09	2452	-12.61	7.99	Complies



Date: 18.MAR.2020 15:23:44




Date: 18.MAR.2020 15:25:16




Date: 18.MAR.2020 15:26:16

Test Mode	TX AX (HE40) Mode_Ant. 2	RU configuration	484/65
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-17.78	7.99	Complies
06	2437	-16.64	7.99	Complies
09	2452	-18.07	7.99	Complies



Date: 18.MAR.2020 15:28:18



Date: 18.MAR.2020 15:29:08



Date: 18.MAR.2020 15:27:08

Test Mode	TX AX (HE40) Mode_Total	RU configuration	484/65
-----------	-------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-12.40	7.99	Complies
06	2437	-10.29	7.99	Complies
09	2452	-11.52	7.99	Complies

End of Test Report