


Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	85.61	76.40

CH42 26 dB Bandwidth



Date: 4.NOV.2021 15:13:37

99 % Occupied Bandwidth




Date: 4.NOV.2021 15:12:22

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.95	17.30
60	5300	22.39	17.30
64	5320	22.15	17.10

CH52




Date: 4.NOV.2021 14:02:03

CH60
26 dB Bandwidth




Date: 4.NOV.2021 14:03:03

CH64




Date: 4.NOV.2021 14:03:59


99 % Occupied Bandwidth



Date: 4.NOV.2021 14:01:40



Date: 4.NOV.2021 14:02:41




Date: 4.NOV.2021 14:03:37

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.71	18.20
60	5300	22.10	18.40
64	5320	21.75	18.20

CH52




Date: 4.NOV.2021 14:31:28

CH60
26 dB Bandwidth




Date: 4.NOV.2021 14:32:29

CH64




Date: 4.NOV.2021 14:33:35


99 % Occupied Bandwidth



Date: 4.NOV.2021 14:31:09



Date: 4.NOV.2021 14:32:07




Date: 4.NOV.2021 14:33:12

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.85	17.10
116	5580	22.09	17.30
140	5700	22.55	17.30

CH100




Date: 4.NOV.2021 14:05:00

CH116
26 dB Bandwidth




Date: 4.NOV.2021 14:06:53

CH140




Date: 4.NOV.2021 14:07:50


99 % Occupied Bandwidth



Date: 4.NOV.2021 14:04:39



Date: 4.NOV.2021 14:06:31




Date: 4.NOV.2021 14:07:28

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.11	18.10
116	5580	22.49	18.20
140	5700	22.45	18.20

CH100




Date: 4.NOV.2021 14:34:37

CH116
26 dB Bandwidth




Date: 4.NOV.2021 14:35:39

CH140




Date: 4.NOV.2021 14:36:37


99 % Occupied Bandwidth



Date: 4.NOV.2021 14:34:15



Date: 4.NOV.2021 14:35:17




Date: 4.NOV.2021 14:36:15

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	84.00	76.00
122	5610	90.20	75.20

CH106




Date: 4.NOV.2021 15:23:30

CH122
26 dB Bandwidth




Date: 4.NOV.2021 15:25:20

99 % Occupied Bandwidth



Date: 4.NOV.2021 15:18:40




Date: 4.NOV.2021 15:24:38

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.35	17.40	0.50	Complies
157	5785	16.50	17.30	0.50	Complies
165	5825	16.41	17.20	0.50	Complies

CH149




Date: 4.NOV.2021 14:08:57

CH157
6 dB Bandwidth




Date: 4.NOV.2021 14:10:32

CH165




Date: 4.NOV.2021 14:11:32


99 % Occupied Bandwidth



Date: 4.NOV.2021 14:08:32



Date: 4.NOV.2021 14:10:05




Date: 4.NOV.2021 14:11:07

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.65	18.40	0.50	Complies
157	5785	17.49	18.10	0.50	Complies
165	5825	17.80	18.10	0.50	Complies

CH149




Date: 4.NOV.2021 14:37:36

CH157
6 dB Bandwidth




Date: 4.NOV.2021 14:38:42

CH165




Date: 4.NOV.2021 14:39:41


99 % Occupied Bandwidth



Date: 4.NOV.2021 14:37:12



Date: 4.NOV.2021 14:38:16




Date: 4.NOV.2021 14:39:17

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.81	36.80	0.50	Complies
159	5795	35.41	37.00	0.50	Complies

CH151




Date: 4.NOV.2021 15:09:43

CH159
6 dB Bandwidth




Date: 4.NOV.2021 15:11:02

99 % Occupied Bandwidth



Date: 4.NOV.2021 15:09:12




Date: 4.NOV.2021 15:10:28

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	72.00	75.20	0.50	Complies

CH155 6 dB Bandwidth



Date: 4.NOV.2021 15:28:44

99 % Occupied Bandwidth



Date: 4.NOV.2021 15:26:27

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.44	0.59	13.03	23.98	0.2500	Complies
40	5200	12.42	0.59	13.01	23.98	0.2500	Complies
48	5240	12.52	0.59	13.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.41	0.63	13.04	23.98	0.2500	Complies
40	5200	12.39	0.63	13.02	23.98	0.2500	Complies
48	5240	12.37	0.63	13.00	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.60	1.49	12.09	23.98	0.2500	Complies
46	5230	10.56	1.49	12.05	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.10	0.92	13.02	23.98	0.2500	Complies
40	5200	12.25	0.92	13.17	23.98	0.2500	Complies
48	5240	12.12	0.92	13.04	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.46	1.63	12.09	23.98	0.2500	Complies
46	5230	10.37	1.63	12.00	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.17	2.93	11.10	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.60	0.59	13.19	23.98	0.2500	Complies
60	5300	12.54	0.59	13.13	23.98	0.2500	Complies
64	5320	12.61	0.59	13.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.64	0.63	13.27	23.98	0.2500	Complies
60	5300	12.53	0.63	13.16	23.98	0.2500	Complies
64	5320	12.57	0.63	13.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.65	1.49	12.14	23.98	0.2500	Complies
62	5310	10.63	1.49	12.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.27	0.92	13.19	23.98	0.2500	Complies
60	5300	12.32	0.92	13.24	23.98	0.2500	Complies
64	5320	12.25	0.92	13.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.47	1.63	12.10	23.98	0.2500	Complies
62	5310	10.50	1.63	12.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.07	2.93	11.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.67	0.59	13.26	23.98	0.2500	Complies
116	5580	12.73	0.59	13.32	23.98	0.2500	Complies
140	5700	12.46	0.59	13.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.66	0.63	13.29	23.98	0.2500	Complies
116	5580	12.71	0.63	13.34	23.98	0.2500	Complies
140	5700	12.54	0.63	13.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.51	1.49	12.00	23.98	0.2500	Complies
110	5550	10.69	1.49	12.18	23.98	0.2500	Complies
134	5670	10.59	1.49	12.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.13	0.92	13.05	23.98	0.2500	Complies
116	5580	12.34	0.92	13.26	23.98	0.2500	Complies
140	5700	12.31	0.92	13.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.42	1.63	12.05	23.98	0.2500	Complies
110	5550	10.52	1.63	12.15	23.98	0.2500	Complies
134	5670	10.41	1.63	12.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.19	2.93	11.12	23.98	0.2500	Complies
122	5610	8.31	2.93	11.24	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.48	0.59	13.07	30.00	1.0000	Complies
157	5785	12.41	0.59	13.00	30.00	1.0000	Complies
165	5825	12.69	0.59	13.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.51	0.63	13.14	30.00	1.0000	Complies
157	5785	12.58	0.63	13.21	30.00	1.0000	Complies
165	5825	12.35	0.63	12.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.53	1.49	12.02	30.00	1.0000	Complies
159	5795	10.66	1.49	12.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.24	0.92	13.16	30.00	1.0000	Complies
157	5785	12.44	0.92	13.36	30.00	1.0000	Complies
165	5825	12.35	0.92	13.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.37	1.63	12.00	30.00	1.0000	Complies
159	5795	10.66	1.63	12.29	30.00	1.0000	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.22	2.93	11.15	30.00	1.0000	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.94	0.59	4.53	11.00	Complies
40	5200	4.01	0.59	4.60	11.00	Complies
48	5240	3.86	0.59	4.45	11.00	Complies



Date: 4.NOV.2021 13:57:33




Date: 4.NOV.2021 13:59:07




Date: 4.NOV.2021 14:00:51

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.32	0.92	4.24	11.00	Complies
40	5200	3.37	0.92	4.29	11.00	Complies
48	5240	3.59	0.92	4.51	11.00	Complies



Date: 4.NOV.2021 14:29:38




Date: 4.NOV.2021 14:29:10




Date: 4.NOV.2021 14:30:39

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.44	1.63	2.07	11.00	Complies
46	5230	0.06	1.63	1.69	11.00	Complies

CH38



Date: 4.NOV.2021 14:56:32

CH46


Date: 4.NOV.2021 15:00:03

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.17	2.93	-0.24	11.00	Complies

CH42



Date: 4.NOV.2021 15:13:57

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.00	0.59	4.59	11.00	Complies
60	5300	3.67	0.59	4.26	11.00	Complies
64	5320	3.76	0.59	4.35	11.00	Complies



Date: 4.NOV.2021 14:02:17




Date: 4.NOV.2021 14:03:17




Date: 4.NOV.2021 14:04:13

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.69	0.92	4.61	11.00	Complies
60	5300	3.27	0.92	4.19	11.00	Complies
64	5320	3.66	0.92	4.58	11.00	Complies



Date: 4.NOV.2021 14:31:42



Date: 4.NOV.2021 14:32:43




Date: 4.NOV.2021 14:33:49

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.61	1.63	2.24	11.00	Complies
62	5310	-0.31	1.63	1.32	11.00	Complies

CH54



Date: 4.NOV.2021 15:01:36

CH62




Date: 4.NOV.2021 15:03:07

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.25	2.93	-1.32	11.00	Complies


CH58




Date: 4.NOV.2021 15:17:30

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.57	0.59	3.16	11.00	Complies
116	5580	2.52	0.59	3.11	11.00	Complies
140	5700	2.21	0.59	2.80	11.00	Complies



Date: 4.NOV.2021 14:05:15




Date: 4.NOV.2021 14:07:07




Date: 4.NOV.2021 14:08:04

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.51	0.92	2.43	11.00	Complies
116	5580	1.79	0.92	2.71	11.00	Complies
140	5700	1.73	0.92	2.65	11.00	Complies



Date: 4.NOV.2021 14:34:51




Date: 4.NOV.2021 14:35:53




Date: 4.NOV.2021 14:36:51

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.69	1.63	-0.06	11.00	Complies
110	5550	-1.77	1.63	-0.14	11.00	Complies
134	5670	-1.80	1.63	-0.17	11.00	Complies



Date: 4.NOV.2021 15:04:35




Date: 4.NOV.2021 15:05:55




Date: 4.NOV.2021 15:08:24

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.18	2.93	-2.25	11.00	Complies
122	5610	-5.29	2.93	-2.36	11.00	Complies




Date: 4.NOV.2021 15:23:50




Date: 4.NOV.2021 15:25:41

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.92	0.59	1.51	30.00	Complies
157	5785	0.72	0.59	1.31	30.00	Complies
165	5825	0.57	0.59	1.16	30.00	Complies



Date: 4.NOV.2021 14:09:11




Date: 4.NOV.2021 14:10:46




Date: 4.NOV.2021 14:11:46

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.49	0.92	1.41	30.00	Complies
157	5785	0.32	0.92	1.24	30.00	Complies
165	5825	0.01	0.92	0.93	30.00	Complies



Date: 4.NOV.2021 14:37:50



Date: 4.NOV.2021 14:38:56




Date: 4.NOV.2021 14:39:55

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.28	1.63	-1.65	30.00	Complies
159	5795	-3.40	1.63	-1.77	30.00	Complies

CH151



Date: 4.NOV.2021 15:10:03

CH159




Date: 4.NOV.2021 15:11:22

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.55	2.93	-4.62	30.00	Complies

CH155



Date: 4.NOV.2021 15:28:01

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
13.8	5180.0164
12.0	5180.0144
10.2	5180.0148
Maximum Deviation (MHz)	0.0164
Maximum Deviation (ppm)	3.1660

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0152
10	5180.0148
20	5180.0144
30	5180.0152
40	5180.0144
Maximum Deviation (MHz)	0.0152
Maximum Deviation (ppm)	2.9344

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
13.8	5260.0152
12.0	5260.0156
10.2	5260.0152
Maximum Deviation (MHz)	0.0156
Maximum Deviation (ppm)	2.9658

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0144
10	5260.0140
20	5260.0156
30	5260.0144
40	5260.0144
Maximum Deviation (MHz)	0.0156
Maximum Deviation (ppm)	2.9658

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
13.8	5500.0168
12.0	5500.0164
10.2	5500.0132
Maximum Deviation (MHz)	0.0168
Maximum Deviation (ppm)	3.0545

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5500.0156
10	5500.0144
20	5500.0148
30	5500.0148
40	5500.0136
Maximum Deviation (MHz)	0.0168
Maximum Deviation (ppm)	3.0545

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
13.8	5745.0172
12.0	5745.0164
10.2	5745.0144
Maximum Deviation (MHz)	0.0172
Maximum Deviation (ppm)	2.9939

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0148
10	5745.0148
20	5745.0168
30	5745.0148
40	5745.0156
Maximum Deviation (MHz)	0.0168
Maximum Deviation (ppm)	2.9243

End of Test Report