

Abocom Systems, Inc.

CA1522M Camera Setting Instructions (Android)

[Introduction]

This file will show you how to use the “**P2PCamLive**” app of the phone, and environment architecture chart of the “**CA1522M**”.

[Install]

For the first time, please download “**P2PCamLive**” app and install.




Click Install, this app will be installed to your phone.

[Connect to CA1522M]


Users have **3 ways** to connect to CA1522M, and then there are **3 ways** to connect P2PCamLive app and use.

1. Local Link

Users use **Wi-Fi** direct link CA1522M. (The default SSID is “**CA1522M-24**”, default password is “**12345678**”).



As shown, users using **Wi-Fi** direct link CA1522M, and then there are 3 ways to connect P2PCamLive app.




Search default SSID “**CA1522M-24**”, and the default password is “**12345678**”.



Confirm the connection status, this status shows “**Connected**”.

2. Internet-WPS Link

Users using the AP-Router connected by **WPS** on CA1522M, and then using the phone Wi-Fi (or Internet) link to this AP-Router, so will be able to complete.



As shown, users using the AP-Router connected by **WPS** on CA1522M, and then there are 3 ways to connect P2PCamLive app.



As shown, users pressed the **WPS-button (over 2 seconds)** to create a link with the AP-Router.

A screenshot of the AP-Router's web interface. The left sidebar shows a 'MONITOR' menu with options: Monitor, Log, BW MGMT Monitor, DHCP Table, Packet Statistics, WLAN 2.4G Station Status (highlighted with a red box), and WLAN 5G Station Status. The main content area shows the 'Association List' for 'Monitor > WLAN 2.4G Station Status > Association List'. The table lists three associations, with the third one highlighted by a red box.

#	MAC Address	Association Time
1	00:12:0E:01:24:11	08:20:19 2014/01/14
2	AC:F7:F3:CF:0B:A3	14:44:31 2014/01/15
3	EC:F0:0E:18:AB:7D	16:52:53 2014/01/15

Refresh


After creating the link, you will see a link to the information on the AP-Router screen.



As shown, you can use the phone Wi-Fi (or Internet) connected to the AP-Router, then connect CA1522M.

3. Internet -Ethernet Link

Users using the AP-Router connected by **Ethernet** on CA1522M, and then using the phone Wi-Fi (or Internet) link to this AP-Router, so will be able to complete.



*As shown, users using the AP-Router connected by **Ethernet** on*

CA1522M, and then there are 3 ways to connect P2PCamLive app.



MONITOR

open all | close all

Monitor > DHCP Table > DHCP Table

DHCP Table

DHCP Client Table

#	MAC Address	IP Address	Host Name	Expires in
1	AC:F7:F3:CF:0B:A3	192.168.1.36	android-2493ac4	21:27:43
2	EC:F0:0E:18:AB:7C	192.168.1.40		23:59:30
3	EC:F0:0E:18:AB:7E	192.168.1.43		23:59:00

Refresh

After creating the link, you will see a link to the information on the AP-Router screen.



As shown, you can use the phone Wi-Fi (or Internet) connected to the AP-Router, then connect CA1522M.

[Add Camera and Setting]

When completed confirmation link CA1522M, and then open **P2PCamLive** app main screen, then select the “**click here to add cameras**” to enter the editing screen, and there are 3 ways to connect and use.



Open P2PCamLive app, then enter the main screen

I. Key-in UID



*Please key-in a corresponding UID. (**UID number is 20 yards**)*



Please key-in password, then select OK. (The default password is “888888”)



Congratulations, you have finished adding the camera, and then tap the screen to enter the camera.



As shown, you can find out the video captured by the camera.

II. QR Code



Please scan the QR Code, and confirm whether an error.



Please key-in password, then select OK. (The default password is “888888”)



Congratulations, you have finished adding the camera, and then tap the screen to enter the camera.



As shown, you can find out the video captured by the camera.

III. LAN Search



Select LAN Search. And confirm UID number is 20 yards, selected after confirmation.



Please key-in password, then select OK. (The default password is “888888”)



Congratulations, you have finished adding the camera, and then tap the screen to enter the camera.



As shown, you can find out the video captured by the camera.

FCC Statement:

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

For product available in the USA/Canada market, only channel 1~11 can be operated. Selection of other channels is not possible.

This device and its antennas(s) must not be co-located or operating in conjunction with any other antenna or transmitter except in accordance with FCC multi-transmitter product procedures.

IMPORTANT NOTE:

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.