

2.4G RF-Avg

Main(TX0)

| 802.11b | | Average Power Output (dBm) |
|---------|-----------------|----------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | 1 |
| 1 | 2412 | 14.97 |
| 6 | 2437 | 14.99 |
| 11 | 2462 | 14.98 |
| 12 | 2467 | 14.80 |
| 13 | 2472 | 14.72 |

| 802.11g | | Average Power Output(dBm) |
|---------|-----------------|---------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | 6 |
| 1 | 2412 | 14.85 |
| 6 | 2437 | 14.85 |
| 11 | 2462 | 14.84 |
| 12 | 2467 | 14.78 |
| 13 | 2472 | 11.70 |

| 802.11n HT20 | | Average Power Output(dBm) |
|--------------|-----------------|---------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | MCS0 |
| 1 | 2412 | 14.88 |
| 6 | 2437 | 14.76 |
| 11 | 2462 | 14.79 |
| 12 | 2467 | 14.65 |
| 13 | 2472 | 11.60 |

| 802.11n HT40 | | Average Power Output(dBm) |
|--------------|-----------------|---------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | MCS0 |
| 3 | 2422 | 14.76 |
| 6 | 2437 | 14.91 |
| 9 | 2452 | 14.87 |
| 10 | 2457 | 12.10 |
| 11 | 2462 | 9.67 |

| 802.11ax HE20 | | RU Config | Average Power Output(dBm) |
|---------------|-----------------|-----------|---------------------------|
| CH | Frequency (MHz) | | Data Rate (Mbps) |
| | | | MCS0 |
| 1 | 2412 | full | 14.86 |
| 6 | 2437 | full | 14.93 |
| 11 | 2462 | full | 14.82 |
| 12 | 2467 | full | 14.76 |
| 13 | 2472 | full | 11.56 |

| 802.11ax HE40 | | RU Config | Average Power Output(dBm) |
|---------------|-----------------|-----------|---------------------------|
| CH | Frequency (MHz) | | Data Rate (Mbps) |
| | | | MCS0 |
| 3 | 2422 | full | 14.81 |
| 6 | 2437 | full | 14.79 |
| 9 | 2452 | full | 14.81 |
| 10 | 2457 | full | 12.20 |
| 11 | 2462 | full | 9.70 |

Aux(TX1)

| 802.11b | | Average Power Output (dBm) |
|---------|-----------------|----------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | 1 |
| 1 | 2412 | 13.43 |
| 6 | 2437 | 13.49 |
| 11 | 2462 | 14.48 |
| 12 | 2467 | 13.36 |
| 13 | 2472 | 13.42 |

| 802.11g | | Average Power Output(dBm) |
|---------|-----------------|---------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | 6 |
| 1 | 2412 | 13.41 |
| 6 | 2437 | 13.36 |
| 11 | 2462 | 13.33 |
| 12 | 2467 | 13.34 |
| 13 | 2472 | 11.80 |

| 802.11n HT20 | | Average Power Output(dBm) |
|--------------|-----------------|---------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | MCS0 |
| 1 | 2412 | 13.32 |
| 6 | 2437 | 13.38 |
| 11 | 2462 | 13.42 |
| 12 | 2467 | 13.34 |
| 13 | 2472 | 11.65 |

| 802.11n HT40 | | Average Power Output(dBm) |
|--------------|-----------------|---------------------------|
| CH | Frequency (MHz) | Data Rate (Mbps) |
| | | MCS0 |
| 3 | 2422 | 13.32 |
| 6 | 2437 | 13.41 |
| 9 | 2452 | 13.41 |
| 10 | 2457 | 12.40 |
| 11 | 2462 | 10.62 |

| 802.11ax HE20 | | RU Config | Average Power Output(dBm) |
|---------------|-----------------|-----------|---------------------------|
| CH | Frequency (MHz) | | Data Rate (Mbps) |
| | | | MCS0 |
| 1 | 2412 | full | 13.42 |
| 6 | 2437 | full | 13.36 |
| 11 | 2462 | full | 13.34 |
| 12 | 2467 | full | 13.42 |
| 13 | 2472 | full | 11.83 |

| 802.11ax HE40 | | RU Config | Average Power Output(dBm) |
|---------------|-----------------|-----------|---------------------------|
| CH | Frequency (MHz) | | Data Rate (Mbps) |
| | | | MCS0 |
| 3 | 2422 | full | 13.32 |
| 6 | 2437 | full | 13.31 |
| 9 | 2452 | full | 13.28 |
| 10 | 2457 | full | 12.45 |
| 11 | 2462 | full | 10.67 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4G RF-Peak

| Main(TX0) | | | | Aux(TX1) | | | | MIMO | | | |
|---------------|-----------------|------------------------|------------------------|---------------|-----------------|------------------------|------------------------|------|--|--|--|
| 802.11b | | Peak Power Output(dBm) | | 802.11b | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | Data Rate (Mbps) | | CH | Frequency (MHz) | Data Rate (Mbps) | | | | | |
| | | 1 | | | | 1 | | | | | |
| 1 | 2412 | 18.88 | | 1 | 2412 | 17.22 | | | | | |
| 2 | 2417 | 18.86 | | 2 | 2417 | 17.51 | | | | | |
| 6 | 2437 | 18.98 | | 6 | 2437 | 17.52 | | | | | |
| 10 | 2457 | 18.90 | | 10 | 2457 | 17.45 | | | | | |
| 11 | 2462 | 18.89 | | 11 | 2462 | 17.43 | | | | | |
| 12 | 2467 | 18.84 | | 12 | 2467 | 17.32 | | | | | |
| 13 | 2472 | 18.81 | | 13 | 2472 | 17.46 | | | | | |
| 802.11g | | Peak Power Output(dBm) | | 802.11g | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | Data Rate (Mbps) | | CH | Frequency (MHz) | Data Rate (Mbps) | | | | | |
| | | 6 | | | | 6 | | | | | |
| 1 | 2412 | 19.26 | | 1 | 2412 | 18.24 | | | | | |
| 2 | 2417 | 19.23 | | 2 | 2417 | 18.16 | | | | | |
| 6 | 2437 | 19.16 | | 6 | 2437 | 18.35 | | | | | |
| 10 | 2457 | 19.21 | | 10 | 2457 | 18.21 | | | | | |
| 11 | 2462 | 19.23 | | 11 | 2462 | 18.33 | | | | | |
| 12 | 2467 | 19.17 | | 12 | 2467 | 18.21 | | | | | |
| 13 | 2472 | 16.93 | | 13 | 2472 | 17.50 | | | | | |
| 802.11n HT20 | | Peak Power Output(dBm) | | 802.11n HT20 | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | Data Rate (Mbps) | | CH | Frequency (MHz) | Data Rate (Mbps) | | | | | |
| | | MCS0 | | | | MCS0 | | | | | |
| 1 | 2412 | 19.31 | | 1 | 2412 | 18.05 | | | | | |
| 2 | 2417 | 19.30 | | 2 | 2417 | 18.11 | | | | | |
| 6 | 2437 | 19.44 | | 6 | 2437 | 18.12 | | | | | |
| 10 | 2457 | 19.25 | | 10 | 2457 | 18.03 | | | | | |
| 11 | 2462 | 19.40 | | 11 | 2462 | 18.23 | | | | | |
| 12 | 2467 | 19.24 | | 12 | 2467 | 18.10 | | | | | |
| 13 | 2472 | 16.32 | | 13 | 2472 | 17.21 | | | | | |
| 802.11n HT40 | | Peak Power Output(dBm) | | 802.11n HT40 | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | Data Rate (Mbps) | | CH | Frequency (MHz) | Data Rate (Mbps) | | | | | |
| | | MCS0 | | | | MCS0 | | | | | |
| 3 | 2422 | 20.43 | | 3 | 2422 | 19.12 | | | | | |
| 4 | 2427 | 20.34 | | 4 | 2427 | 19.31 | | | | | |
| 6 | 2437 | 20.78 | | 6 | 2437 | 19.45 | | | | | |
| 8 | 2447 | 20.40 | | 8 | 2447 | 19.20 | | | | | |
| 9 | 2452 | 20.66 | | 9 | 2452 | 19.23 | | | | | |
| 10 | 2457 | 17.95 | | 10 | 2457 | 17.99 | | | | | |
| 11 | 2462 | 15.63 | | 11 | 2462 | 17.01 | | | | | |
| 802.11ax HE20 | | RU Config | Peak Power Output(dBm) | 802.11ax HE20 | | RU Config | Peak Power Output(dBm) | | | | |
| CH | Frequency (MHz) | | Data Rate (Mbps) | CH | Frequency (MHz) | | Data Rate (Mbps) | | | | |
| | | | MCS0 | | | | MCS0 | | | | |
| 1 | 2412 | full | 19.82 | 1 | 2412 | full | 18.12 | | | | |
| 2 | 2417 | full | 19.58 | 2 | 2417 | full | 18.16 | | | | |
| 6 | 2437 | full | 19.95 | 6 | 2437 | full | 18.04 | | | | |
| 10 | 2457 | full | 19.43 | 10 | 2457 | full | 18.07 | | | | |
| 11 | 2462 | full | 19.52 | 11 | 2462 | full | 18.12 | | | | |
| 12 | 2467 | full | 19.42 | 12 | 2467 | full | 18.25 | | | | |
| 13 | 2472 | full | 16.92 | 13 | 2472 | full | 17.45 | | | | |
| 802.11ax HE40 | | RU Config | Peak Power Output(dBm) | 802.11ax HE40 | | RU Config | Peak Power Output(dBm) | | | | |
| CH | Frequency (MHz) | | Data Rate (Mbps) | CH | Frequency (MHz) | | Data Rate (Mbps) | | | | |
| | | | MCS0 | | | | MCS0 | | | | |
| 3 | 2422 | full | 20.50 | 3 | 2422 | full | 19.24 | | | | |
| 4 | 2427 | full | 20.44 | 4 | 2427 | full | 19.23 | | | | |
| 6 | 2437 | full | 20.56 | 6 | 2437 | full | 19.44 | | | | |
| 8 | 2447 | full | 20.63 | 8 | 2447 | full | 19.11 | | | | |
| 9 | 2452 | full | 20.66 | 9 | 2452 | full | 19.21 | | | | |
| 10 | 2457 | full | 17.93 | 10 | 2457 | full | 18.10 | | | | |
| 11 | 2462 | full | 15.73 | 11 | 2462 | full | 16.92 | | | | |
| 802.11n HT20 | | Peak Power Output(dBm) | | 802.11n HT20 | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | Data Rate (Mbps) | | CH | Frequency (MHz) | Data Rate (Mbps) | | | | | |
| | | MCS0 | | | | MCS0 | | | | | |
| | | ch 0 | ch 1 | ch 0+1 | | | | | | | |
| 1 | 2412 | 19.12 | 17.87 | 21.55 | | | | | | | |
| 2 | 2417 | 19.29 | 17.94 | 21.68 | | | | | | | |
| 6 | 2437 | 19.25 | 18.10 | 21.72 | | | | | | | |
| 10 | 2457 | 19.02 | 17.80 | 21.46 | | | | | | | |
| 11 | 2462 | 19.40 | 18.05 | 21.79 | | | | | | | |
| 12 | 2467 | 19.18 | 17.86 | 21.58 | | | | | | | |
| 13 | 2472 | 16.21 | 17.16 | 19.72 | | | | | | | |
| 802.11n HT40 | | Peak Power Output(dBm) | | 802.11n HT40 | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | Data Rate (Mbps) | | CH | Frequency (MHz) | Data Rate (Mbps) | | | | | |
| | | MCS0 | | | | MCS0 | | | | | |
| | | ch 0 | ch 1 | ch 0+1 | | | | | | | |
| 3 | 2422 | 20.28 | 19.04 | 22.71 | | | | | | | |
| 4 | 2427 | 20.19 | 19.28 | 22.77 | | | | | | | |
| 6 | 2437 | 20.60 | 19.28 | 23.00 | | | | | | | |
| 8 | 2447 | 20.19 | 19.15 | 22.71 | | | | | | | |
| 9 | 2452 | 20.62 | 19.07 | 22.92 | | | | | | | |
| 10 | 2457 | 17.77 | 17.79 | 20.79 | | | | | | | |
| 11 | 2462 | 15.44 | 16.93 | 19.26 | | | | | | | |
| 802.11ax HE20 | | Peak Power Output(dBm) | | 802.11ax HE20 | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | RU Config | Data Rate (Mbps) | CH | Frequency (MHz) | RU Config | Data Rate (Mbps) | | | | |
| | | | MCS0 | | | | MCS0 | | | | |
| | | | ch 0 | ch 1 | ch 0+1 | | | | | | |
| 1 | 2412 | full | 19.74 | 17.93 | 21.94 | | | | | | |
| 2 | 2417 | full | 19.51 | 18.14 | 21.89 | | | | | | |
| 6 | 2437 | full | 19.95 | 17.90 | 22.06 | | | | | | |
| 10 | 2457 | full | 19.19 | 17.96 | 21.63 | | | | | | |
| 11 | 2462 | full | 19.38 | 17.99 | 21.75 | | | | | | |
| 12 | 2467 | full | 19.33 | 18.16 | 21.79 | | | | | | |
| 13 | 2472 | full | 16.84 | 17.37 | 20.12 | | | | | | |
| 802.11ax HE40 | | Peak Power Output(dBm) | | 802.11ax HE40 | | Peak Power Output(dBm) | | | | | |
| CH | Frequency (MHz) | RU Config | Data Rate (Mbps) | CH | Frequency (MHz) | RU Config | Data Rate (Mbps) | | | | |
| | | | MCS0 | | | | MCS0 | | | | |
| | | | ch 0 | ch 1 | ch 0+1 | | | | | | |
| 3 | 2422 | full | 20.28 | 19.03 | 22.71 | | | | | | |
| 4 | 2427 | full | 20.27 | 19.23 | 22.79 | | | | | | |
| 6 | 2437 | full | 20.37 | 19.19 | 22.83 | | | | | | |
| 8 | 2447 | full | 20.49 | 18.94 | 22.79 | | | | | | |
| 9 | 2452 | full | 20.50 | 19.08 | 22.86 | | | | | | |
| 10 | 2457 | full | 17.76 | 17.94 | 20.86 | | | | | | |
| 11 | 2462 | full | 15.72 | 16.70 | 19.25 | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT

| | <i>by power meter</i> | | <i>unit: dBm</i> |
|-------------|-----------------------|--------------|------------------|
| 1M | 2402 | 2441 | 2480 |
| <i>Avg</i> | <i>9.01</i> | <i>9.03</i> | <i>9.11</i> |
| <i>Peak</i> | <i>9.98</i> | <i>10.19</i> | <i>10.4</i> |
| 2M | 2402 | 2441 | 2480 |
| <i>Avg</i> | <i>6.85</i> | <i>6.43</i> | <i>6.71</i> |
| <i>Peak</i> | <i>9.14</i> | <i>9.36</i> | <i>9.3</i> |
| 3M | 2402 | 2441 | 2480 |
| <i>Avg</i> | <i>6.91</i> | <i>6.77</i> | <i>6.57</i> |
| <i>Peak</i> | <i>9.16</i> | <i>9.38</i> | <i>9.4</i> |

BLE 1M 2M

| | <i>by power meter</i> | | <i>unit: dBm</i> |
|---------------|-----------------------|-------------|------------------|
| BLE 1M | 2402 | 2440 | 2480 |
| <i>Peak</i> | <i>8.77</i> | <i>8.71</i> | <i>8.63</i> |
| <i>Avg</i> | <i>6.99</i> | <i>6.98</i> | <i>6.97</i> |
| BLE 2M | 2402 | 2440 | 2480 |
| <i>Peak</i> | <i>8.53</i> | <i>8.55</i> | <i>8.49</i> |
| <i>Avg</i> | <i>6.95</i> | <i>6.98</i> | <i>6.92</i> |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RF_Avg_MIMO

| MIMO | | | | |
|------------------|-----------------|---------------------------|-------|-----------------------------|
| 802.11n HT20 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS 8 | | MCS 8 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 36 | 5180 | 9.95 | 11.36 | 13.72 |
| 44 | 5220 | 9.88 | 11.40 | 13.72 |
| 48 | 5240 | 9.90 | 11.32 | 13.68 |
| 52 | 5260 | 9.92 | 11.33 | 13.69 |
| 60 | 5300 | 9.84 | 11.30 | 13.64 |
| 64 | 5320 | 9.93 | 11.35 | 13.71 |
| 100 | 5500 | 8.92 | 9.95 | 12.48 |
| 116 | 5580 | 8.91 | 9.87 | 12.43 |
| 140 | 5700 | 8.94 | 9.90 | 12.46 |
| 144 | 5720 | 8.79 | 9.89 | 12.39 |
| 149 | 5745 | 8.90 | 8.75 | 11.84 |
| 157 | 5785 | 8.81 | 8.81 | 11.82 |
| 165 | 5825 | 8.85 | 8.85 | 11.86 |
| 802.11n HT40 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS 8 | | MCS 8 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 38 | 5190 | 9.85 | 11.33 | 13.66 |
| 46 | 5230 | 9.91 | 11.38 | 13.72 |
| 54 | 5270 | 9.98 | 11.33 | 13.72 |
| 62 | 5310 | 9.97 | 11.26 | 13.67 |
| 102 | 5510 | 8.78 | 9.81 | 12.34 |
| 110 | 5550 | 8.84 | 9.78 | 12.35 |
| 134 | 5670 | 8.93 | 9.82 | 12.41 |
| 142 | 5710 | 8.87 | 9.85 | 12.40 |
| 151 | 5755 | 8.92 | 8.82 | 11.88 |
| 159 | 5795 | 8.78 | 8.81 | 11.81 |
| 802.11ac VHT80 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS0 | | MCS0 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 42 | 5210 | 9.78 | 11.23 | 13.58 |
| 58 | 5290 | 9.92 | 11.34 | 13.70 |
| 106 | 5530 | 8.82 | 9.82 | 12.36 |
| 138 | 5690 | 8.83 | 9.78 | 12.34 |
| 155 | 5775 | 8.88 | 8.76 | 11.83 |
| 802.11ac VHT160 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS0 | | MCS0 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 50 | 5250 | 9.99 | 11.49 | 13.81 |
| 802.11ax HE20 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS0 | | MCS0 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 36 | 5180 | 9.88 | 11.29 | 13.65 |
| 44 | 5220 | 9.88 | 11.27 | 13.64 |
| 48 | 5240 | 9.88 | 11.35 | 13.69 |
| 52 | 5260 | 9.97 | 11.31 | 13.70 |
| 60 | 5300 | 9.87 | 11.41 | 13.72 |
| 64 | 5320 | 9.86 | 11.35 | 13.68 |
| 100 | 5500 | 8.78 | 9.80 | 12.33 |
| 116 | 5580 | 8.79 | 9.83 | 12.35 |
| 140 | 5700 | 8.88 | 9.83 | 12.39 |
| 144 | 5720 | 8.93 | 9.77 | 12.38 |
| 149 | 5745 | 8.80 | 8.80 | 11.81 |
| 157 | 5785 | 8.92 | 8.91 | 11.93 |
| 165 | 5825 | 8.77 | 8.83 | 11.81 |
| 802.11ax HE40 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS0 | | MCS0 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 38 | 5190 | 9.84 | 11.32 | 13.65 |
| 46 | 5230 | 9.89 | 11.29 | 13.66 |
| 54 | 5270 | 9.93 | 11.45 | 13.77 |
| 62 | 5310 | 9.86 | 11.40 | 13.71 |
| 102 | 5510 | 8.76 | 9.92 | 12.39 |
| 110 | 5550 | 8.93 | 9.87 | 12.44 |
| 134 | 5670 | 8.84 | 9.77 | 12.34 |
| 142 | 5710 | 8.77 | 9.91 | 12.39 |
| 151 | 5755 | 8.81 | 8.95 | 11.89 |
| 159 | 5795 | 8.91 | 8.79 | 11.86 |
| 802.11ax HE80 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS0 | | MCS0 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 42 | 5210 | 9.88 | 11.30 | 13.66 |
| 58 | 5290 | 9.87 | 11.30 | 13.65 |
| 106 | 5530 | 8.75 | 9.75 | 12.29 |
| 138 | 5690 | 8.85 | 9.84 | 12.38 |
| 155 | 5775 | 8.88 | 8.93 | 11.92 |
| 802.11ax HE160 | | Average Power Output(dBm) | | Average Power + factor(dBm) |
| 5.2/5.3/5.6/5.8G | | Data Rate (Mbps) | | Data Rate (Mbps) |
| CH | Frequency (MHz) | MCS0 | | MCS0 |
| | | Ch0 | Ch1 | Ch 0+1 |
| 50 | 5250 | 9.95 | 11.34 | 13.71 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN 6E MIMO power

| WLAN MIMO | | | | | | |
|-------------------|-------------------|----------------|-----------------|-----------|--|---------------------|
| Band | Mode | Channel | Frequency (MHz) | Data Rate | Max. Rated Avg. Power + Max. Tolerance (dBm) | Average power (dBm) |
| U-NII-5 6.2GHz | 802.11ax20-HE0 | 1 | 5955 | MCS0 | 4.72 | 4.45 |
| | | 45 | 6175 | | 4.65 | 4.52 |
| | | 93 | 6415 | | 4.81 | 4.72 |
| | 802.11ax40-HE0 | 3 | 5985 | MCS0 | 7.57 | 7.35 |
| | | 43 | 6165 | | 7.49 | 7.18 |
| | | 91 | 6405 | | 7.49 | 7.36 |
| | 802.11ax80-HE0 | 7 | 5985 | MCS0 | 10.03 | 9.84 |
| | | 39 | 6145 | | 9.90 | 9.81 |
| | | 87 | 6385 | | 10.05 | 9.72 |
| | 802.11ax160-HE0 | 15 | 6025 | MCS0 | 12.63 | 12.50 |
| | | 79 | 6345 | | 12.85 | 12.51 |
| | U-NII-6 6.5GHz | 802.11ax20-HE0 | 97 | 6435 | MCS0 | 4.81 |
| 105 | | | 6475 | 4.72 | | 4.45 |
| 113 | | | 6515 | 4.81 | | 4.61 |
| 802.11ax40-HE0 | | 99 | 6445 | MCS0 | 7.87 | 7.54 |
| | | 107 | 6485 | | 7.99 | 7.92 |
| 802.11ax80-HE0 | | 103 | 6465 | MCS0 | 10.33 | 10.17 |
| | | 119 | 6545 | | 10.28 | 10.09 |
| 802.11ax160-HE0 | | 111 | 6505 | MCS0 | 13.00 | 12.67 |
| U-NII-7 6.7GHz | 802.11ax20-HE0 | 117 | 6535 | MCS0 | 4.52 | 4.19 |
| | | 149 | 6695 | | 4.87 | 4.62 |
| | | 181 | 6855 | | 4.64 | 4.54 |
| | 802.11ax40-HE0 | 115 | 6525 | MCS0 | 8.03 | 7.79 |
| | | 147 | 6685 | | 7.81 | 7.69 |
| | | 179 | 6845 | | 7.63 | 7.38 |
| | 802.11ax80-HE0 | 135 | 6625 | MCS0 | 10.12 | 9.89 |
| | | 167 | 6785 | | 10.18 | 10.07 |
| | 802.11ax160-HE0 | 143 | 6665 | MCS0 | 12.92 | 12.76 |
| | U-NII-8 7.0GHz | 802.11ax20-HE0 | 185 | 6875 | MCS0 | 4.56 |
| 209 | | | 6995 | 4.93 | | 4.68 |
| 233 | | | 7115 | 1.17 | | 1.06 |
| 802.11ax40-HE0 | | 187 | 6885 | MCS0 | 7.72 | 7.63 |
| | | 227 | 7085 | | 7.92 | 7.87 |
| 802.11ax80-HE0 | | 183 | 6865 | MCS0 | 10.04 | 9.71 |
| | | 199 | 6945 | | 10.22 | 9.91 |
| | | 215 | 7025 | | 10.30 | 10.23 |
| 802.11ax160-HE0 | | 207 | 6985 | MCS0 | 12.82 | 12.58 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.