



Annex F. Photographs

F.1 Test Sample



Sample Front	Sample Back
	
Laptop Mode	
	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
	


F.3 Antenna host platform location and adjacent edge positions relative to the body

Information provided by the customer

Antenna Host Platform location	Antenna dimensional information for SAR evaluation																																																								
	<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Aux</td><td>to Top</td><td>215.94</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Right</td><td>107.15</td></tr><tr><td>C</td><td>WLAN-Aux</td><td>to Left</td><td>155.05</td></tr><tr><td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>7.43</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>Main Antenna Length</td><td>50</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>20.8</td></tr><tr><td>G</td><td>WLAN-Main</td><td>to Top</td><td>215.94</td></tr><tr><td>H</td><td>WLAN-Main</td><td>to Right</td><td>56.35</td></tr><tr><td>I</td><td>WLAN-Main</td><td>to Left</td><td>225.85</td></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>7.43</td></tr><tr><td>K</td><td>WLAN-Main</td><td>Aux Antenna Length</td><td>30</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>3.5</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	215.94	B	WLAN-Aux	to Right	107.15	C	WLAN-Aux	to Left	155.05	D	WLAN-Aux	to Bottom	7.43	E	WLAN-Aux	Main Antenna Length	50	F	Main-Aux	Main to Aux	20.8	G	WLAN-Main	to Top	215.94	H	WLAN-Main	to Right	56.35	I	WLAN-Main	to Left	225.85	J	WLAN-Main	to Bottom	7.43	K	WLAN-Main	Aux Antenna Length	30	L	NB	Bumper thickness	3.5
Minimum Separation Distance																																																									
Item	Antenna	Position	Distance (mm)																																																						
A	WLAN-Aux	to Top	215.94																																																						
B	WLAN-Aux	to Right	107.15																																																						
C	WLAN-Aux	to Left	155.05																																																						
D	WLAN-Aux	to Bottom	7.43																																																						
E	WLAN-Aux	Main Antenna Length	50																																																						
F	Main-Aux	Main to Aux	20.8																																																						
G	WLAN-Main	to Top	215.94																																																						
H	WLAN-Main	to Right	56.35																																																						
I	WLAN-Main	to Left	225.85																																																						
J	WLAN-Main	to Bottom	7.43																																																						
K	WLAN-Main	Aux Antenna Length	30																																																						
L	NB	Bumper thickness	3.5																																																						
Laptop Mode																																																									
																																																									

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -1



End of the report

This page is intentionally left blank and marks the last page of the test report.