

FCC Part 90& Part 22 Rules Test Report

Report No.: AGC02931191102FE10

FCC ID : POD-DMR6

PRODUCT DESIGNATION : DMR Digital Transceiver

BRAND NAME : TYT

MODEL NAME : MD-750

APPLICANT : TYT ELECTRONICS CO., LTD

DATE OF ISSUE : Jan. 05, 2021

STANDARD(S) : FCC Part 90 Rules
FCC Part 22 Rules

REPORT VERSION : V 1.2

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Apr. 15, 2020	Invalid	Initial Release
V1.1	1 st	Nov. 20, 2020	Invalid	Updated Operation Frequency P6
V1.2	2 nd	Jan. 05, 2021	Valid	Updated test report

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



TABLE OF CONTENTS

1. VERIFICATION OF COMPLIANCE.....	5
2. GENERAL INFORMATION.....	6
2.1PRODUCT DESCRIPTION	6
2.2 RELATED SUBMITTAL(S) / GRANT (S).....	9
2.3 TEST METHODOLOGY	9
2.4 TEST FACILITY	9
2.5 SPECIAL ACCESSORIES	9
2.6 EQUIPMENT MODIFICATIONS	9
3. SYSTEM TEST CONFIGURATION	10
3.1EUT CONFIGURATION	10
3.2 EUT EXERCISE	10
3.3 GENERAL TECHNICAL REQUIREMENTS.....	10
3.4CONFIGURATION OF TESTED SYSTEM	11
4. SUMMARY OF TEST RESULTS	12
5. DESCRIPTION OF TEST MODES	14
6. FREQUENCY TOLERANCE	15
6.1 PROVISIONS APPLICABLE	15
6.2 MEASUREMENT PROCEDURE	15
6.3 TEST SETUP BLOCK DIAGRAM	16
6.4 TEST RESULTS	17
7. EMISSION BANDWIDTH	29
7.1 PROVISIONS APPLICABLE	29
7.2 MEASUREMENT PROCEDURE	29
7.3 TEST SETUP BLOCK DIAGRAM	29
7.4 MEASUREMENT RESULT	30
8. SPURIOUS RADIATED EMISSION	54
8.1 PROVISIONS APPLICABLE	54
8.2 MEASUREMENT PROCEDURE	54
8.3 TEST SETUP BLOCK DIAGRAM	55
8.4 MEASUREMENT RESULTS:.....	56
8.5 EMISSION MASK PLOT	89
9. MODULATION CHARACTERISTICS.....	114
9.1 PROVISIONS APPLICABLE	114
9.2 MEASUREMENT METHOD.....	114

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



9.3 MEASUREMENT RESULT	115
10. MAXIMUM TRANSMITTER POWER (CONDUCTED OUTPUT POWER) PEAK POWER	127
10.1 PROVISIONS APPLICABLE	127
10.2 TEST PROCEDURE	127
10.3 TEST CONFIGURATION	127
10.4 TEST RESULT	129
11. SPURIOUS EMISSION ON ANTENNA PORT	141
11.1 PROVISIONS APPLICABLE	141
11.2 TEST PROCEDURE	141
11.3 TEST CONFIGURATION	141
11.4 TEST RESULT	142
12. TRANSMITTER FREQUENCY BEHAVIOR	178
12.1 PROVISIONS APPLICABLE	178
12.2 TEST METHOD	178
12.3 DESCRIBE LIMIT LINE OF TRANSMITTER FREQUENCY BEHAVIOR	179
12.4 MEASURE RESULT	180
13. AUDIO LOW PASS FILTER RESPONSE	182
13.1. TEST LIMITS	182
13.2. METHOD OF MEASUREMENTS	182
13.3. TEST CONFIGURATION	182
13.4. MEASURE RESULT	183
APPENDIX I: PHOTOGRAPHS OF SETUP	185
APPENDIX II: EXTERNAL VIEW OF EUT	187

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



1. VERIFICATION OF COMPLIANCE

Applicant:	TYT ELECTRONICS CO., LTD
Address	Block 39-1, Optoelectronics-information industry base, Nan'an, Quanzhou, Fujian, China.
Manufacturer:	TYT ELECTRONICS CO., LTD
Address	Block 39-1, Optoelectronics-information industry base, Nan'an, Quanzhou, Fujian, China.
Factory	TYT ELECTRONICS CO., LTD
Address	Block 39-1, Optoelectronics-information industry base, Nan'an, Quanzhou, Fujian, China.
Product Designation:	DMR Digital Transceiver
Brand Name:	TYT
Test Model	MD-750
Date of Test:	Mar. 01, 2020~Apr. 15, 2020

WE HEREBY CERTIFY THAT:

The above equipment was tested by Shenzhen Attestation of Global Compliance Science & Technology Co., Ltd. The data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI/TIA-603-E (2016). The sample tested as described in this report is in compliance with the FCC Rules Part 90 and FCC Rules Part 22 requirements

The test results of this report relate only to the tested sample identified in this report.

Prepared By

*Calvin Liu*Calvin Liu
(Project Engineer)

Apr. 15, 2020

Reviewed By

*Max Zhang*Max Zhang
(Reviewer)

Jan. 05, 2021

Approved By

*Forrest Lei*Forrest Lei
Authorized Officer

Jan. 05, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



2. GENERAL INFORMATION

2.1 PRODUCT DESCRIPTION

The EUT is a **DMR Digital Transceiver** designed for voice/data communication. It is designed by way of utilizing the FM/4FSK modulation achieves the system operating.

A major technical description of EUT is described as following:

Communication Type	Voice / Data	
Hardware Version	MD750-V2.1.4	
Software Version	V1.1.1	
Modulation	FM/4FSK	
Emission Type	7K60FXD/7K60FXE/11K0F3E	
Emission Bandwidth	Analog:10.254KHz(5W-12.5 KHz), 10.251KHz(1W-12.5 KHz) ---VHF Digital: 9.264KHz(5W),9.824 KHz(1W) ---VHF Analog:10.275KHz(5W-12.5 KHz), 10.282KHz(1W-12.5 KHz) ---UHF Digital: 9.828KHz(5W), 9.250KHz(1W) ---UHF	
Peak Frequency Deviation	1.95KHz	
Audio Frequency Response	7.60dB	
Maximum Transmitter Power	Analog:36.90dBm(5W-12.5 KHz), 29.88dBm (1W-12.5 KHz) ---VHF Digital: 36.77dBm(5W), 29.83dBm (1W) ---VHF Analog:36.92dBm(5W-12.5 KHz), 29.85dBm (1W-12.5 KHz) ---UHF Digital: 36.78dBm(5W), 29.81dBm (1W) ---UHF	
Output power Modification	VHF:5W/1W UHF:5W/1W (It was fixed by the manufacturer, any individual can't arbitrarily change it.)	
Data Rate	9600bps/12.5KHz(Channel Spacing)	
Antenna Designation	Detachable	
Antenna Gain	1.2dBi	
Power Supply	DC 7.4V	
Limiting Voltage	DC 6.29 V~ 8.51V	
Operation Frequency Range and Channel	Frequency Range: 136 MHz to 174 MHz (VHF) 400 MHz to 480 MHz (UHF) Channel Separation: 12.5KHz(Digital/ Analog)	
	Bottom Channel: 136.025MHz Middle Channel:151.85MHz Middle Channel:155.025MHz Middle Channel:161.61MHz High Channel: 173.975MHz	Bottom Channel: 400.025MHz Middle Channel: 453.225MHz Middle Channel: 454.025MHz High Channel: 479.975MHz
Frequency Tolerance	1.096ppm	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Frequency Range (MHz)	Rated Transmit Power(W)(Conducted)	Transmit Mode/Emission Designator
400-480	5W/1W	11K0F3E(Analog Voice;NB)
400-480	5W/1W	7K60FXD/7K60FXW(9600Data/Digital Voice NB)

Frequency Range (MHz)	Rated Transmit Power(W)(Conducted)	Transmit Mode/Emission Designator
136-174	5W/1W	11K0F3E(Analog Voice;NB)
136-174	5W/1W	7K60FXD/7K60FXW(9600Data/Digital Voice NB)

Channel No. (6.25KHz)	Channel No. (12.5KHz)	12.5KHz Channel Spaced 400MHz Band Plan(MHz)
1	1-2	400.025
2		
3	3-4	440.025
4		
5	5-6	479.975
6		

Channel No. (6.25KHz)	Channel No. (12.5KHz)	12.5KHz Channel Spaced 136MHz Band Plan(MHz)
1	1-2	136.025
2		
3	3-4	155.025
4		
5	5-6	173.975
6		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



FCC Rules and Regulations Part 2.202: Necessary Bandwidth and Emission Bandwidth

For FM Mode (Channel Spacing: 12.5kHz)

Emission Designator 11K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 2.5 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 2.5 \text{ kHz}) = 11 \text{ kHz} = 11K0$$

F3E portion of the designator represents an FM voice transmission

Therefore, the entire designator for 12.5 kHz channel spacing FM mode is 11K0F3E.

For FM Mode (Channel Spacing: 25kHz)

Emission Designator 16K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 5.0 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 5.0 \text{ kHz}) = 16 \text{ kHz} = 16K0$$

F3E portion of the designator represents an FM voice transmission

Therefore, the entire designator for 25 kHz channel spacing FM mode is 16K0F3E.

For Digital Mode (Channel Spacing: 12.5 kHz)

Emission Designator 7K60F1D and
7K60F1E

The 99% energy rule was used for digital mode. It basically states that 99% of the modulation energy falls within X kHz, in this case, 7.60 kHz.

F1D and F1E portion of the designator indicates digital information.

Therefore, the entire designator for 12.5 kHz channel spacing digital mode is 7K60F1D and 7K60F1E.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



2.2 RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for FCC ID: **POD-DMR6**, filing to comply with Part 2, Part 22, and Part 90 of the Federal Communication Commission rules.

2.3 TEST METHODOLOGY

The radiated emission testing was performed according to the procedures of ANSI/TIA-603-E (2016).

2.4 TEST FACILITY

Test Site	Attestation of Global Compliance (Shenzhen) Co., Ltd
Location	1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Designation Number	CN1259
FCC Test Firm Registration Number	975832
A2LA Cert. No.	5054.02
Description	Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA

2.5 SPECIAL ACCESSORIES

Not available for this EUT intended for grant.

2.6 EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



3. SYSTEM TEST CONFIGURATION

3.1 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

3.2 EUT EXERCISE

The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

3.3 GENERAL TECHNICAL REQUIREMENTS

For FCC Part 90& Part 22 requirements:

- (1). Section 90.205 & 22.565: RF Output Power
- (2). Section 90.207: Modulation Characteristic
- (3). Section 90.209 & 22.359: Occupied Bandwidth
- (4). Section 90.210 & 22.359: Emission Mask
- (5). Section 90.213 & 22.355: Frequency Tolerance
- (6). Section 90.214: Transient Frequency Behavior
- (7). Section 90.210 & 22.359: Spurious Emission on Antenna Port
- (8). Section 90.210 & 22.359: Spurious Radiated Emission

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



3.4 CONFIGURATION OF TESTED SYSTEM

Fig. 2-1 Configuration of Tested System



Table 2-1 Equipment Used in Tested System

Item	Equipment	Model No.	Identifier	Note
1	DMR Digital Transceiver	MD-750	FCC ID: POD-DMR6	EUT
2	Battery	MD-750	DC 7.4V 2000mAh	Accessories
3	Back clip	N/A	N/A	Accessories
4	Adapter	DLD-418	N/A	Accessories
5	Charger	MD-750	Input: AC 100-240V 50/60Hz Output: DC 8.4V 0.5A	Accessories

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



4. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§90.205 & 22.565 §2.1046	Maximum Transmitter Power	Compliant
§90.207 & 2.1047	Modulation Characteristic	Compliant
§90.209 & 22.359 §2.1049	Occupied Bandwidth	Compliant
§90.210 & 22.359 §2.1049	Emission Mask	Compliant
§90.213 & 22.355 §2.1055	Frequency Tolerance	Compliant
§90.214	Transient Frequency Behavior	Compliant
§90.210 & 22.359 §2.1051	Spurious Emission on Antenna Port	Compliant
§90.210 & 22.359 §2.1053	Spurious Radiated Emission	Compliant

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LIST OF EQUIPMENTS USED

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESCI	10096	Jun. 12, 2019	Jun.11 , 2020
EXA Signal Analyzer	Aglient	N9010A	MY53470504	Dec. 18, 2019	Dec. 17, 2020
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Sep.16, 2019	Sep.15, 2020
preamplifier	ChengYi	EMC184045SE	980508	Sep. 23, 2019	Sep. 22, 2020
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May. 26, 2018	May. 25, 2020
Broadband Preamplifier	SCHWARZBECK	BBV 9718	9718-205	Jun. 12, 2019	Jun.11 , 2020
HORN ANTENNA	EM	EM-AH-10180	/	Mar.01, 2018	Feb.29, 2020
SIGNAL GENERATOR	AGILENT	E4421B	122501288	May. 13, 2019	May. 12, 2020
SIGNAL GENERATOR	R&S	SMT03	A0304261	Jun. 12, 2019	Jun.11 , 2020
ANTENNA	SCHWARZBECK	VULB9168	VULB9168-494	Jan. 09, 2019	Jan. 08, 2020
ANTENNA	SCHWARZBECK	VULB9168	D69250	Sep.24, 2019	Sep.23, 2020
Modulation Domain Analyzer	HP	53310A	3121A02467	Oct. 08, 2019	Oct. 07, 2020
Small environmental tester	ESPEC	SH-242	--	Feb. 25, 2019	Feb. 24, 2020
RF Communication Test Set	HP	8920B	--	Jun. 12, 2019	Jun.11 , 2020
Attenuator	Weinachel Corp	58-30-33	ML030	Jun. 12, 2019	Jun.11 , 2020
Vector Analyzer	Agilent	E4440A	--	Feb. 27, 2019	Feb. 26, 2020
RF Cable	R&S	1#	--	Each time	N/A
RF Cable	R&S	2#	--	Each time	N/A

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



5. DESCRIPTION OF TEST MODES

RF TEST MODES

The EUT (**DMR Digital Transceiver**) has been tested under normal operating condition. (The top channel, the middle channel and the bottom channel) are chosen for testing at each channel separation.

Analog:

No.	TEST MODES	CHANNEL SEPARATION
1	Low Channel	12.5 KHz
2	Middle Channel	12.5 KHz
3	High Channel	12.5 KHz

Digital:

No.	TEST MODES	CHANNEL SEPARATION
1	Low Channel	12.5 KHz
2	Middle Channel	12.5 KHz
3	High Channel	12.5 KHz

Note: Only the result of the worst case was recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



6. FREQUENCY TOLERANCE

6.1 PROVISIONS APPLICABLE

- According to FCC §2.1055, § 22.355 and §90.213, the frequency stability shall be measured with variation of ambient temperature from -30°C to $+50^{\circ}\text{C}$ centigrade.
- According to FCC Part 2 Section 2.1055(d)(2), for battery powered equipment, the frequency stability shall be measured with reducing primary supply voltage to the battery operating end point, which is specified by the manufacturer.
- According to FCC Part 90 Section 90.213, the frequency tolerance must be maintained within 0.00025% for 12.5 KHz channel separation and 0.0001% for 6.25 KHz channel separation.

6.2 MEASUREMENT PROCEDURE

6.2.1 Frequency stability versus environmental temperature


- Setup the configuration per figure 1 for frequencies measurement inside an environment chamber, Install new battery in the EUT.
- Turn on EUT and set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1KHz and Video Resolution Bandwidth to 1KHz and Frequency Span to 50KHz. Record this frequency as reference frequency.
- Set the temperature of chamber to 50°C . Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize. While maintaining a constant temperature inside the chamber, turn the EUT on and measure the EUT operating frequency.
- Repeat step 2 with a 10°C decreased per stage until the lowest temperature -30°C is measured, record all measured frequencies on each temperature step.

6.2.2 Frequency stability versus input voltage

- Setup the configuration per figure 1 for frequencies measured at temperature if it is within 15°C to 25°C . Otherwise, an environment chamber set for a temperature of 20°C shall be used. The EUT shall be powered by DC 7.4V.
- Set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1 KHz and Video Resolution Bandwidth to 1KHz. Record this frequency as reference frequency.
- Supply the EUT primary voltage at the operating end point which is specified by manufacturer and record the frequency.



6.3 TEST SETUP BLOCK DIAGRAM



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



6.4 TEST RESULTS

VHF-Analog:

(1) Frequency stability versus input voltage (Supply nominal voltage is 7.40V)-5W-12.5KHz

2) Frequency stability versus input voltage (Supply nominal voltage is 7.14V) 500kHz					
Environment Temperature(°C)	Power Supply	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 7.40 V	0.755	0.653	0.907	5
40	DC 7.40 V	0.593	1.064	0.919	
30	DC 7.40 V	0.632	0.962	0.942	
20	DC 7.40 V	0.666	0.522	0.811	
10	DC 7.40 V	0.886	0.639	0.528	
0	DC 7.40 V	0.506	0.798	0.521	
-10	DC 7.40 V	0.850	0.517	0.822	
-20	DC 7.40 V	1.085	0.735	0.617	
-30	DC 7.40 V	1.031	0.502	0.626	
Result	Pass				

Environment Temperature(℃)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 7.40 V	0.316	0.947	5
40	DC 7.40 V	0.672	0.535	
30	DC 7.40 V	0.775	0.901	
20	DC 7.40 V	0.555	0.462	
10	DC 7.40 V	0.938	0.494	
0	DC 7.40 V	0.330	0.431	
-10	DC 7.40 V	0.743	0.442	
-20	DC 7.40 V	0.485	0.560	
-30	DC 7.40 V	0.664	0.391	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



(2) Frequency stability versus input voltage (Battery endpoint is 6.29V) **-5W-12.5KHz**

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 6.29 V	0.959	0.743	0.828	5
40	DC 6.29 V	1.049	1.009	0.592	
30	DC 6.29 V	0.858	0.841	0.583	
20	DC 6.29 V	0.750	0.820	0.861	
10	DC 6.29 V	0.693	0.779	0.725	
0	DC 6.29 V	1.073	0.973	0.677	
-10	DC 6.29 V	0.567	0.722	0.702	
-20	DC 6.29 V	1.025	0.660	0.735	
-30	DC 6.29 V	1.092	1.078	0.959	
Result	Pass				

Environment Temperature(°C)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 6.29 V	0.475	0.549	5
40	DC 6.29 V	0.444	0.629	
30	DC 6.29 V	0.997	0.349	
20	DC 6.29 V	0.365	0.460	
10	DC 6.29 V	0.851	0.733	
0	DC 6.29 V	0.675	0.560	
-10	DC 6.29 V	0.897	0.770	
-20	DC 6.29 V	0.583	0.463	
-30	DC 6.29 V	0.361	0.420	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



(3) Frequency stability versus input voltage (Supply nominal voltage is 7.40V)-1W-12.5KHz

Environment Temperature(℃)	Power Supply	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 7.40 V	1.030	0.559	0.997	5
40	DC 7.40 V	0.829	0.854	0.865	
30	DC 7.40 V	0.802	1.067	1.043	
20	DC 7.40 V	0.683	0.923	0.994	
10	DC 7.40 V	0.726	1.012	0.935	
0	DC 7.40 V	1.083	1.054	0.519	
-10	DC 7.40 V	0.906	0.599	0.995	
-20	DC 7.40 V	0.551	1.092	0.745	
-30	DC 7.40 V	0.705	0.773	0.716	
Result	Pass				

Environment Temperature(°C)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 7.40 V	0.578	0.968	5
40	DC 7.40 V	0.500	0.317	
30	DC 7.40 V	0.344	0.973	
20	DC 7.40 V	0.525	0.802	
10	DC 7.40 V	0.817	0.656	
0	DC 7.40 V	0.384	0.995	
-10	DC 7.40 V	0.587	0.885	
-20	DC 7.40 V	0.639	0.906	
-30	DC 7.40 V	0.664	0.966	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



(4) Frequency stability versus input voltage (Battery endpoint is 6.29V) -1W-12.5KHz

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 6.29 V	0.529	0.452	0.478	5
40	DC 6.29 V	0.985	0.872	0.595	
30	DC 6.29 V	0.886	0.369	0.976	
20	DC 6.29 V	0.400	0.578	0.885	
10	DC 6.29 V	0.447	0.684	0.993	
0	DC 6.29 V	0.480	0.573	0.722	
-10	DC 6.29 V	0.990	0.504	0.740	
-20	DC 6.29 V	0.883	0.663	0.452	
-30	DC 6.29 V	0.672	0.705	0.750	
Result	Pass				

Environment Temperature(℃)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 6.29 V	0.579	0.947	5
40	DC 6.29 V	0.869	0.602	
30	DC 6.29 V	0.553	0.829	
20	DC 6.29 V	0.877	0.991	
10	DC 6.29 V	1.056	0.939	
0	DC 6.29 V	0.837	0.527	
-10	DC 6.29 V	0.744	0.791	
-20	DC 6.29 V	0.878	0.523	
-30	DC 6.29 V	1.088	0.891	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Digital:

(1) Frequency stability versus input voltage (Supply nominal voltage is 7.40V)-5W-12.5KHz

Environment Temperature(℃)	Power Supply	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 7.40 V	0.921	0.653	0.733	5
40	DC 7.40 V	0.731	0.982	1.012	
30	DC 7.40 V	0.881	0.664	0.788	
20	DC 7.40 V	0.808	0.705	0.517	
10	DC 7.40 V	0.798	0.593	0.765	
0	DC 7.40 V	0.569	0.608	0.946	
-10	DC 7.40 V	1.031	0.808	1.017	
-20	DC 7.40 V	1.032	0.767	0.915	
-30	DC 7.40 V	0.646	0.753	1.076	
Result	Pass				

Environment Temperature(℃)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 7.40 V	0.910	0.512	5
40	DC 7.40 V	0.370	0.958	
30	DC 7.40 V	0.960	0.484	
20	DC 7.40 V	0.322	0.671	
10	DC 7.40 V	0.670	0.380	
0	DC 7.40 V	0.719	0.515	
-10	DC 7.40 V	0.986	0.452	
-20	DC 7.40 V	0.697	0.724	
-30	DC 7.40 V	0.379	0.947	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



(2) Frequency stability versus input voltage (Battery endpoint is 6.29V) **-5W-12.5KHz**

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 6.29 V	0.645	0.653	0.713	5
40	DC 6.29 V	0.568	1.027	0.824	
30	DC 6.29 V	1.090	0.881	0.572	
20	DC 6.29 V	0.502	1.068	0.536	
10	DC 6.29 V	0.748	1.083	0.635	
0	DC 6.29 V	0.631	0.687	0.744	
-10	DC 6.29 V	0.687	0.702	0.684	
-20	DC 6.29 V	0.598	0.820	0.811	
-30	DC 6.29 V	0.570	0.907	1.043	
Result	Pass				

Environment Temperature(°C)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 6.29 V	0.667	0.743	5
40	DC 6.29 V	0.329	0.496	
30	DC 6.29 V	0.534	0.863	
20	DC 6.29 V	0.956	0.403	
10	DC 6.29 V	0.401	0.362	
0	DC 6.29 V	0.783	0.735	
-10	DC 6.29 V	0.452	0.857	
-20	DC 6.29 V	0.959	0.520	
-30	DC 6.29 V	0.943	0.585	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



(3) Frequency stability versus input voltage (Supply nominal voltage is DC 7.40V)-1W-12.5KHz

Environment Temperature(℃)	Power Supply	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 7.40 V	0.643	0.653	0.684	5
40	DC 7.40 V	0.675	0.987	0.592	
30	DC 7.40 V	0.545	1.090	0.796	
20	DC 7.40 V	0.593	0.912	1.096	
10	DC 7.40 V	0.623	0.622	0.705	
0	DC 7.40 V	1.090	1.016	1.049	
-10	DC 7.40 V	0.786	0.925	0.728	
-20	DC 7.40 V	0.941	0.755	0.928	
-30	DC 7.40 V	0.815	0.616	0.847	
Result	Pass				

Environment Temperature(℃)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 7.40 V	0.659	0.904	5
40	DC 7.40 V	0.621	0.526	
30	DC 7.40 V	0.331	0.866	
20	DC 7.40 V	0.429	0.571	
10	DC 7.40 V	0.900	0.990	
0	DC 7.40 V	0.379	0.335	
-10	DC 7.40 V	0.558	0.826	
-20	DC 7.40 V	0.993	0.550	
-30	DC 7.40 V	0.391	0.748	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



(4) Frequency stability versus input voltage (Battery endpoint is 6.29V) -1W-12.5KHz

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	136.025MHz	155.025MHz	173.975MHz	ppm
50	DC 6.29 V	0.946	0.740	0.880	5
40	DC 6.29 V	0.975	0.863	0.927	
30	DC 6.29 V	0.766	0.831	0.895	
20	DC 6.29 V	0.604	1.038	0.661	
10	DC 6.29 V	0.929	0.839	0.588	
0	DC 6.29 V	0.903	0.844	0.804	
-10	DC 6.29 V	0.522	0.799	0.510	
-20	DC 6.29 V	0.977	0.678	0.993	
-30	DC 6.29 V	1.093	0.911	0.983	
Result	Pass				

Environment Temperature(℃)	Power Supply	Reference Frequency		Limit:
	(V)	151.85MHz	161.61MHz	ppm
50	DC 6.29 V	0.688	0.454	5
40	DC 6.29 V	0.675	0.308	
30	DC 6.29 V	0.961	0.736	
20	DC 6.29 V	0.827	0.427	
10	DC 6.29 V	0.359	0.649	
0	DC 6.29 V	0.662	0.876	
-10	DC 6.29 V	0.413	0.714	
-20	DC 6.29 V	0.531	0.543	
-30	DC 6.29 V	0.916	0.603	
Result	Pass			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



UHF:

Analog:

(1) Frequency stability versus input voltage (Supply nominal voltage is 7.40V) **-5W-12.5KHz**

2) Frequency stability versus input voltage (Supply nominal voltage is 7.40V) 0V Error%					
Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 7.40V	0.630	0.653	0.950	2.5
40	DC 7.40V	1.023	1.034	0.714	
30	DC 7.40V	0.802	0.990	0.997	
20	DC 7.40V	0.512	0.686	0.941	
10	DC 7.40V	0.732	0.990	0.672	
0	DC 7.40V	0.745	0.929	0.893	
-10	DC 7.40V	0.570	0.647	0.687	
-20	DC 7.40V	0.849	0.542	1.037	
-30	DC 7.40V	0.916	0.882	0.726	
Result	Pass				

(2) Frequency stability versus input voltage (Battery endpoint is 6.29V) **-5W-12.5KHz**

(2) Frequency Stability versus Input Voltage (Battery Endpoints 0.20V ~ 2.10V)					
Environment Temperature(°C)	Power Supply	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 6.29V	0.663	0.557	0.551	2.5
40	DC 6.29V	0.862	0.963	0.644	
30	DC 6.29V	0.601	0.668	0.368	
20	DC 6.29V	0.893	0.625	0.309	
10	DC 6.29V	0.623	0.998	0.579	
0	DC 6.29V	0.531	0.767	0.776	
-10	DC 6.29V	0.466	0.381	0.738	
-20	DC 6.29V	0.560	0.776	0.649	
-30	DC 6.29V	0.498	0.351	0.543	
Result	Pass				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



(3) Frequency stability versus input voltage (Supply nominal voltage is DC 7.40V) **-1W-12.5KHz**

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 7.40V	1.065	1.042	0.874	2.5
40	DC 7.40V	0.553	0.533	0.557	
30	DC 7.40V	0.967	1.028	0.884	
20	DC 7.40V	0.806	0.568	0.665	
10	DC 7.40V	0.871	0.635	0.536	
0	DC 7.40V	0.829	0.864	0.828	
-10	DC 7.40V	0.681	0.669	0.553	
-20	DC 7.40V	0.959	0.656	0.914	
-30	DC 7.40V	0.534	0.851	0.908	
Result	Pass				

(4) Frequency stability versus input voltage (Battery endpoint is 6.29V) **-1W-12.5KHz**

(1) Frequency Stability versus Input Voltage (Battery endpoint is 6.29V) 200.250KHz					
Environment Temperature(°C)	Power	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 6.29 V	0.340	0.987	0.751	2.5
40	DC 6.29 V	0.814	0.355	0.525	
30	DC 6.29 V	0.571	0.436	0.637	
20	DC 6.29 V	0.899	0.803	0.532	
10	DC 6.29 V	0.992	0.643	0.836	
0	DC 6.29 V	0.422	0.687	0.747	
-10	DC 6.29 V	0.886	0.572	0.834	
-20	DC 6.29 V	0.678	0.744	0.779	
-30	DC 6.29 V	0.515	0.577	0.996	
Result	Pass				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Digital:
(1) Frequency stability versus input voltage (Supply nominal voltage is DC 7.40V)-5W-12.5KHz

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 7.40V	0.597	0.759	0.838	2.5
40	DC 7.40V	1.073	0.861	0.704	
30	DC 7.40V	0.621	0.611	0.889	
20	DC 7.40V	1.011	0.600	0.891	
10	DC 7.40V	0.507	0.997	0.549	
0	DC 7.40V	0.778	0.681	0.563	
-10	DC 7.40V	0.941	0.876	0.950	
-20	DC 7.40V	0.849	0.934	1.042	
-30	DC 7.40V	0.883	1.034	0.983	
Result	Pass				

(2) Frequency stability versus input voltage (Battery endpoint is 6.29V) -5W-12.5KHz

Environment Temperature(°C)	Power Supply	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 6.29V	0.427	0.451	0.754	2.5
40	DC 6.29V	0.429	0.835	0.979	
30	DC 6.29V	0.872	0.798	0.665	
20	DC 6.29V	0.317	0.402	0.917	
10	DC 6.29V	0.684	0.620	0.309	
0	DC 6.29V	0.800	0.761	0.396	
-10	DC 6.29V	0.749	0.473	0.437	
-20	DC 6.29V	0.835	0.636	0.422	
-30	DC 6.29V	0.905	0.731	0.748	
Result	Pass				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



(3) Frequency stability versus input voltage (Supply nominal voltage is DC 7.40V) **-1W-12.5KHz**

Environment Temperature(℃)	Power	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 7.40V	1.016	0.760	0.540	2.5
40	DC 7.40V	0.584	1.067	1.058	
30	DC 7.40V	0.873	0.599	0.934	
20	DC 7.40V	0.538	0.991	0.878	
10	DC 7.40V	0.656	1.048	0.970	
0	DC 7.40V	0.671	0.953	0.739	
-10	DC 7.40V	0.951	1.098	0.809	
-20	DC 7.40V	0.764	0.698	0.842	
-30	DC 7.40V	0.636	0.645	0.531	
Result	Pass				

(4) Frequency stability versus input voltage (Battery endpoint is 6.29V) **-1W-12.5KHz**

(1) Frequency Stability versus Input Voltage (Battery, endpoint is 6.29V) 2W 210KHz					
Environment Temperature(°C)	Power	Reference Frequency			Limit:
	(V)	400.025MHz	454.025MHz	479.975MHz	ppm
50	DC 6.29 V	0.439	0.438	0.993	2.5
40	DC 6.29 V	0.866	0.708	0.512	
30	DC 6.29 V	0.381	0.879	0.925	
20	DC 6.29 V	0.760	0.492	0.960	
10	DC 6.29 V	0.699	0.444	0.680	
0	DC 6.29 V	0.983	0.958	0.759	
-10	DC 6.29 V	0.457	0.614	0.833	
-20	DC 6.29 V	0.936	0.391	0.835	
-30	DC 6.29 V	0.888	0.326	0.619	
Result	Pass				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



7. EMISSION BANDWIDTH

7.1 PROVISIONS APPLICABLE


FCC Part 90.209 & FCC Part 22.359 & FCC Part 2.1049:

The authorized bandwidth shall be 11.25 KHz for 12.5 KHz channel separation and 6 KHz for 6.25 KHz channel separation.

7.2 MEASUREMENT PROCEDURE

- 1). The EUT was placed on a turn table which is 0.8m above ground plane.
- 2). The EUT was modulated by 2.5 KHz Sine wave audio signal, The level of the audio signal employed is 16 dB greater than that necessary to produce 50% of rated system deviation. Rated system deviation is 2.5 kHz (12.5 kHz channel spacing).
- 3). Set SPA Center Frequency = fundamental frequency, RBW=100Hz.VBW= 300 Hz, Span =50 KHz.
- 4). Set SPA Max hold. Mark peak, -26 dB.

7.3 TEST SETUP BLOCK DIAGRAM



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




7.4 MEASUREMENT RESULT

VHF:

Analog: 12.5KHz

26 dB Bandwidth Measurement Result			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
136.025MHz	10.254 KHz	11.25 KHz	Pass
151.850MHz	10.247 KHz	11.25 KHz	Pass
155.025MHz	10.234 KHz	11.25 KHz	Pass
161.610MHz	10.226 KHz	11.25 KHz	Pass
173.975MHz	10.228 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (136.025)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (151.850 MHz)-5W



Occupied bandwidth of Middle Channel (155.025 MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (161.610 MHz)-5W



Occupied bandwidth of Top Channel (173.975 MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



26 dB Bandwidth Measurement Result			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
136.025MHz	10.247 KHz	11.25 KHz	Pass
151.850MHz	10.251 KHz	11.25 KHz	Pass
155.025MHz	10.249 KHz	11.25 KHz	Pass
161.610MHz	10.227 KHz	11.25 KHz	Pass
173.975MHz	10.227 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (136.025)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (151.850 MHz)-1W



Occupied bandwidth of Middle Channel (155.025 MHz)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (161.610 MHz)-1W



Occupied bandwidth of Top Channel (173.975 MHz)-1W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Digital:
VHF:
TEST RESULTS

26 dB Bandwidth Measurement Result			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
136.025MHz	9.248 KHz	11.25 KHz	Pass
151.850MHz	9.264 KHz	11.25 KHz	Pass
155.025MHz	9.256 KHz	11.25 KHz	Pass
161.610MHz	9.240 KHz	11.25 KHz	Pass
173.975MHz	8.935 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (136.025)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (151.850 MHz)-5W



Occupied bandwidth of Middle Channel (155.025 MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (161.610 MHz)-5W



Occupied bandwidth of Top Channel (173.975 MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



26 dB Bandwidth Measurement Result			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
136.025MHz	8.974 KHz	11.25 KHz	Pass
151.850MHz	9.236 KHz	11.25 KHz	Pass
155.025MHz	9.261 KHz	11.25 KHz	Pass
161.610MHz	9.824 KHz	11.25 KHz	Pass
173.975MHz	9.188 KHz	11.25 KHz	Pass


Occupied bandwidth of Bottom Channel (136.025)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Occupied bandwidth of Middle Channel (151.850 MHz)-1W



Occupied bandwidth of Middle Channel (155.025 MHz)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (161.610 MHz)-1W



Occupied bandwidth of Top Channel (173.975 MHz)-1W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



UHF:
Analog:

26 DB BANDWIDTH MEASUREMENT RESULT			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
400.025MHz	10.227 KHz	11.25 KHz	Pass
453.225MHz	10.264 KHz	11.25 KHz	Pass
454.025MHz	10.275 KHz	11.25 KHz	Pass
479.975MHz	10.258 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (400.025MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (453.225MHz)-5W



Occupied bandwidth of Middle Channel (454.025MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Top Channel (479.975MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



26 DB BANDWIDTH MEASUREMENT RESULT			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
400.025MHz	10.268 KHz	11.25 KHz	Pass
453.225MHz	10.266 KHz	11.25 KHz	Pass
454.025MHz	10.282 KHz	11.25 KHz	Pass
479.975MHz	10.247 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (400.025MHz)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (453.225MHz)-1W



Occupied bandwidth of Middle Channel (454.025MHz)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Top Channel (479.975MHz)-1W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



**Digital:
TEST RESULTS**

26 DB BANDWIDTH MEASUREMENT RESULT			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
400.025MHz	9.828 KHz	11.25 KHz	Pass
453.225MHz	8.989 KHz	11.25 KHz	Pass
454.025MHz	9.275 KHz	11.25 KHz	Pass
479.975MHz	8.358 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (400.025MHz) -5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (453.225MHz)-5W



Occupied bandwidth of Middle Channel (454.025MHz)-5W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Top Channel (479.975MHz)-5W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



TEST RESULTS

26 DB BANDWIDTH MEASUREMENT RESULT			
Operating Frequency	12.5 KHz Channel Separation		
	Test Data	Limits	Result
400.025MHz	9.250 KHz	11.25 KHz	Pass
453.225MHz	9.241 KHz	11.25 KHz	Pass
454.025MHz	8.960 KHz	11.25 KHz	Pass
479.975MHz	8.874 KHz	11.25 KHz	Pass

Occupied bandwidth of Bottom Channel (400.025MHz)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Middle Channel (453.225MHz)-1W



Occupied bandwidth of Middle Channel (454.025MHz)-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Occupied bandwidth of Top Channel (479.975MHz)-1W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



8. SPURIOUS RADIATED EMISSION

8.1 PROVISIONS APPLICABLE

According to FCC §2.1053 §22.359 and §90.210, the power of each unwanted emission shall be less than Transmitted Power as specified below for transmitters designed to operate with each channel separation.

Emission Mask D -for 12.5 KHz Channel Separation:

- (1). On any frequency removed from the center of the authorized bandwidth f_0 to 5.625 KHz removed from f_0 : Zero dB.
- (2). On any frequency removed from the center of the authorized bandwidth by a displacement Frequency (f_d in KHz) f_0 of more than 5.625 KHz but no more than 12.5 KHz: At least $7.27(f_d - 2.88 \text{ KHz})$ dB
- (3). On any frequency removed from the center of the authorized bandwidth by a displacement Frequency (f_d in KHz) f_0 of more than 12.5 KHz: At least $50 + 10 \log(P)$ dB or 70 dB, whichever is lesser attenuation.

According to FCC §22.359:

- (a) *Out of band emissions*. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

8.2 MEASUREMENT PROCEDURE

- (1) On a test site, the EUT shall be placed on a turntable, and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




8.3 TEST SETUP BLOCK DIAGRAM

SUBSTITUTION METHOD: (Radiated Emissions)


Radiated Below 1GHz



Radiated Above 1 GHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



8.4 MEASUREMENT RESULTS:

Applicable Standard

FCC §2.1053, §22.359 and §90.210

On any frequency removed from the center of the authorized bandwidth by a displacement

Frequency (f_d in KHz) for of more than 12.5 KHz: at least $50+10 \log(P)$ dB or 70 dB, whichever is lesser attenuation.

Test Procedure

The RF output of the EUT was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 100 kHz for below 1GHz and 1MHz for above 1GHz. Sufficient scans were taken to show any out of band emissions up to 10 harmonic.

In the semi-anechoic chamber, setup as illustrated above the DUT placed on the 0.8m height of Turn Table, rotated the table 45 degree each interval to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power for each degree interval. The "Read Value" is the spectrum reading of maximum power value.

The substitution antenna is substituted for DUT at the same position and signals generator (S.G) export the CW signal to the substitution antenna via a TX cable. The receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum radiation power. Record the power level of maximum radiation power from spectrum. So, the Measured substitution value = Ref level of S.G + TX cables loss – Substituted Antenna Gain.

EIRP = "Read Value" + Measured substitution value + 2.15.

Limit: FCC PART 90:

At least $50+10 \log(P) = 50+10 \log(5) = 56.99$ (dB)—5W 36.99-56.99=-20dBm

At least $50+10 \log(P) = 50+10 \log(1) = 50$ (dB)—1W 30-50=-20dBm

FCC PART 22:

At least $43+10 \log(P) = 43+10 \log(5) = 49.99$ (dB)—5W 36.99-49.99=-13dBm

At least $43+10 \log(P) = 43+10 \log(1) = 43$ (dB)—1W 30-43=-13dBm

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



VHF:
Analog:

Measurement Result for 12.5 KHz Channel Separation @ 136.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	H	0		pass
272.050	H	-35.88	-20	pass
408.080	H	-36.15	-20	pass
544.100	H	-38.97	-20	pass
680.125	H	-41.81	-20	pass
816.150	H	-42.17	-20	pass
952.175	H	-44.45	-20	pass
1088.200	H	-44.54	-20	pass
1224.225	H	-45.95	-20	pass
1360.250	H	-50.02	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	V	0		pass
272.050	V	-35.09	-20	pass
408.080	V	-37.95	-20	pass
544.100	V	-40.31	-20	pass
680.125	V	-41.53	-20	pass
816.150	V	-42.14	-20	pass
952.175	V	-44.93	-20	pass
1088.200	V	-46.58	-20	pass
1224.225	V	-48.42	-20	pass
1360.250	V	-48.71	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 151.850MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	H	0		pass
303.700	H	-34.49	-20	pass
455.550	H	-36.56	-20	pass
607.400	H	-38.69	-20	pass
759.250	H	-39.11	-20	pass
911.100	H	-40.41	-20	pass
1062.950	H	-39.93	-20	pass
1214.800	H	-41.45	-20	pass
1366.650	H	-41.41	-20	pass
1518.500	H	-43.34	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	V	0		pass
303.700	V	-32.47	-20	pass
455.550	V	-35.28	-20	pass
607.400	V	-37.09	-20	pass
759.250	V	-36.58	-20	pass
911.100	V	-38.55	-20	pass
1062.950	V	-43.51	-20	pass
1214.800	V	-42.48	-20	pass
1366.650	V	-43.06	-20	pass
1518.500	V	-48.09	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 155.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	H	0		pass
310.050	H	-30.01	-20	pass
465.075	H	-31.45	-20	pass
620.100	H	-31.58	-20	pass
775.125	H	-34.45	-20	pass
930.150	H	-39.56	-20	pass
1085.175	H	-41.25	-20	pass
1240.200	H	-46.35	-20	pass
1395.225	H	-47.86	-20	pass
1550.250	H	-49.27	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	V	0		pass
310.050	V	-33.20	-20	pass
465.075	V	-31.69	-20	pass
620.100	V	-35.93	-20	pass
775.125	V	-39.88	-20	pass
930.150	V	-36.63	-20	pass
1085.175	V	-38.23	-20	pass
1240.200	V	-42.30	-20	pass
1395.225	V	-42.71	-20	pass
1550.250	V	-46.29	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 161.610MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	H	0		pass
323.220	H	-32.7	-20	pass
484.830	H	-35.4	-20	pass
646.440	H	-35.6	-20	pass
808.050	H	-36.7	-20	pass
969.660	H	-38.4	-20	pass
1131.270	H	-41.9	-20	pass
1292.880	H	-43.0	-20	pass
1454.490	H	-44.5	-20	pass
1616.100	H	-49.9	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	V	0		pass
323.220	V	-36.4	-20	pass
484.830	V	-37.7	-20	pass
646.440	V	-39.8	-20	pass
808.050	V	-39.4	-20	pass
969.660	V	-41.4	-20	pass
1131.270	V	-43.1	-20	pass
1292.880	V	-45.3	-20	pass
1454.490	V	-46.6	-20	pass
1616.100	V	-50.1	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 173.975MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	H	0		pass
347.950	H	-35.4	-20	pass
521.925	H	-37.9	-20	pass
695.900	H	-36.3	-20	pass
869.875	H	-38.1	-20	pass
1043.850	H	-37.4	-20	pass
1217.825	H	-41.0	-20	pass
1391.800	H	-42.7	-20	pass
1565.775	H	-44.8	-20	pass
1739.750	H	-43.8	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	V	0		pass
347.950	V	-36.0	-20	pass
521.925	V	-37.1	-20	pass
695.900	V	-39.7	-20	pass
869.875	V	-40.4	-20	pass
1043.850	V	-42.6	-20	pass
1217.825	V	-45.4	-20	pass
1391.800	V	-44.8	-20	pass
1565.775	V	-49.4	-20	pass
1739.750	V	-50.0	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 136.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	H	0		pass
272.050	H	-33.9	-20	pass
408.075	H	-36.5	-20	pass
544.100	H	-39.3	-20	pass
680.125	H	-39.8	-20	pass
816.150	H	-40.8	-20	pass
952.175	H	-43.1	-20	pass
1088.200	H	-46.1	-20	pass
1224.225	H	-50.6	-20	pass
1360.250	H	-50.7	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	V	0		pass
272.050	V	-37.5	-20	pass
408.075	V	-37.4	-20	pass
544.100	V	-40.8	-20	pass
680.125	V	-41.2	-20	pass
816.150	V	-42.9	-20	pass
952.175	V	-43.8	-20	pass
1088.200	V	-51.7	-20	pass
1224.225	V	-52.3	-20	pass
1360.250	V	-51.7	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 151.850MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	H	0		pass
303.700	H	-38.0	-20	pass
455.550	H	-39.5	-20	pass
607.400	H	-42.2	-20	pass
759.250	H	-43.7	-20	pass
911.100	H	-43.5	-20	pass
1062.950	H	-48.0	-20	pass
1214.800	H	-49.9	-20	pass
1366.650	H	-51.5	-20	pass
1518.500	H	-53.4	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	V	0		pass
303.700	V	-34.7	-20	pass
455.550	V	-37.1	-20	pass
607.400	V	-37.4	-20	pass
759.250	V	-40.3	-20	pass
911.100	V	-43.6	-20	pass
1062.950	V	-46.5	-20	pass
1214.800	V	-49.2	-20	pass
1366.650	V	-50.5	-20	pass
1518.500	V	-50.8	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 155.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	H	0		pass
310.050	H	-39.1	-20	pass
465.075	H	-42.7	-20	pass
620.100	H	-40.1	-20	pass
775.125	H	-45.9	-20	pass
930.150	H	-45.7	-20	pass
1085.175	H	-50.6	-20	pass
1240.200	H	-51.5	-20	pass
1395.225	H	-50.7	-20	pass
1550.250	H	-49.2	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	V	0		pass
310.050	V	-40.7	-20	pass
465.075	V	-43.5	-20	pass
620.100	V	-45.8	-20	pass
775.125	V	-44.7	-20	pass
930.150	V	-44.9	-20	pass
1085.175	V	-43.8	-20	pass
1240.200	V	-49.6	-20	pass
1395.225	V	-52.1	-20	pass
1550.250	V	-52.4	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 161.610MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	H	0		pass
323.220	H	-39.6	-20	pass
484.830	H	-40.9	-20	pass
646.440	H	-44.5	-20	pass
808.050	H	-46.5	-20	pass
969.660	H	-46.2	-20	pass
1131.270	H	-48.5	-20	pass
1292.880	H	-50.0	-20	pass
1454.490	H	-49.7	-20	pass
1616.100	H	-51.1	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	V	0		pass
347.950	V	-36.8	-20	pass
521.925	V	-36.5	-20	pass
695.900	V	-39.9	-20	pass
869.875	V	-41.6	-20	pass
1043.850	V	-46.1	-20	pass
1217.825	V	-46.9	-20	pass
1391.800	V	-48.3	-20	pass
1565.775	V	-49.3	-20	pass
1739.750	V	-51.6	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 173.975MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	H	0		pass
347.950	H	-40.7	-20	pass
521.925	H	-44.5	-20	pass
695.900	H	-46.5	-20	pass
869.875	H	-44.2	-20	pass
1043.850	H	-45.5	-20	pass
1217.825	H	-47.7	-20	pass
1391.800	H	-48.1	-20	pass
1565.775	H	-49.1	-20	pass
1739.750	H	-50.3	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	V	0		pass
347.950	V	-36.06	-20	pass
521.925	V	-37.22	-20	pass
695.900	V	-40.84	-20	pass
869.875	V	-44.99	-20	pass
1043.850	V	-46.59	-20	pass
1217.825	V	-47.16	-20	pass
1391.800	V	-47.71	-20	pass
1565.775	V	-49.03	-20	pass
1739.750	V	-50.87	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Digital:

Measurement Result for 12.5 KHz Channel Separation @ 136.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	H	0		pass
272.050	H	-35.56	-20	pass
408.08	H	-37.81	-20	pass
544.100	H	-39.15	-20	pass
680.125	H	-41.31	-20	pass
816.150	H	-42.28	-20	pass
952.175	H	-43.27	-20	pass
1088.200	H	-44.15	-20	pass
1224.225	H	-48.81	-20	pass
1360.250	H	-50.41	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	V	0		pass
272.050	V	-38.09	-20	pass
408.08	V	-34.61	-20	pass
544.100	V	-37.18	-20	pass
680.125	V	-40.17	-20	pass
816.150	V	-38.37	-20	pass
952.175	V	-38.09	-20	pass
1088.200	V	-41.68	-20	pass
1224.225	V	-45.92	-20	pass
1360.250	V	-43.20	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 151.850MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	H	0		pass
303.700	H	-35.42	-20	pass
455.55	H	-35.94	-20	pass
607.400	H	-40.36	-20	pass
759.250	H	-41.02	-20	pass
911.100	H	-44.21	-20	pass
1062.950	H	-46.52	-20	pass
1214.800	H	-48.23	-20	pass
1366.650	H	-48.37	-20	pass
1518.500	H	-51.36	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	V	0		pass
303.700	V	-36.6	-20	pass
455.55	V	-39.4	-20	pass
607.400	V	-40.1	-20	pass
759.250	V	-43.6	-20	pass
911.100	V	-43.6	-20	pass
1062.950	V	-44.2	-20	pass
1214.800	V	-50.3	-20	pass
1366.650	V	-51.9	-20	pass
1518.500	V	-52.3	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 155.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	H	0		pass
310.050	H	-38.0	-20	pass
465.075	H	-38.4	-20	pass
620.100	H	-40.7	-20	pass
775.125	H	-40.5	-20	pass
930.150	H	-43.2	-20	pass
1085.175	H	-45.7	-20	pass
1240.200	H	-48.9	-20	pass
1395.225	H	-49.4	-20	pass
1550.250	H	-50.8	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	V	0		pass
310.050	V	-36.1	-20	pass
465.08	V	-35.9	-20	pass
620.100	V	-39.0	-20	pass
775.125	V	-40.0	-20	pass
930.150	V	-39.8	-20	pass
1085.175	V	-41.2	-20	pass
1240.200	V	-43.7	-20	pass
1395.225	V	-42.2	-20	pass
1550.250	V	-44.3	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 161.61MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	H	0		pass
323.220	H	-37.4	-20	pass
484.83	H	-38.4	-20	pass
646.440	H	-39.1	-20	pass
808.050	H	-41.0	-20	pass
969.660	H	-43.0	-20	pass
1131.270	H	-43.9	-20	pass
1292.880	H	-51.3	-20	pass
1454.490	H	-51.2	-20	pass
1616.100	H	-54.1	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	V	0		pass
323.220	V	-35.6	-20	pass
484.83	V	-36.3	-20	pass
646.440	V	-39.1	-20	pass
808.050	V	-39.7	-20	pass
969.660	V	-45.4	-20	pass
1131.270	V	-46.6	-20	pass
1292.880	V	-49.1	-20	pass
1454.490	V	-51.5	-20	pass
1616.100	V	-50.2	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 173.975MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	H	0		pass
347.950	H	-35.9	-20	pass
521.925	H	-36.5	-20	pass
695.900	H	-38.8	-20	pass
869.875	H	-41.3	-20	pass
1043.850	H	-42.7	-20	pass
1217.825	H	-42.7	-20	pass
1391.800	H	-46.2	-20	pass
1565.775	H	-51.4	-20	pass
1739.750	H	-52.8	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	V	0		pass
347.950	V	-34.1	58.45	pass
521.925	V	-35.7	58.45	pass
695.900	V	-38.4	58.45	pass
869.875	V	-41.1	58.45	pass
1043.850	V	-43.3	58.45	pass
1217.825	V	-48.2	58.45	pass
1391.800	V	-51.1	58.45	pass
1565.775	V	-51.9	58.45	pass
1739.750	V	-51.8	58.45	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 136.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	H	0		pass
272.050	H	-35.6	-20	pass
408.08	H	-36.5	-20	pass
544.100	H	-39.2	-20	pass
680.125	H	-40.4	-20	pass
816.150	H	-42.1	-20	pass
952.175	H	-42.7	-20	pass
1088.200	H	-43.9	-20	pass
1224.225	H	-50.3	-20	pass
1360.250	H	-50.0	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
136.025	V	0		pass
272.050	V	-37.8	-20	pass
408.08	V	-38.4	-20	pass
544.100	V	-40.8	-20	pass
680.125	V	-43.9	-20	pass
816.150	V	-43.5	-20	pass
952.175	V	-46.2	-20	pass
1088.200	V	-51.0	-20	pass
1224.225	V	-51.5	-20	pass
1360.250	V	-54.1	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 151.850MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	H	0		pass
303.700	H	-40.2	-20	pass
455.55	H	-42.3	-20	pass
607.400	H	-47.6	-20	pass
759.250	H	-47.9	-20	pass
911.100	H	-44.3	-20	pass
1062.950	H	-43.0	-20	pass
1214.800	H	-46.1	-20	pass
1366.650	H	-48.1	-20	pass
1518.500	H	-53.6	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
151.850	V	0		pass
303.700	V	-37.8	-20	pass
455.55	V	-38.7	-20	pass
607.400	V	-40.0	-20	pass
759.250	V	-41.7	-20	pass
911.100	V	-44.3	-20	pass
1062.950	V	-47.0	-20	pass
1214.800	V	-46.2	-20	pass
1366.650	V	-51.8	-20	pass
1518.500	V	-53.3	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 155.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	H	0		pass
310.050	H	-40.3	-20	pass
465.075	H	-39.8	-20	pass
620.100	H	-41.3	-20	pass
775.125	H	-42.7	-20	pass
930.150	H	-42.5	-20	pass
1085.175	H	-45.1	-20	pass
1240.200	H	-51.5	-20	pass
1395.225	H	-52.4	-20	pass
1550.250	H	-51.0	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/H)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
155.025	V	0		pass
310.050	V	-34.3	-20	pass
465.075	V	-35.9	-20	pass
620.100	V	-38.7	-20	pass
775.125	V	-40.9	-20	pass
930.150	V	-47.0	-20	pass
1085.175	V	-48.7	-20	pass
1240.200	V	-49.8	-20	pass
1395.225	V	-51.8	-20	pass
1550.250	V	-52.7	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 161.610MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	H	0		pass
323.220	H	-37.5	-20	pass
484.83	H	-37.6	-20	pass
646.440	H	-38.4	-20	pass
808.050	H	-44.7	-20	pass
969.660	H	-47.5	-20	pass
1131.270	H	-48.1	-20	pass
1292.880	H	-49.3	-20	pass
1454.490	H	-50.3	-20	pass
1616.100	H	-52.8	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
161.610	V	0		pass
323.220	V	-36.4	-20	pass
484.83	V	-37.8	-20	pass
646.440	V	-40.6	-20	pass
808.050	V	-41.3	-20	pass
969.660	V	-42.5	-20	pass
1131.270	V	-47.5	-20	pass
1292.880	V	-51.3	-20	pass
1454.490	V	-50.9	-20	pass
1616.100	V	-52.5	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 173.975MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	H	0		pass
347.950	H	-34.3	-20	pass
521.925	H	-35.4	-20	pass
695.900	H	-38.2	-20	pass
869.875	H	-40.2	-20	pass
1043.850	H	-40.8	-20	pass
1217.825	H	-42.9	-20	pass
1391.800	H	-51.3	-20	pass
1565.775	H	-49.2	-20	pass
1739.750	H	-51.4	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
173.975	V	0		pass
347.950	V	-37.2	-20	pass
521.925	V	-38.6	-20	pass
695.900	V	-43.3	-20	pass
869.875	V	-47.1	-20	pass
1043.850	V	-48.9	-20	pass
1217.825	V	-50.4	-20	pass
1391.800	V	-49.6	-20	pass
1565.775	V	-52.5	-20	pass
1739.750	V	-53.5	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



UHF:
Analog:

Measurement Result for 12.5 KHz Channel Separation @ 400.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	H	0		pass
800.050	H	-32.4	-20	pass
1200.075	H	-33.5	-20	pass
1600.100	H	-37.8	-20	pass
2000.125	H	-37.6	-20	pass
2400.150	H	-39.3	-20	pass
2800.175	H	-41.0	-20	pass
3200.200	H	-50.7	-20	pass
3600.225	H	-52.8	-20	pass
4000.250	H	-53.3	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	V	0		pass
800.050	V	-37.0	-20	pass
1200.075	V	-38.0	-20	pass
1600.100	V	-36.5	-20	pass
2000.125	V	-42.2	-20	pass
2400.150	V	-41.7	-20	pass
2800.175	V	-42.0	-20	pass
3200.200	V	-40.4	-20	pass
3600.225	V	-50.9	-20	pass
4000.250	V	-51.9	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 454.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	V	0		pass
908.050	V	-36.8	-20	pass
1362.075	V	-39.4	-20	pass
1816.100	V	-40.3	-20	pass
2270.125	V	-46.0	-20	pass
2724.150	V	-47.7	-20	pass
3178.175	V	-50.5	-20	pass
3632.200	V	-50.0	-20	pass
4086.225	V	-51.9	-20	pass
4540.250	V	-51.3	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	H	0		pass
908.050	H	-34.6	-20	pass
1362.075	H	-34.8	-20	pass
1816.100	H	-36.5	-20	pass
2270.125	H	-40.1	-20	pass
2724.150	H	-42.2	-20	pass
3178.175	H	-43.1	-20	pass
3632.200	H	-45.3	-20	pass
4086.225	H	-52.3	-20	pass
4540.250	H	-53.1	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 479.975MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	H	0		pass
959.950	H	-37.3	-20	pass
1439.925	H	-39.5	-20	pass
1919.900	H	-41.1	-20	pass
2399.875	H	-43.7	-20	pass
2879.850	H	-42.0	-20	pass
3359.825	H	-44.6	-20	pass
3839.800	H	-50.6	-20	pass
4319.775	H	-51.7	-20	pass
4799.750	H	-52.7	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	V	0		pass
959.950	V	-38.4	-20	pass
1439.925	V	-37.8	-20	pass
1919.900	V	-38.8	-20	pass
2399.875	V	-39.2	-20	pass
2879.850	V	-41.4	-20	pass
3359.825	V	-44.0	-20	pass
3839.800	V	-50.3	-20	pass
4319.775	V	-51.7	-20	pass
4799.750	V	-53.6	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 400.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	H	0		pass
800.050	H	-36.9	-20	pass
1200.075	H	-36.8	-20	pass
1600.100	H	-40.7	-20	pass
2000.125	H	-43.7	-20	pass
2400.150	H	-43.4	-20	pass
2800.175	H	-45.6	-20	pass
3200.200	H	-49.4	-20	pass
3600.225	H	-50.6	-20	pass
4000.250	H	-52.1	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	V	0		pass
800.050	V	-37.6	-20	pass
1200.075	V	-39.9	-20	pass
1600.100	V	-40.8	-20	pass
2000.125	V	-41.0	-20	pass
2400.150	V	-43.7	-20	pass
2800.175	V	-47.4	-20	pass
3200.200	V	-50.1	-20	pass
3600.225	V	-52.4	-20	pass
4000.250	V	-54.1	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 454.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	H	0		pass
908.050	H	-37.5	-20	pass
1362.075	H	-38.7	-20	pass
1816.100	H	-39.7	-20	pass
2270.125	H	-42.8	-20	pass
2724.150	H	-45.9	-20	pass
3178.175	H	-47.1	-20	pass
3632.200	H	-46.9	-20	pass
4086.225	H	-51.7	-20	pass
4540.250	H	-51.5	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	V	0		pass
908.050	V	-38.4	-20	pass
1362.075	V	-40.5	-20	pass
1816.100	V	-45.3	-20	pass
2270.125	V	-47.2	-20	pass
2724.150	V	-49.0	-20	pass
3178.175	V	-50.7	-20	pass
3632.200	V	-52.3	-20	pass
4086.225	V	-51.1	-20	pass
4540.250	V	-53.9	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 479.975MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	H	0		pass
959.950	H	-35.4	-20	pass
1439.925	H	-35.3	-20	pass
1919.900	H	-40.1	-20	pass
2399.875	H	-43.0	-20	pass
2879.850	H	-44.1	-20	pass
3359.825	H	-45.4	-20	pass
3839.800	H	-49.3	-20	pass
4319.775	H	-50.4	-20	pass
4799.750	H	-52.3	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	V	0		pass
959.950	V	-38.8	-20	pass
1439.925	V	-40.4	-20	pass
1919.900	V	-41.2	-20	pass
2399.875	V	-43.3	-20	pass
2879.850	V	-45.2	-20	pass
3359.825	V	-47.1	-20	pass
3839.800	V	-51.3	-20	pass
4319.775	V	-52.6	-20	pass
4799.750	V	-51.8	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Digital:

Measurement Result for 12.5 KHz Channel Separation @ 400.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	H	0		pass
800.050	H	-36.2	-20	pass
1200.075	H	-38.0	-20	pass
1600.100	H	-37.2	-20	pass
2000.125	H	-40.2	-20	pass
2400.150	H	-40.0	-20	pass
2800.175	H	-40.6	-20	pass
3200.200	H	-43.8	-20	pass
3600.225	H	-42.9	-20	pass
4000.250	H	-43.9	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	V	0		pass
800.050	V	-35.3	-20	pass
1200.075	V	-36.5	-20	pass
1600.100	V	-37.0	-20	pass
2000.125	V	-41.3	-20	pass
2400.150	V	-42.7	-20	pass
2800.175	V	-44.2	-20	pass
3200.200	V	-43.7	-20	pass
3600.225	V	-42.9	-20	pass
4000.250	V	-43.2	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 454.025MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	H	0		pass
908.050	H	-35.8	-20	pass
1362.075	H	-37.2	-20	pass
1816.100	H	-37.1	-20	pass
2270.125	H	-40.5	-20	pass
2724.150	H	-43.3	-20	pass
3178.175	H	-41.0	-20	pass
3632.200	H	-41.4	-20	pass
4086.225	H	-46.3	-20	pass
4540.250	H	-46.2	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	V	0		pass
908.050	V	-34.5	-20	pass
1362.075	V	-37.1	-20	pass
1816.100	V	-36.4	-20	pass
2270.125	V	-40.8	-20	pass
2724.150	V	-38.0	-20	pass
3178.175	V	-42.1	-20	pass
3632.200	V	-44.2	-20	pass
4086.225	V	-42.6	-20	pass
4540.250	V	-48.9	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 479.975MHz-5W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	H	0		pass
959.950	H	-35.48	-20	pass
1439.925	H	-37.88	-20	pass
1919.900	H	-40.08	-20	pass
2399.875	H	-40.71	-20	pass
2879.850	H	-41.91	-20	pass
3359.825	H	-45.09	-20	pass
3839.800	H	-45.86	-20	pass
4319.775	H	-51.28	-20	pass
4799.750	H	-50.93	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	V	0		pass
959.950	V	-38.1	-20	pass
1439.925	V	-38.6	-20	pass
1919.900	V	-41.6	-20	pass
2399.875	V	-41.8	-20	pass
2879.850	V	-43.2	-20	pass
3359.825	V	-46.0	-20	pass
3839.800	V	-51.5	-20	pass
4319.775	V	-52.2	-20	pass
4799.750	V	-51.8	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Measurement Result for 12.5 KHz Channel Separation @ 400.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	H	0		pass
800.050	H	-37.1	-20	pass
1200.075	H	-38.5	-20	pass
1600.100	H	-41.4	-20	pass
2000.125	H	-43.4	-20	pass
2400.150	H	-44.4	-20	pass
2800.175	H	-47.0	-20	pass
3200.200	H	-50.2	-20	pass
3600.225	H	-51.6	-20	pass
4000.250	H	-54.0	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
400.025	V	0		pass
800.050	V	-35.7	-20	pass
1200.075	V	-36.8	-20	pass
1600.100	V	-38.0	-20	pass
2000.125	V	-40.9	-20	pass
2400.150	V	-44.0	-20	pass
2800.175	V	-46.9	-20	pass
3200.200	V	-49.2	-20	pass
3600.225	V	-50.1	-20	pass
4000.250	V	-51.3	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 454.025MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	H	0		pass
908.050	H	-39.2	-20	pass
1362.075	H	-43.2	-20	pass
1816.100	H	-39.7	-20	pass
2270.125	H	-45.9	-20	pass
2724.150	H	-45.8	-20	pass
3178.175	H	-49.8	-20	pass
3632.200	H	-52.7	-20	pass
4086.225	H	-50.2	-20	pass
4540.250	H	-49.4	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
454.025	V	0		pass
908.050	V	-40.3	-20	pass
1362.075	V	-43.8	-20	pass
1816.100	V	-46.2	-20	pass
2270.125	V	-45.1	-20	pass
2724.150	V	-45.0	-20	pass
3178.175	V	-44.1	-20	pass
3632.200	V	-49.5	-20	pass
4086.225	V	-51.6	-20	pass
4540.250	V	-53.5	-20	pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Measurement Result for 12.5 KHz Channel Separation @ 479.975MHz-1W

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	H	0		pass
959.950	H	-40.8	-20	pass
1439.925	H	-41.9	-20	pass
1919.900	H	-45.1	-20	pass
2399.875	H	-47.6	-20	pass
2879.850	H	-46.0	-20	pass
3359.825	H	-50.3	-20	pass
3839.800	H	-50.0	-20	pass
4319.775	H	-52.5	-20	pass
4799.750	H	-51.5	-20	pass

Emission Frequency (MHz)	Ant. Polarity(H/V)	Measurement Result (dBm)	Limit (dBm)	Result(P/F)
479.975	V	0		pass
959.950	V	-36.1	-20	pass
1439.925	V	-38.2	-20	pass
1919.900	V	-41.6	-20	pass
2399.875	V	-43.5	-20	pass
2879.850	V	-44.8	-20	pass
3359.825	V	-47.4	-20	pass
3839.800	V	-49.4	-20	pass
4319.775	V	-49.2	-20	pass
4799.750	V	-50.4	-20	pass

Note: In this case, Part 22 (-13 dBm) is less than the limit of Part 90 (-20 dBm), so we do not need to test Part 22, which meets the spurious limits of PART 90+22.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



8.5 EMISSION MASK PLOT

The detailed procedure employed for Emission Mask measurements are specified as following:

- The transmitter shall be modulated by a 2.5 kHz audio signal,
- The level of the audio signal employed is 16 dB greater than that necessary to produce 50% of rated system deviation. Rated system deviation is 2.5 kHz.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>




VHF:
Analog:

The Worst Emission Mask D for (136.025MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (136.025MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask D for (151.85MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (151.85MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



The Worst Emission Mask D for (155.025MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (155.025MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



The Worst Emission Mask D for (161.61MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask for (161.61MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask D for (173.975MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (173.975MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask § 22.359 for (151.85 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (151.85 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask § 22.359 for (161.61 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (161.61 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




Digital:

The Worst Emission Mask D for (136.025MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (136.025MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



The Worst Emission Mask D for (151.85MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (151.85MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask D for (155.025MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (155.025MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask D for (161.61MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask for (161.61MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask D for (173.975MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (173.975MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask § 22.359 for (151.85 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (151.85 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



The Worst Emission Mask § 22.359 for (161.61 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (161.61 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




UHF:
Analog:

The Worst Emission Mask D for (400.025 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (400.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



The Worst Emission Mask D for (453.225 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (453.225 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask D for (454.025 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (454.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



The Worst Emission Mask D for (479.975 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (479.975 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



The Worst Emission Mask § 22.359 for (454.025 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (454.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




Digital:

The Worst Emission Mask D for (400.025 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask D for (400.025 MHz) of 12.5 KHz channel Separation (1W)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>

