






Date: 10 JUL 2024 14:18:03

SRD 20M_Ant5_2456.5




Date: 10 JUL 2024 14:21:50

SRD 20M_Ant4_2458.5




Date: 10 JUL 2024 14:23:07

SRD 20M_Ant5_2458.5




Date: 10 JUL 2024 14:26:47

SRD 20M_Ant4_2462.5




Date: 10 JUL 2024 14:27:37


SRD 20M_Ant5_2462.5



Date: 10 JUL 2024 14:33:22


SRD 40M_Ant4_2422.5






Date: 10 JUL 2024 14:46:04

SRD 40M Ant4 2452.5




Date: 10 JUL 2024 14:47:32

SRD 40M Ant5 2452.5




Date: 10 JUL 2024 14:56:29


SRD 60M Ant4 2432.5




SRD 60M_Ant5_2432.5




SRD 60M_Ant4_2436.5



SRD 60M_Ant5_2436.5





Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER**11.3.1. Test Result**

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant0	Ant1	Total	
SRD 10M	2407.5	24.26	24.45	27.37	30
	2437.5	24.96	24.77	27.88	30
	2465.5	23.89	24.83	27.40	30
	2466.5	23.23	23.72	26.49	30
	2467.5	22.39	22.53	25.47	30
SRD 20M	2412.5	23.66	22.31	26.05	30
	2414.5	23.81	23.97	26.90	30
	2416.5	25.14	24.86	28.01	30
	2437.5	25.01	25.14	28.09	30
	2453.5	25.10	24.23	27.70	30
	2456.5	24.30	23.28	26.83	30
	2458.5	23.25	22.28	25.80	30
	2462.5	21.57	20.83	24.23	30
SRD 40M	2422.5	23.36	22.59	26.00	30
	2437.5	23.25	23.81	26.55	30
	2452.5	23.07	22.38	25.75	30
SRD 60M	2432.5	21.30	20.60	23.97	30
	2436.5	20.83	20.88	23.87	30
	2437.5	23.50	23.96	26.75	30
	2442.5	22.80	23.01	25.92	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant0	Ant3	Total	
SRD 10M	2407.5	24.54	24.03	27.30	30
	2437.5	25.52	24.75	28.16	30
	2465.5	24.15	24.85	27.52	30
	2466.5	23.25	23.46	26.37	30
	2467.5	22.45	22.73	25.60	30
SRD 20M	2412.5	23.28	21.83	25.63	30
	2414.5	23.99	23.71	26.86	30
	2416.5	25.36	25.26	28.32	30
	2437.5	25.49	24.82	28.18	30
	2453.5	25.02	24.19	27.64	30
	2456.5	24.02	23.64	26.84	30
	2458.5	22.99	22.38	25.71	30
	2462.5	21.29	20.41	23.88	30
SRD 40M	2422.5	23.32	22.77	26.06	30
	2437.5	23.51	23.99	26.77	30
	2452.5	23.07	22.30	25.71	30
SRD 60M	2432.5	21.00	20.92	23.97	30
	2436.5	21.25	20.70	23.99	30
	2437.5	23.36	23.84	26.62	30
	2442.5	22.80	23.21	26.02	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant0	Ant5	Total	
SRD 10M	2407.5	24.34	23.87	27.12	30
	2437.5	24.98	25.03	28.02	30
	2465.5	24.01	24.77	27.42	30
	2466.5	23.61	23.52	26.58	30
	2467.5	22.39	22.77	25.59	30
SRD 20M	2412.5	23.18	22.31	25.78	30
	2414.5	23.87	23.81	26.85	30
	2416.5	25.46	25.02	28.26	30
	2437.5	25.15	24.92	28.05	30
	2453.5	25.48	24.39	27.98	30
	2456.5	24.50	23.32	26.96	30
	2458.5	23.39	22.28	25.88	30
	2462.5	21.57	20.51	24.08	30
SRD 40M	2422.5	23.62	22.21	25.98	30
	2437.5	23.79	23.49	26.65	30
	2452.5	23.17	22.44	25.83	30
SRD 60M	2432.5	20.76	20.98	23.88	30
	2436.5	21.11	21.02	24.08	30
	2437.5	23.46	23.68	26.58	30
	2442.5	22.68	23.35	26.04	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant1	Ant2	Total	
SRD 10M	2407.5	24.58	23.93	27.28	30
	2437.5	25.10	24.85	27.99	30
	2465.5	23.89	24.87	27.42	30
	2466.5	23.55	23.58	26.58	30
	2467.5	22.57	22.63	25.61	30
SRD 20M	2412.5	23.24	21.87	25.62	30
	2414.5	24.01	23.55	26.80	30
	2416.5	25.32	25.24	28.29	30
	2437.5	25.47	24.86	28.19	30
	2453.5	25.02	24.19	27.64	30
	2456.5	24.06	23.08	26.61	30
	2458.5	22.89	22.28	25.61	30
	2462.5	21.45	20.85	24.17	30
SRD 40M	2422.5	23.78	22.41	26.16	30
	2437.5	23.35	23.79	26.59	30
	2452.5	23.13	22.32	25.75	30
SRD 60M	2432.5	21.08	20.60	23.86	30
	2436.5	21.21	21.22	24.23	30
	2437.5	23.34	23.40	26.38	30
	2442.5	22.78	23.37	26.10	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant2	Ant3	Total	
SRD 10M	2407.5	24.94	24.64	27.80	30
	2437.5	25.83	25.32	28.59	30
	2465.5	24.52	25.07	27.81	30
	2466.5	23.61	23.99	26.81	30
	2467.5	22.92	23.20	26.07	30
SRD 20M	2412.5	23.86	22.54	26.26	30
	2414.5	24.56	24.18	27.38	30
	2416.5	25.69	25.50	28.61	30
	2437.5	25.74	25.46	28.61	30
	2453.5	25.69	24.43	28.12	30
	2456.5	24.91	23.65	27.34	30
	2458.5	23.72	23.07	26.42	30
	2462.5	21.82	21.02	24.45	30
SRD 40M	2422.5	24.20	22.96	26.63	30
	2437.5	23.90	24.04	26.98	30
	2452.5	23.79	22.82	26.34	30
SRD 60M	2432.5	21.61	21.22	24.43	30
	2436.5	21.42	21.48	24.46	30
	2437.5	23.90	24.09	27.01	30
	2442.5	23.29	23.64	26.48	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant2	Ant5	Total	
SRD 10M	2407.5	25.00	24.71	27.87	30
	2437.5	25.82	25.40	28.63	30
	2465.5	24.51	25.21	27.88	30
	2466.5	23.86	23.97	26.93	30
	2467.5	23.09	23.33	26.22	30
SRD 20M	2412.5	24.01	22.43	26.30	30
	2414.5	24.54	24.10	27.34	30
	2416.5	25.79	25.35	28.59	30
	2437.5	25.73	25.40	28.58	30
	2453.5	25.60	24.69	28.18	30
	2456.5	24.64	23.64	27.18	30
	2458.5	23.49	22.90	26.22	30
	2462.5	21.89	21.25	24.59	30
SRD 40M	2422.5	23.98	22.88	26.48	30
	2437.5	24.13	24.27	27.21	30
	2452.5	23.86	22.87	26.40	30
SRD 60M	2432.5	21.41	21.11	24.27	30
	2436.5	21.38	21.45	24.43	30
	2437.5	23.90	24.11	27.02	30
	2442.5	23.36	23.74	26.56	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant1	Ant4	Total	
SRD 10M	2407.5	24.78	24.45	27.63	30
	2437.5	25.38	25.01	28.21	30
	2465.5	24.31	24.77	27.56	30
	2466.5	23.49	23.54	26.53	30
	2467.5	22.67	22.73	25.71	30
SRD 20M	2412.5	23.42	22.07	25.81	30
	2414.5	24.19	23.37	26.81	30
	2416.5	25.04	24.94	28.00	30
	2437.5	25.39	24.90	28.16	30
	2453.5	25.36	24.01	27.75	30
	2456.5	24.16	23.54	26.87	30
	2458.5	23.39	22.80	26.12	30
	2462.5	21.45	20.75	24.12	30
SRD 40M	2422.5	23.52	22.25	25.94	30
	2437.5	23.31	23.87	26.61	30
	2452.5	23.57	22.28	25.98	30
SRD 60M	2432.5	20.88	20.68	23.79	30
	2436.5	21.37	21.24	24.32	30
	2437.5	23.56	23.90	26.74	30
	2442.5	23.18	23.43	26.32	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant3	Ant4	Total	
SRD 10M	2407.5	24.89	24.77	27.84	30
	2437.5	25.77	25.41	28.60	30
	2465.5	24.54	25.16	27.87	30
	2466.5	23.64	23.90	26.78	30
	2467.5	22.91	23.05	25.99	30
SRD 20M	2412.5	23.97	22.44	26.28	30
	2414.5	24.69	24.21	27.47	30
	2416.5	25.87	25.29	28.60	30
	2437.5	25.51	25.59	28.56	30
	2453.5	25.82	24.66	28.29	30
	2456.5	24.92	23.79	27.40	30
	2458.5	23.66	22.92	26.32	30
	2462.5	21.86	21.13	24.52	30
SRD 40M	2422.5	24.10	23.00	26.60	30
	2437.5	24.07	24.27	27.18	30
	2452.5	23.83	22.63	26.28	30
SRD 60M	2432.5	21.45	21.19	24.33	30
	2436.5	21.61	21.60	24.62	30
	2437.5	23.94	24.24	27.10	30
	2442.5	23.31	23.70	26.52	30

Mode	Channel	AVG Conducted power(dBm)			Limit
		Ant4	Ant5	Total	
SRD 10M	2407.5	25.42	25.07	28.26	30
	2437.5	26.14	25.89	29.03	30
	2465.5	25.01	25.55	28.30	30
	2466.5	24.21	24.42	27.33	30
	2467.5	23.39	23.65	26.53	30
SRD 20M	2412.5	24.34	23.01	26.74	30
	2414.5	25.01	24.57	27.81	30
	2416.5	26.24	25.88	29.07	30
	2437.5	26.09	25.90	29.01	30
	2453.5	26.16	24.99	28.62	30
	2456.5	25.22	24.24	27.77	30
	2458.5	24.07	23.42	26.77	30
	2462.5	22.39	21.59	25.02	30
SRD 40M	2422.5	24.52	23.37	26.99	30
	2437.5	24.43	24.63	27.54	30
	2452.5	24.17	23.18	26.71	30
SRD 60M	2432.5	21.94	21.60	24.78	30
	2436.5	21.97	21.90	24.95	30
	2437.5	24.44	24.56	27.51	30
	2442.5	23.88	24.11	27.01	30

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY

11.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
SRD 10M	Ant4	2407.5	-1.82	≤8.00	PASS
	Ant5	2407.5	-2.92	≤8.00	PASS
	total	2407.5	0.68	≤8.00	PASS
	Ant4	2437.5	-2.42	≤8.00	PASS
	Ant5	2437.5	-2.19	≤8.00	PASS
	total	2437.5	0.71	≤8.00	PASS
	Ant4	2465.5	-0.27	≤8.00	PASS
	Ant5	2465.5	-1.32	≤8.00	PASS
	total	2465.5	2.25	≤8.00	PASS
	Ant4	2466.5	-2.54	≤8.00	PASS
	Ant5	2466.5	-3.17	≤8.00	PASS
	total	2466.5	0.17	≤8.00	PASS
	Ant4	2467.5	-3.25	≤8.00	PASS
	Ant5	2467.5	-4.03	≤8.00	PASS
	total	2467.5	-0.61	≤8.00	PASS
SRD 20M	Ant4	2412.5	-5.61	≤8.00	PASS
	Ant5	2412.5	-7.99	≤8.00	PASS
	total	2412.5	-3.63	≤8.00	PASS
	Ant4	2414.5	-5.19	≤8.00	PASS
	Ant5	2414.5	-6.31	≤8.00	PASS
	total	2414.5	-2.70	≤8.00	PASS
	Ant4	2416.5	-3.69	≤8.00	PASS
	Ant5	2416.5	-5.03	≤8.00	PASS
	total	2416.5	-1.30	≤8.00	PASS
	Ant4	2437.5	-4.66	≤8.00	PASS
	Ant5	2437.5	-5.02	≤8.00	PASS
	total	2437.5	-1.83	≤8.00	PASS
	Ant4	2453.5	-4.27	≤8.00	PASS
	Ant5	2453.5	-6.13	≤8.00	PASS
	total	2453.5	-2.09	≤8.00	PASS
	Ant4	2456.5	-5.50	≤8.00	PASS
	Ant5	2456.5	-6.71	≤8.00	PASS
	total	2456.5	-3.05	≤8.00	PASS
	Ant4	2458.5	-6.22	≤8.00	PASS
	Ant5	2458.5	-7.44	≤8.00	PASS
	total	2458.5	-3.78	≤8.00	PASS
	Ant4	2462.5	-8.46	≤8.00	PASS
	Ant5	2462.5	-8.78	≤8.00	PASS
	total	2462.5	-5.61	≤8.00	PASS
SRD 40M	Ant4	2422.5	-6.82	≤8.00	PASS
	Ant5	2422.5	-8.64	≤8.00	PASS
	total	2422.5	-4.63	≤8.00	PASS
	Ant4	2437.5	-7.48	≤8.00	PASS
	Ant5	2437.5	-7.78	≤8.00	PASS
	total	2437.5	-4.62	≤8.00	PASS
	Ant4	2452.5	-7.32	≤8.00	PASS
	Ant5	2452.5	-8.70	≤8.00	PASS
SRD 60M	total	2452.5	-4.95	≤8.00	PASS
	Ant4	2432.5	-12.64	≤8.00	PASS
	Ant5	2432.5	-13.23	≤8.00	PASS
	total	2432.5	-9.91	≤8.00	PASS
	Ant4	2436.5	-13.35	≤8.00	PASS
	Ant5	2436.5	-12.73	≤8.00	PASS


	total	2436.5	-10.02	≤8.00	PASS
	Ant4	2437.5	-9.49	≤8.00	PASS
	Ant5	2437.5	-10.69	≤8.00	PASS
	total	2437.5	-7.04	≤8.00	PASS
	Ant4	2442.5	-11.38	≤8.00	PASS
	Ant5	2442.5	-10.30	≤8.00	PASS
	total	2442.5	-7.80	≤8.00	PASS


Note:


1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.
2. All the modes and antennas had been tested, but only the worst data was recorded in the report.


11.4.2. Test Graphs














SRD 20M_Ant4_2414.5




SRD 20M_Ant5_2414.5




SRD 20M_Ant4_2416.5







SRD 20M_Ant4_2453.5




SRD 20M_Ant5_2453.5




SRD 20M_Ant4_2456.5






Date: 10 JUL 2024 14:27:12

SRD 20M_Ant4_2462.5




Date: 10 JUL 2024 14:28:05

SRD 20M_Ant5_2462.5




Date: 6 SEP 2024 10:13:06


SRD 40M_Ant4_2422.5




SRD 40M_Ant5_2422.5




SRD 40M_Ant4_2437.5




SRD 40M_Ant5_2437.5







SRD 60M_Ant5_2432.5




SRD 60M_Ant4_2436.5




SRD 60M_Ant5_2436.5




SRD 60M_Ant4_2437.5



SRD 60M_Ant5_2437.5



SRD 60M_Ant4_2442.5




11.5. APPENDIX E: BAND EDGE MEASUREMENTS


11.5.1. Test Result

Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
SRD 10M	Ant4	Low	2407.5	14.94	-19.47	≤-15.06	PASS
	Ant5	Low	2407.5	15.97	-15.63	≤-14.03	PASS
	Ant4	High	2465.5	15.04	-36.96	≤-14.96	PASS
	Ant5	High	2465.5	16.31	-37.01	≤-13.69	PASS
	Ant4	High	2466.5	14.45	-36.97	≤-15.55	PASS
	Ant5	High	2466.5	15.37	-36.98	≤-14.63	PASS
	Ant4	High	2467.5	13.80	-36.25	≤-16.2	PASS
	Ant5	High	2467.5	14.42	-36.59	≤-15.58	PASS
SRD 20M	Ant4	Low	2412.5	13.30	-27.3	≤-16.7	PASS
	Ant5	Low	2412.5	11.64	-30.63	≤-18.36	PASS
	Ant4	Low	2414.5	13.63	-24.61	≤-16.37	PASS
	Ant5	Low	2414.5	12.96	-28.58	≤-17.04	PASS
	Ant4	Low	2416.5	14.06	-18.95	≤-15.94	PASS
	Ant5	Low	2416.5	14.21	-20.66	≤-15.79	PASS
	Ant4	High	2462.5	11.19	-36.94	≤-18.81	PASS
	Ant5	High	2462.5	10.57	-36.31	≤-19.43	PASS
SRD 40M	Ant4	Low	2422.5	12.28	-27.26	≤-17.72	PASS
	Ant5	Low	2422.5	11.36	-34.53	≤-18.64	PASS
	Ant4	High	2452.5	11.48	-36.19	≤-18.52	PASS
	Ant5	High	2452.5	12.53	-36.73	≤-17.47	PASS
SRD 60M	Ant4	Low	2432.5	6.77	-26.4	≤-23.23	PASS
	Ant5	Low	2432.5	5.71	-27.42	≤-24.29	PASS
	Ant4	High	2442.5	8.52	-36.6	≤-21.48	PASS
	Ant5	High	2442.5	9.12	-36.44	≤-20.88	PASS


Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

11.5.2. Test Graphs







SRD 10M Ant5 High 2465.5



SRD 10M Ant4 High 2466.5




SRD 10M Ant5 High 2466.5




Date: 10 JUL 2024 13:52:32

SRD 10M Ant4 High 2467.5




Date: 10 JUL 2024 13:54:01

SRD 10M Ant5 High 2467.5




Date: 10 JUL 2024 13:57:25


SRD 20M Ant4 Low 2412.5




SRD 20M Ant5 Low 2412.5




SRD 20M Ant4 Low 2414.5




SRD 20M Ant5 Low 2414.5




SRD 20M Ant4 Low 2416.5




SRD 20M Ant5 Low 2416.5




SRD 20M Ant4 High 2462.5




SRD 20M Ant5 High 2462.5




SRD 40M Ant4 Low 2422.5




SRD 40M Ant5 Low 2422.5




SRD 40M Ant4 High 2452.5




SRD 40M Ant5 High 2452.5




SRD 60M Ant4 Low 2432.5



SRD 60M Ant5 Low 2432.5



SRD 60M Ant4 High 2442.5



SRD 60M Ant5 High 2442.5

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION

11.6.1. Test Result


Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
SRD 10M	Ant4	2407.5	Reference	15.10	---	PASS
			30~1000	-39.7	≤-14.9	PASS
			1000~26500	-40.63	≤-14.9	PASS
	Ant5	2407.5	Reference	15.97	---	PASS
			30~1000	-40.25	≤-14.03	PASS
			1000~26500	-39.88	≤-14.03	PASS
	Ant4	2437.5	Reference	15.88	---	PASS
			30~1000	-40.12	≤-14.12	PASS
			1000~26500	-41.02	≤-14.12	PASS
	Ant5	2437.5	Reference	16.28	---	PASS
			30~1000	-39.4	≤-13.72	PASS
			1000~26500	-40.04	≤-13.72	PASS
	Ant4	2465.5	Reference	15.49	---	PASS
			30~1000	-39.98	≤-14.51	PASS
			1000~26500	-40.65	≤-14.51	PASS
	Ant5	2465.5	Reference	16.45	---	PASS
			30~1000	-39.53	≤-13.55	PASS
			1000~26500	-40.22	≤-13.55	PASS
	Ant4	2466.5	Reference	14.67	---	PASS
			30~1000	-40.21	≤-15.33	PASS
			1000~26500	-40.4	≤-15.33	PASS
	Ant5	2466.5	Reference	14.95	---	PASS
			30~1000	-39.88	≤-15.05	PASS
			1000~26500	-40.09	≤-15.05	PASS
	Ant4	2467.5	Reference	14.13	---	PASS
			30~1000	-38.44	≤-15.87	PASS
			1000~26500	-40.55	≤-15.87	PASS
	Ant5	2467.5	Reference	14.58	---	PASS
			30~1000	-40.32	≤-15.42	PASS
			1000~26500	-40.15	≤-15.42	PASS
SRD 20M	Ant4	2412.5	Reference	12.90	---	PASS
			30~1000	-40.16	≤-17.1	PASS
			1000~26500	-40.22	≤-17.1	PASS
	Ant5	2412.5	Reference	11.85	---	PASS
			30~1000	-40.31	≤-18.15	PASS
			1000~26500	-40.77	≤-18.15	PASS
	Ant4	2414.5	Reference	13.88	---	PASS
			30~1000	-40.24	≤-16.12	PASS
			1000~26500	-40.02	≤-16.12	PASS
	Ant5	2414.5	Reference	13.08	---	PASS
			30~1000	-40.04	≤-16.92	PASS
			1000~26500	-40.68	≤-16.92	PASS
	Ant4	2416.5	Reference	14.35	---	PASS
			30~1000	-45.87	≤-15.65	PASS
			1000~26500	-40.95	≤-15.65	PASS
	Ant5	2416.5	Reference	14.05	---	PASS
			30~1000	-40.26	≤-15.95	PASS
			1000~26500	-40.26	≤-15.95	PASS
	Ant4	2437.5	Reference	14.48	---	PASS
			30~1000	-39.72	≤-15.52	PASS
			1000~26500	-39.51	≤-15.52	PASS
	Ant5	2437.5	Reference	14.51	---	PASS
			30~1000	-39.59	≤-15.49	PASS
			1000~26500	-40.82	≤-15.49	PASS
	Ant4	2453.5	Reference	14.36	---	PASS


	Ant5	2453.5	30~1000	-40.14	≤ -15.64	PASS
			1000~26500	-39.9	≤ -15.64	PASS
			Reference	13.75	---	PASS
			30~1000	-40.18	≤ -16.25	PASS
			1000~26500	-40.82	≤ -16.25	PASS
			Reference	13.53	---	PASS
	Ant4	2456.5	30~1000	-39.03	≤ -16.47	PASS
			1000~26500	-41.07	≤ -16.47	PASS
			Reference	12.91	---	PASS
	Ant5	2456.5	30~1000	-39.99	≤ -17.09	PASS
			1000~26500	-39.9	≤ -17.09	PASS
			Reference	12.30	---	PASS
	Ant4	2458.5	30~1000	-39.83	≤ -17.7	PASS
			1000~26500	-40.56	≤ -17.7	PASS
			Reference	11.90	---	PASS
	Ant5	2458.5	30~1000	-39.73	≤ -18.1	PASS
			1000~26500	-39.91	≤ -18.1	PASS
			Reference	9.62	---	PASS
	Ant4	2462.5	30~1000	-44.7	≤ -20.38	PASS
			1000~26500	-40.65	≤ -20.38	PASS
			Reference	11.44	---	PASS
	Ant5	2462.5	30~1000	-39.51	≤ -18.56	PASS
			1000~26500	-40.68	≤ -18.56	PASS
			Reference	12.62	---	PASS
SRD 40M	Ant4	2422.5	30~1000	-38.83	≤ -17.38	PASS
			1000~26500	-40.53	≤ -17.38	PASS
			Reference	13.18	---	PASS
	Ant5	2422.5	30~1000	-40.16	≤ -16.82	PASS
			1000~26500	-40.78	≤ -16.82	PASS
			Reference	12.13	---	PASS
	Ant4	2437.5	30~1000	-40.24	≤ -17.87	PASS
			1000~26500	-40.39	≤ -17.87	PASS
			Reference	13.75	---	PASS
	Ant5	2437.5	30~1000	-39.72	≤ -16.25	PASS
			1000~26500	-40.6	≤ -16.25	PASS
			Reference	12.20	---	PASS
	Ant4	2452.5	30~1000	-39.56	≤ -17.8	PASS
			1000~26500	-40.51	≤ -17.8	PASS
			Reference	10.92	---	PASS
	Ant5	2452.5	30~1000	-40.07	≤ -19.08	PASS
			1000~26500	-40.21	≤ -19.08	PASS
			Reference	7.64	---	PASS
SRD 60M	Ant4	2432.5	30~1000	-40.14	≤ -22.36	PASS
			1000~26500	-39.4	≤ -22.36	PASS
			Reference	6.60	---	PASS
	Ant5	2432.5	30~1000	-39.83	≤ -23.4	PASS
			1000~26500	-40.25	≤ -23.4	PASS
			Reference	5.90	---	PASS
	Ant4	2436.5	30~1000	-40.01	≤ -24.1	PASS
			1000~26500	-40.43	≤ -24.1	PASS
			Reference	6.78	---	PASS
	Ant5	2436.5	30~1000	-39.82	≤ -23.22	PASS
			1000~26500	-39.92	≤ -23.22	PASS
			Reference	9.30	---	PASS
	Ant4	2437.5	30~1000	-39.64	≤ -20.7	PASS
			1000~26500	-40.05	≤ -20.7	PASS
			Reference	9.77	---	PASS
	Ant5	2437.5	30~1000	-38.9	≤ -20.23	PASS
			1000~26500	-40.17	≤ -20.23	PASS
			Reference	9.75	---	PASS
	Ant4	2442.5	30~1000	-39.99	≤ -20.25	PASS

	Ant5	2442.5	1000~26500	-40.74	≤ -20.25	PASS
			Reference	9.35	---	PASS
			30~1000	-40.36	≤ -20.65	PASS
			1000~26500	-40.39	≤ -20.65	PASS


Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

11.6.2. Test Graphs







SRD 10M_Ant5_2407.5_0~Reference




SRD 10M_Ant5_2407.5_30~1000




SRD 10M_Ant5_2407.5_1000~26500




SRD 10M_Ant4_2437.5_0~Reference




SRD 10M_Ant4_2437.5_30~1000




SRD 10M_Ant4_2437.5_1000~26500




SRD 10M_Ant5_2437.5_0~Reference




SRD 10M_Ant5_2437.5_30~1000




SRD 10M_Ant5_2437.5_1000~26500






Date: 10 JUL 2024 13:44:06

SRD 10M_Ant5_2465.5_0~Reference



Date: 10 JUL 2024 13:44:12

SRD 10M_Ant5_2465.5_30~1000



Date: 10 JUL 2024 13:44:34

SRD 10M_Ant5_2465.5_1000~26500

