



Profile: BF	Page No.: 1
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.871	38.930	-28.129	74.000	6.941	PK
2	*	15540.000	46.238	30.602	-27.762	74.000	15.637	PK

Profile: BF	Page No.: 2
Engineer: blank	
Site:	Time: 2018/08/27 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.238	38.297	-28.762	74.000	6.941	PK
2	*	15540.000	46.498	30.862	-27.502	74.000	15.637	PK

Profile: BF	Page No.: 3
Engineer: blank	
Site:	Time: 2018/08/27 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.467	37.942	-28.533	74.000	7.525	PK
2	*	15660.000	46.421	30.594	-27.579	74.000	15.828	PK

Profile: BF	Page No.: 4
Engineer: blank	
Site:	Time: 2018/08/27 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.872	38.347	-28.128	74.000	7.525	PK
2	*	15660.000	47.239	31.412	-26.761	74.000	15.828	PK

Profile: BF	Page No.: 5
Engineer: blank	
Site:	Time: 2018/08/27 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.389	37.451	-28.611	74.000	7.938	PK
2	*	15720.000	62.344	46.983	-11.656	74.000	15.361	PK

Profile: BF	Page No.: 6
Engineer: blank	
Site:	Time: 2018/08/27 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	53.327	45.389	-20.673	74.000	7.938	PK
2		15720.000	46.289	30.928	-27.711	74.000	15.361	PK

Profile: BF	Page No.: 7
Engineer: blank	
Site:	Time: 2018/08/27 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.349	36.487	-29.651	74.000	7.862	PK
2	*	15780.000	46.781	31.240	-27.219	74.000	15.541	PK

Profile: BF	Page No.: 8
Engineer: blank	
Site:	Time: 2018/08/27 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.589	36.727	-29.411	74.000	7.862	PK
2	*	15780.000	47.298	31.757	-26.702	74.000	15.541	PK

Profile: BF	Page No.: 9
Engineer: blank	
Site:	Time: 2018/08/27 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.239	36.697	-28.761	74.000	8.542	PK
2	*	15900.000	46.394	30.402	-27.606	74.000	15.992	PK

Profile: BF	Page No.: 10
Engineer: blank	
Site:	Time: 2018/08/27 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.891	37.349	-28.109	74.000	8.542	PK
2	*	15900.000	46.368	30.376	-27.632	74.000	15.992	PK

Profile: BF	Page No.: 11
Engineer: blank	
Site:	Time: 2018/08/27 - 14:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.792	36.136	-30.208	74.000	7.657	PK
2	*	15960.000	47.901	31.400	-26.099	74.000	16.501	PK

Profile: BF	Page No.: 12
Engineer: blank	
Site:	Time: 2018/08/27 - 14:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.298	36.642	-29.702	74.000	7.657	PK
2	*	15960.000	46.820	30.319	-27.180	74.000	16.501	PK

Profile: BF	Page No.: 13
Engineer: blank	
Site:	Time: 2018/08/27 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.729	37.309	-28.271	74.000	8.419	PK
2	*	16500.000	48.681	31.635	-25.319	74.000	17.046	PK

Profile: BF	Page No.: 14
Engineer: blank	
Site:	Time: 2018/08/27 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.297	35.877	-29.703	74.000	8.419	PK
2	*	16500.000	47.286	30.240	-26.714	74.000	17.046	PK

Profile: BF	Page No.: 15
Engineer: blank	
Site:	Time: 2018/08/27 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.294	35.364	-29.706	74.000	8.929	PK
2	*	16740.000	48.983	32.402	-25.017	74.000	16.582	PK

Profile: BF	Page No.: 16
Engineer: blank	
Site:	Time: 2018/08/27 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.397	35.467	-29.603	74.000	8.929	PK
2	*	16740.000	50.397	33.816	-23.603	74.000	16.582	PK

Profile: BF	Page No.: 17
Engineer: blank	
Site:	Time: 2018/08/27 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.381	34.222	-30.619	74.000	9.160	PK
2	*	17100.000	50.371	32.559	-23.629	74.000	17.812	PK

Profile: BF	Page No.: 18
Engineer: blank	
Site:	Time: 2018/08/27 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.387	35.228	-29.613	74.000	9.160	PK
2	*	17100.000	50.286	32.474	-23.714	74.000	17.812	PK

Profile: BF	Page No.: 19
Engineer: blank	
Site:	Time: 2018/08/27 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.286	35.414	-29.714	74.000	8.872	PK
2	*	17160.000	48.287	31.149	-25.713	74.000	17.138	PK

Profile: BF	Page No.: 20
Engineer: blank	
Site:	Time: 2018/08/27 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.082	35.210	-29.918	74.000	8.872	PK
2	*	17160.000	48.398	31.260	-25.602	74.000	17.138	PK

Profile: BF	Page No.: 21
Engineer: blank	
Site:	Time: 2018/08/27 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.489	34.429	-30.511	74.000	9.060	PK
2	*	17235.000	49.482	31.000	-24.518	74.000	18.482	PK

Profile: BF	Page No.: 22
Engineer: blank	
Site:	Time: 2018/08/27 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.384	36.324	-28.616	74.000	9.060	PK
2	*	17235.000	49.027	30.545	-24.973	74.000	18.482	PK

Profile: BF	Page No.: 23
Engineer: blank	
Site:	Time: 2018/08/27 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.928	36.469	-28.072	74.000	9.459	PK
2	*	17355.000	49.385	31.646	-24.615	74.000	17.738	PK

Profile: BF	Page No.: 24
Engineer: blank	
Site:	Time: 2018/08/27 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.395	35.936	-28.605	74.000	9.459	PK
2	*	17355.000	49.287	31.548	-24.713	74.000	17.738	PK

Profile: BF	Page No.: 25
Engineer: blank	
Site:	Time: 2018/08/27 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.876	34.900	-29.124	74.000	9.976	PK
2	*	17475.000	49.975	32.623	-24.025	74.000	17.352	PK

Profile: BF	Page No.: 26
Engineer: blank	
Site:	Time: 2018/08/27 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.386	34.410	-29.614	74.000	9.976	PK
2	*	17475.000	49.482	32.130	-24.518	74.000	17.352	PK

Profile: BF	Page No.: 27
Engineer: blank	
Site:	Time: 2018/08/27 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	45.386	38.445	-28.614	74.000	6.941	PK
2		15540.000	44.879	29.243	-29.121	74.000	15.637	PK

Profile: BF	Page No.: 28
Engineer: blank	
Site:	Time: 2018/08/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.397	37.456	-29.603	74.000	6.941	PK
2	*	15540.000	47.298	31.662	-26.702	74.000	15.637	PK

Profile: BF	Page No.: 29
Engineer: blank	
Site:	Time: 2018/08/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.298	36.773	-29.702	74.000	7.525	PK
2	*	15660.000	46.762	30.935	-27.238	74.000	15.828	PK

Profile: BF	Page No.: 30
Engineer: blank	
Site:	Time: 2018/08/27 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.286	36.761	-29.714	74.000	7.525	PK
2	*	15660.000	45.287	29.460	-28.713	74.000	15.828	PK

Profile: BF	Page No.: 31
Engineer: blank	
Site:	Time: 2018/08/27 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.486	36.548	-29.514	74.000	7.938	PK
2	*	15720.000	47.193	31.832	-26.807	74.000	15.361	PK

Profile: BF	Page No.: 32
Engineer: blank	
Site:	Time: 2018/08/27 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.287	37.349	-28.713	74.000	7.938	PK
2	*	15720.000	47.489	32.128	-26.511	74.000	15.361	PK

Profile: BF	Page No.: 33
Engineer: blank	
Site:	Time: 2018/08/27 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.239	36.377	-29.761	74.000	7.862	PK
2	*	15780.000	46.278	30.737	-27.722	74.000	15.541	PK

Profile: BF	Page No.: 34
Engineer: blank	
Site:	Time: 2018/08/27 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.286	36.424	-29.714	74.000	7.862	PK
2	*	15780.000	46.296	30.755	-27.704	74.000	15.541	PK

Profile: BF	Page No.: 35
Engineer: blank	
Site:	Time: 2018/08/27 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.298	35.756	-29.702	74.000	8.542	PK
2	*	15900.000	45.197	29.205	-28.803	74.000	15.992	PK

Profile: BF	Page No.: 36
Engineer: blank	
Site:	Time: 2018/08/27 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.297	35.755	-29.703	74.000	8.542	PK
2	*	15900.000	45.297	29.305	-28.703	74.000	15.992	PK

Profile: BF	Page No.: 37
Engineer: blank	
Site:	Time: 2018/08/27 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.297	36.641	-29.703	74.000	7.657	PK
2	*	15960.000	45.298	28.797	-28.702	74.000	16.501	PK

Profile: BF	Page No.: 38
Engineer: blank	
Site:	Time: 2018/08/27 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.821	38.165	-28.179	74.000	7.657	PK
2	*	15966.000	46.297	29.879	-27.703	74.000	16.418	PK

Profile: BF	Page No.: 39
Engineer: blank	
Site:	Time: 2018/08/27 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.329	35.909	-29.671	74.000	8.419	PK
2	*	16500.000	47.297	30.251	-26.703	74.000	17.046	PK

Profile: BF	Page No.: 40
Engineer: blank	
Site:	Time: 2018/08/27 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.297	35.877	-29.703	74.000	8.419	PK
2	*	16500.000	47.239	30.193	-26.761	74.000	17.046	PK

Profile: BF	Page No.: 41
Engineer: blank	
Site:	Time: 2018/08/27 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.239	35.309	-29.761	74.000	8.929	PK
2	*	16740.000	49.018	32.437	-24.982	74.000	16.582	PK

Profile: BF	Page No.: 42
Engineer: blank	
Site:	Time: 2018/08/27 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.827	35.897	-29.173	74.000	8.929	PK
2	*	16740.000	49.297	32.716	-24.703	74.000	16.582	PK

Profile: BF	Page No.: 43
Engineer: blank	
Site:	Time: 2018/08/27 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.297	34.138	-30.703	74.000	9.160	PK
2	*	17100.000	49.028	31.216	-24.972	74.000	17.812	PK

Profile: BF	Page No.: 44
Engineer: blank	
Site:	Time: 2018/08/27 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.298	34.139	-30.702	74.000	9.160	PK
2	*	17100.000	49.987	32.175	-24.013	74.000	17.812	PK

Profile: BF	Page No.: 45
Engineer: blank	
Site:	Time: 2018/08/27 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.871	34.999	-30.129	74.000	8.872	PK
2	*	17160.000	49.023	31.885	-24.977	74.000	17.138	PK

Profile: BF	Page No.: 46
Engineer: blank	
Site:	Time: 2018/08/27 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.387	35.515	-29.613	74.000	8.872	PK
2	*	17160.000	49.239	32.101	-24.761	74.000	17.138	PK

Profile: BF	Page No.: 47
Engineer: blank	
Site:	Time: 2018/08/27 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.719	34.659	-30.281	74.000	9.060	PK
2	*	17235.000	48.248	29.766	-25.752	74.000	18.482	PK

Profile: BF	Page No.: 48
Engineer: blank	
Site:	Time: 2018/08/27 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.189	34.129	-30.811	74.000	9.060	PK
2	*	17235.000	48.289	29.807	-25.711	74.000	18.482	PK

Profile: BF	Page No.: 49
Engineer: blank	
Site:	Time: 2018/08/27 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.284	34.825	-29.716	74.000	9.459	PK
2	*	17355.000	49.028	31.289	-24.972	74.000	17.738	PK

Profile: BF	Page No.: 50
Engineer: blank	
Site:	Time: 2018/08/27 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.028	34.569	-29.972	74.000	9.459	PK
2	*	17355.000	49.183	31.444	-24.817	74.000	17.738	PK

Profile: BF	Page No.: 51
Engineer: blank	
Site:	Time: 2018/08/27 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.293	33.317	-30.707	74.000	9.976	PK
2	*	17475.000	50.186	32.834	-23.814	74.000	17.352	PK

Profile: BF	Page No.: 52
Engineer: blank	
Site:	Time: 2018/08/27 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.285	34.309	-29.715	74.000	9.976	PK
2	*	17475.000	49.387	32.035	-24.613	74.000	17.352	PK

Profile: BF	Page No.: 53
Engineer: blank	
Site:	Time: 2018/08/27 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.286	35.597	-30.714	74.000	7.689	PK
2	*	15570.000	46.279	29.721	-27.721	74.000	16.558	PK

Profile: BF	Page No.: 54
Engineer: blank	
Site:	Time: 2018/08/27 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.285	35.596	-30.715	74.000	7.689	PK
2	*	15570.000	46.585	30.027	-27.415	74.000	16.558	PK

Profile: BF	Page No.: 55
Engineer: blank	
Site:	Time: 2018/08/27 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.275	37.154	-29.725	74.000	7.121	PK
2	*	15690.000	46.284	30.555	-27.716	74.000	15.729	PK

Profile: BF	Page No.: 56
Engineer: blank	
Site:	Time: 2018/08/27 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.274	37.153	-29.726	74.000	7.121	PK
2	*	15690.000	45.284	29.555	-28.716	74.000	15.729	PK

Profile: BF	Page No.: 57
Engineer: blank	
Site:	Time: 2018/08/27 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.284	37.984	-28.716	74.000	7.300	PK
2	*	15810.000	46.823	31.725	-27.177	74.000	15.098	PK

Profile: BF	Page No.: 58
Engineer: blank	
Site:	Time: 2018/08/27 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.384	37.084	-29.616	74.000	7.300	PK
2	*	15810.000	47.827	32.729	-26.173	74.000	15.098	PK

Profile: BF	Page No.: 59
Engineer: blank	
Site:	Time: 2018/08/27 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.287	36.394	-29.713	74.000	7.894	PK
2	*	15930.000	46.285	29.635	-27.715	74.000	16.650	PK

Profile: BF	Page No.: 60
Engineer: blank	
Site:	Time: 2018/08/27 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.174	35.281	-30.826	74.000	7.894	PK
2	*	15930.000	45.827	29.177	-28.173	74.000	16.650	PK

Profile: BF	Page No.: 61
Engineer: blank	
Site:	Time: 2018/08/27 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.238	34.725	-30.762	74.000	8.513	PK
2	*	16530.000	48.837	31.608	-25.163	74.000	17.229	PK

Profile: BF	Page No.: 62
Engineer: blank	
Site:	Time: 2018/08/27 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.328	35.815	-29.672	74.000	8.513	PK
2	*	16530.000	48.297	31.068	-25.703	74.000	17.229	PK

Profile: BF	Page No.: 63
Engineer: blank	
Site:	Time: 2018/08/27 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.287	34.787	-30.713	74.000	8.500	PK
2	*	16650.000	48.294	31.309	-25.706	74.000	16.986	PK

Profile: BF	Page No.: 64
Engineer: blank	
Site:	Time: 2018/08/27 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.284	34.784	-30.716	74.000	8.500	PK
2	*	16500.000	47.399	30.353	-26.601	74.000	17.046	PK

Profile: BF	Page No.: 65
Engineer: blank	
Site:	Time: 2018/08/27 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.287	35.283	-29.713	74.000	9.003	PK
2	*	17010.000	49.287	30.980	-24.713	74.000	18.307	PK

Profile: BF	Page No.: 66
Engineer: blank	
Site:	Time: 2018/08/27 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.286	35.282	-29.714	74.000	9.003	PK
2	*	17010.000	49.286	30.979	-24.714	74.000	18.307	PK

Profile: BF	Page No.: 67
Engineer: blank	
Site:	Time: 2018/08/27 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.285	33.464	-30.715	74.000	9.821	PK
2	*	17130.000	48.021	30.926	-25.979	74.000	17.095	PK

Profile: BF	Page No.: 68
Engineer: blank	
Site:	Time: 2018/08/27 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.285	33.464	-30.715	74.000	9.821	PK
2	*	17130.000	43.295	26.200	-30.705	74.000	17.095	PK

Profile: BF	Page No.: 69
Engineer: blank	
Site:	Time: 2018/08/27 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.285	34.917	-29.715	74.000	9.367	PK
2	*	17265.000	49.286	31.057	-24.714	74.000	18.230	PK

Profile: BF	Page No.: 70
Engineer: blank	
Site:	Time: 2018/08/27 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.287	33.919	-30.713	74.000	9.367	PK
2	*	17265.000	49.032	30.803	-24.968	74.000	18.230	PK

Profile: BF	Page No.: 71
Engineer: blank	
Site:	Time: 2018/08/27 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.198	33.637	-30.802	74.000	9.560	PK
2	*	17385.000	48.295	31.491	-25.705	74.000	16.803	PK

Profile: BF	Page No.: 72
Engineer: blank	
Site:	Time: 2018/08/27 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.285	34.724	-29.715	74.000	9.560	PK
2	*	17385.000	48.021	31.217	-25.979	74.000	16.803	PK

Profile: BF	Page No.: 73
Engineer: blank	
Site:	Time: 2018/08/27 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.287	37.346	-29.713	74.000	6.941	PK
2	*	15540.000	45.285	29.649	-28.715	74.000	15.637	PK

Profile: BF	Page No.: 74
Engineer: blank	
Site:	Time: 2018/08/27 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.031	36.090	-30.969	74.000	6.941	PK
2	*	15540.000	45.290	29.654	-28.710	74.000	15.637	PK

Profile: BF	Page No.: 75
Engineer: blank	
Site:	Time: 2018/08/27 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.028	35.503	-30.972	74.000	7.525	PK
2	*	15660.000	45.018	29.191	-28.982	74.000	15.828	PK

Profile: BF	Page No.: 76
Engineer: blank	
Site:	Time: 2018/08/27 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.382	35.857	-30.618	74.000	7.525	PK
2	*	15660.000	44.986	29.159	-29.014	74.000	15.828	PK

Profile: BF	Page No.: 77
Engineer: blank	
Site:	Time: 2018/08/27 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.018	36.080	-29.982	74.000	7.938	PK
2	*	15720.000	47.298	31.937	-26.702	74.000	15.361	PK

Profile: BF	Page No.: 78
Engineer: blank	
Site:	Time: 2018/08/27 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.297	36.359	-29.703	74.000	7.938	PK
2	*	15720.000	44.769	29.408	-29.231	74.000	15.361	PK

Profile: BF	Page No.: 79
Engineer: blank	
Site:	Time: 2018/08/27 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.971	36.109	-30.029	74.000	7.862	PK
2	*	15780.000	45.284	29.743	-28.716	74.000	15.541	PK

Profile: BF	Page No.: 80
Engineer: blank	
Site:	Time: 2018/08/27 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.298	36.436	-29.702	74.000	7.862	PK
2	*	15780.000	46.298	30.757	-27.702	74.000	15.541	PK

Profile: BF	Page No.: 81
Engineer: blank	
Site:	Time: 2018/08/27 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.298	35.756	-29.702	74.000	8.542	PK
2	*	15900.000	45.828	29.836	-28.172	74.000	15.992	PK

Profile: BF	Page No.: 82
Engineer: blank	
Site:	Time: 2018/08/27 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	45.298	36.756	-28.702	74.000	8.542	PK
2		15900.000	44.843	28.851	-29.157	74.000	15.992	PK

Profile: BF	Page No.: 83
Engineer: blank	
Site:	Time: 2018/08/27 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.928	36.272	-30.072	74.000	7.657	PK
2	*	15960.000	45.298	28.797	-28.702	74.000	16.501	PK

Profile: BF	Page No.: 84
Engineer: blank	
Site:	Time: 2018/08/27 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.893	37.237	-29.107	74.000	7.657	PK
2	*	15960.000	46.284	29.783	-27.716	74.000	16.501	PK

Profile: BF	Page No.: 85
Engineer: blank	
Site:	Time: 2018/08/27 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.298	35.878	-29.702	74.000	8.419	PK
2	*	16500.000	46.298	29.252	-27.702	74.000	17.046	PK

Profile: BF	Page No.: 86
Engineer: blank	
Site:	Time: 2018/08/27 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.999	35.579	-30.001	74.000	8.419	PK
2	*	16500.000	47.297	30.251	-26.703	74.000	17.046	PK

Profile: BF	Page No.: 87
Engineer: blank	
Site:	Time: 2018/08/27 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.928	35.998	-29.072	74.000	8.929	PK
2	*	16740.000	47.298	30.717	-26.702	74.000	16.582	PK

Profile: BF	Page No.: 88
Engineer: blank	
Site:	Time: 2018/08/27 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.924	35.994	-29.076	74.000	8.929	PK
2	*	16740.000	48.982	32.401	-25.018	74.000	16.582	PK

Profile: BF	Page No.: 89
Engineer: blank	
Site:	Time: 2018/08/27 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.289	34.130	-30.711	74.000	9.160	PK
2	*	17100.000	50.329	32.517	-23.671	74.000	17.812	PK

Profile: BF	Page No.: 90
Engineer: blank	
Site:	Time: 2018/08/27 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.893	33.734	-31.107	74.000	9.160	PK
2	*	17100.000	49.281	31.469	-24.719	74.000	17.812	PK

Profile: BF	Page No.: 91
Engineer: blank	
Site:	Time: 2018/08/27 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.938	35.066	-30.062	74.000	8.872	PK
2	*	17160.000	48.288	31.150	-25.712	74.000	17.138	PK

Profile: BF	Page No.: 92
Engineer: blank	
Site:	Time: 2018/08/27 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.838	34.966	-30.162	74.000	8.872	PK
2	*	17160.000	47.298	30.160	-26.702	74.000	17.138	PK

Profile: BF	Page No.: 93
Engineer: blank	
Site:	Time: 2018/08/27 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.838	34.778	-30.162	74.000	9.060	PK
2	*	17235.000	49.383	30.901	-24.617	74.000	18.482	PK

Profile: BF	Page No.: 94
Engineer: blank	
Site:	Time: 2018/08/27 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.382	34.322	-30.618	74.000	9.060	PK
2	*	17235.000	50.283	31.801	-23.717	74.000	18.482	PK

Profile: BF	Page No.: 95
Engineer: blank	
Site:	Time: 2018/08/28 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.928	35.469	-29.072	74.000	9.459	PK
2	*	17355.000	48.828	31.089	-25.172	74.000	17.738	PK

Profile: BF	Page No.: 96
Engineer: blank	
Site:	Time: 2018/08/28 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.211	34.752	-29.789	74.000	9.459	PK
2	*	17355.000	48.827	31.088	-25.173	74.000	17.738	PK

Profile: BF	Page No.: 97
Engineer: blank	
Site:	Time: 2018/08/28 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.300	34.324	-29.700	74.000	9.976	PK
2	*	17475.000	50.298	32.946	-23.702	74.000	17.352	PK

Profile: BF	Page No.: 98
Engineer: blank	
Site:	Time: 2018/08/28 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.029	34.053	-29.971	74.000	9.976	PK
2	*	17475.000	49.200	31.848	-24.800	74.000	17.352	PK

Profile: BF	Page No.: 99
Engineer: blank	
Site:	Time: 2018/08/28 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.933	36.244	-30.067	74.000	7.689	PK
2	*	15570.000	44.828	28.270	-29.172	74.000	16.558	PK

Profile: BF	Page No.: 100
Engineer: blank	
Site:	Time: 2018/08/28 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.828	37.139	-29.172	74.000	7.689	PK
2	*	15570.000	45.299	28.741	-28.701	74.000	16.558	PK

Profile: BF	Page No.: 101
Engineer: blank	
Site:	Time: 2018/08/28 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.393	37.272	-29.607	74.000	7.121	PK
2	*	15690.000	45.929	30.200	-28.071	74.000	15.729	PK

Profile: BF	Page No.: 102
Engineer: blank	
Site:	Time: 2018/08/28 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.929	37.808	-29.071	74.000	7.121	PK
2	*	15690.000	45.298	29.569	-28.702	74.000	15.729	PK

Profile: BF	Page No.: 103
Engineer: blank	
Site:	Time: 2018/08/28 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.982	37.682	-29.018	74.000	7.300	PK
2	*	15810.000	46.297	31.199	-27.703	74.000	15.098	PK

Profile: BF	Page No.: 104
Engineer: blank	
Site:	Time: 2018/08/28 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.371	37.071	-29.629	74.000	7.300	PK
2	*	15810.000	46.271	31.173	-27.729	74.000	15.098	PK

Profile: BF	Page No.: 105
Engineer: blank	
Site:	Time: 2018/08/28 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.827	36.934	-29.173	74.000	7.894	PK
2	*	15930.000	45.298	28.648	-28.702	74.000	16.650	PK

Profile: BF	Page No.: 106
Engineer: blank	
Site:	Time: 2018/08/28 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.398	35.505	-30.602	74.000	7.894	PK
2	*	15930.000	45.299	28.649	-28.701	74.000	16.650	PK

Profile: BF	Page No.: 107
Engineer: blank	
Site:	Time: 2018/08/28 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.929	35.416	-30.071	74.000	8.513	PK
2	*	16530.000	47.895	30.666	-26.105	74.000	17.229	PK

Profile: BF	Page No.: 108
Engineer: blank	
Site:	Time: 2018/08/28 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.938	36.425	-29.062	74.000	8.513	PK
2	*	16530.000	47.498	30.269	-26.502	74.000	17.229	PK

Profile: BF	Page No.: 109
Engineer: blank	
Site:	Time: 2018/08/28 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.939	35.439	-30.061	74.000	8.500	PK
2	*	16650.000	47.299	30.314	-26.701	74.000	16.986	PK

Profile: BF	Page No.: 110
Engineer: blank	
Site:	Time: 2018/08/28 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.209	35.709	-29.791	74.000	8.500	PK
2	*	16650.000	47.928	30.943	-26.072	74.000	16.986	PK

Profile: BF	Page No.: 111
Engineer: blank	
Site:	Time: 2018/08/28 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.984	34.980	-30.016	74.000	9.003	PK
2	*	17010.000	48.928	30.621	-25.072	74.000	18.307	PK

Profile: BF	Page No.: 112
Engineer: blank	
Site:	Time: 2018/08/28 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.298	34.294	-30.702	74.000	9.003	PK
2	*	17010.000	46.828	28.521	-27.172	74.000	18.307	PK

Profile: BF	Page No.: 113
Engineer: blank	
Site:	Time: 2018/08/28 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.939	33.118	-31.061	74.000	9.821	PK
2	*	17130.000	47.938	30.843	-26.062	74.000	17.095	PK

Profile: BF	Page No.: 114
Engineer: blank	
Site:	Time: 2018/08/28 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.929	34.108	-30.071	74.000	9.821	PK
2	*	17130.000	48.294	31.199	-25.706	74.000	17.095	PK

Profile: BF	Page No.: 115
Engineer: blank	
Site:	Time: 2018/08/28 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.294	34.926	-29.706	74.000	9.367	PK
2	*	17265.000	48.945	30.716	-25.055	74.000	18.230	PK

Profile: BF	Page No.: 116
Engineer: blank	
Site:	Time: 2018/08/28 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.394	36.026	-28.606	74.000	9.367	PK
2	*	17265.000	50.223	31.994	-23.777	74.000	18.230	PK

Profile: BF	Page No.: 117
Engineer: blank	
Site:	Time: 2018/08/28 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.939	35.378	-29.061	74.000	9.560	PK
2	*	17385.000	48.835	32.031	-25.165	74.000	16.803	PK

Profile: BF	Page No.: 118
Engineer: blank	
Site:	Time: 2018/08/28 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.293	34.732	-29.707	74.000	9.560	PK
2	*	17385.000	47.987	31.183	-26.013	74.000	16.803	PK

Profile: BF	Page No.: 119
Engineer: blank	
Site:	Time: 2018/08/28 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	44.939	37.186	-29.061	74.000	7.752	PK
2		15630.000	43.998	27.995	-30.002	74.000	16.003	PK

Profile: BF	Page No.: 120
Engineer: blank	
Site:	Time: 2018/08/28 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.339	36.586	-29.661	74.000	7.752	PK
2	*	15630.000	44.865	28.862	-29.135	74.000	16.003	PK

Profile: BF	Page No.: 121
Engineer: blank	
Site:	Time: 2018/08/28 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.882	36.713	-29.118	74.000	8.169	PK
2	*	15870.000	46.298	30.179	-27.702	74.000	16.119	PK

Profile: BF	Page No.: 122
Engineer: blank	
Site:	Time: 2018/08/28 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.295	35.126	-30.705	74.000	8.169	PK
2	*	15870.000	44.987	28.868	-29.013	74.000	16.119	PK

Profile: BF	Page No.: 123
Engineer: blank	
Site:	Time: 2018/08/28 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.983	35.306	-30.017	74.000	8.678	PK
2	*	16590.000	47.827	30.923	-26.173	74.000	16.903	PK

Profile: BF	Page No.: 124
Engineer: blank	
Site:	Time: 2018/08/28 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.294	35.617	-29.706	74.000	8.678	PK
2	*	16590.000	48.287	31.383	-25.713	74.000	16.903	PK

Profile: BF	Page No.: 125
Engineer: blank	
Site:	Time: 2018/08/28 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.847	33.755	-31.153	74.000	9.092	PK
2	*	17070.000	47.283	30.524	-26.717	74.000	16.759	PK

Profile: BF	Page No.: 126
Engineer: blank	
Site:	Time: 2018/08/28 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.494	34.402	-30.506	74.000	9.092	PK
2	*	17070.000	49.486	32.727	-24.514	74.000	16.759	PK

Profile: BF	Page No.: 127
Engineer: blank	
Site:	Time: 2018/08/28 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.299	34.965	-29.701	74.000	9.334	PK
2	*	17325.000	49.576	32.131	-24.424	74.000	17.446	PK

Profile: BF	Page No.: 128
Engineer: blank	
Site:	Time: 2018/08/28 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.484	34.150	-30.516	74.000	9.334	PK
2	*	17325.000	49.388	31.943	-24.612	74.000	17.446	PK

Profile: BF	Page No.: 129
Engineer: blank	
Site:	Time: 2018/08/28 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.927	38.986	-28.073	74.000	6.941	PK
2	*	15540.000	47.297	31.661	-26.703	74.000	15.637	PK

Profile: BF	Page No.: 130
Engineer: blank	
Site:	Time: 2018/08/28 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.929	37.988	-29.071	74.000	6.941	PK
2	*	15540.000	46.299	30.663	-27.701	74.000	15.637	PK

Profile: BF	Page No.: 131
Engineer: blank	
Site:	Time: 2018/08/28 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.837	36.312	-30.163	74.000	7.525	PK
2	*	15660.000	45.826	29.999	-28.174	74.000	15.828	PK

Profile: BF	Page No.: 132
Engineer: blank	
Site:	Time: 2018/08/28 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.847	36.322	-30.153	74.000	7.525	PK
2	*	15660.000	45.927	30.100	-28.073	74.000	15.828	PK

Profile: BF	Page No.: 133
Engineer: blank	
Site:	Time: 2018/08/28 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.928	36.990	-29.072	74.000	7.938	PK
2	*	15720.000	45.726	30.365	-28.274	74.000	15.361	PK

Profile: BF	Page No.: 134
Engineer: blank	
Site:	Time: 2018/08/28 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.929	36.991	-29.071	74.000	7.938	PK
2	*	15720.000	45.927	30.566	-28.073	74.000	15.361	PK

Profile: BF	Page No.: 135
Engineer: blank	
Site:	Time: 2018/08/28 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.835	35.973	-30.165	74.000	7.862	PK
2	*	15780.000	45.728	30.187	-28.272	74.000	15.541	PK

Profile: BF	Page No.: 136
Engineer: blank	
Site:	Time: 2018/08/28 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.748	35.886	-30.252	74.000	7.862	PK
2	*	15780.000	46.184	30.643	-27.816	74.000	15.541	PK

Profile: BF	Page No.: 137
Engineer: blank	
Site:	Time: 2018/08/28 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.892	36.350	-29.108	74.000	8.542	PK
2	*	15900.000	46.828	30.836	-27.172	74.000	15.992	PK

Profile: BF	Page No.: 138
Engineer: blank	
Site:	Time: 2018/08/28 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.827	36.285	-29.173	74.000	8.542	PK
2	*	15900.000	45.983	29.991	-28.017	74.000	15.992	PK

Profile: BF	Page No.: 139
Engineer: blank	
Site:	Time: 2018/08/28 - 15:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.398	35.742	-30.602	74.000	7.657	PK
2	*	15960.000	46.828	30.327	-27.172	74.000	16.501	PK

Profile: BF	Page No.: 140
Engineer: blank	
Site:	Time: 2018/08/28 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.928	37.272	-29.072	74.000	7.657	PK
2	*	15960.000	45.828	29.327	-28.172	74.000	16.501	PK

Profile: BF	Page No.: 141
Engineer: blank	
Site:	Time: 2018/08/28 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.828	36.408	-29.172	74.000	8.419	PK
2	*	16500.000	47.809	30.763	-26.191	74.000	17.046	PK

Profile: BF	Page No.: 142
Engineer: blank	
Site:	Time: 2018/08/28 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.829	36.409	-29.171	74.000	8.419	PK
2	*	16500.000	45.628	28.582	-28.372	74.000	17.046	PK

Profile: BF	Page No.: 143
Engineer: blank	
Site:	Time: 2018/08/28 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.299	35.369	-29.701	74.000	8.929	PK
2	*	16740.000	48.283	31.702	-25.717	74.000	16.582	PK

Profile: BF	Page No.: 144
Engineer: blank	
Site:	Time: 2018/08/28 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.299	35.369	-29.701	74.000	8.929	PK
2	*	16740.000	48.872	32.291	-25.128	74.000	16.582	PK

Profile: BF	Page No.: 145
Engineer: blank	
Site:	Time: 2018/08/28 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.234	34.075	-30.766	74.000	9.160	PK
2	*	17100.000	48.923	31.111	-25.077	74.000	17.812	PK

Profile: BF	Page No.: 146
Engineer: blank	
Site:	Time: 2018/08/28 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.921	34.762	-30.079	74.000	9.160	PK
2	*	17100.000	49.287	31.475	-24.713	74.000	17.812	PK

Profile: BF	Page No.: 147
Engineer: blank	
Site:	Time: 2018/08/28 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.828	34.956	-30.172	74.000	8.872	PK
2	*	17160.000	48.872	31.734	-25.128	74.000	17.138	PK

Profile: BF	Page No.: 148
Engineer: blank	
Site:	Time: 2018/08/28 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.822	34.950	-30.178	74.000	8.872	PK
2	*	17160.000	48.283	31.145	-25.717	74.000	17.138	PK

Profile: BF	Page No.: 149
Engineer: blank	
Site:	Time: 2018/08/28 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.287	35.227	-29.713	74.000	9.060	PK
2	*	17235.000	47.328	28.846	-26.672	74.000	18.482	PK

Profile: BF	Page No.: 150
Engineer: blank	
Site:	Time: 2018/08/28 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.833	34.773	-30.167	74.000	9.060	PK
2	*	17235.000	48.283	29.801	-25.717	74.000	18.482	PK

Profile: BF	Page No.: 151
Engineer: blank	
Site:	Time: 2018/08/28 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.929	35.470	-29.071	74.000	9.459	PK
2	*	17355.000	48.887	31.148	-25.113	74.000	17.738	PK

Profile: BF	Page No.: 152
Engineer: blank	
Site:	Time: 2018/08/28 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.882	34.423	-30.118	74.000	9.459	PK
2	*	17355.000	48.844	31.105	-25.156	74.000	17.738	PK

Profile: BF	Page No.: 153
Engineer: blank	
Site:	Time: 2018/08/28 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.827	33.851	-30.173	74.000	9.976	PK
2	*	17475.000	49.284	31.932	-24.716	74.000	17.352	PK

Profile: BF	Page No.: 154
Engineer: blank	
Site:	Time: 2018/08/28 - 16:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.838	33.862	-30.162	74.000	9.976	PK
2	*	17475.000	48.384	31.032	-25.616	74.000	17.352	PK

Profile: BF	Page No.: 155
Engineer: blank	
Site:	Time: 2018/08/28 - 16:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.432	36.743	-29.568	74.000	7.689	PK
2	*	15570.000	47.989	31.431	-26.011	74.000	16.558	PK

Profile: BF	Page No.: 156
Engineer: blank	
Site:	Time: 2018/08/28 - 16:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.828	36.139	-30.172	74.000	7.689	PK
2	*	15570.000	45.828	29.270	-28.172	74.000	16.558	PK

Profile: BF	Page No.: 157
Engineer: blank	
Site:	Time: 2018/08/28 - 16:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.292	36.171	-30.708	74.000	7.121	PK
2	*	15690.000	45.827	30.098	-28.173	74.000	15.729	PK

Profile: BF	Page No.: 158
Engineer: blank	
Site:	Time: 2018/08/28 - 16:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.928	36.807	-30.072	74.000	7.121	PK
2	*	15690.000	45.978	30.249	-28.022	74.000	15.729	PK

Profile: BF	Page No.: 159
Engineer: blank	
Site:	Time: 2018/08/28 - 16:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.982	37.682	-29.018	74.000	7.300	PK
2	*	15810.000	46.887	31.789	-27.113	74.000	15.098	PK

Profile: BF	Page No.: 160
Engineer: blank	
Site:	Time: 2018/08/28 - 16:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.532	37.232	-29.468	74.000	7.300	PK
2	*	15810.000	45.288	30.190	-28.712	74.000	15.098	PK

Profile: BF	Page No.: 161
Engineer: blank	
Site:	Time: 2018/08/28 - 16:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.838	35.945	-30.162	74.000	7.894	PK
2	*	15930.000	46.988	30.338	-27.012	74.000	16.650	PK

Profile: BF	Page No.: 162
Engineer: blank	
Site:	Time: 2018/08/28 - 16:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.928	36.035	-30.072	74.000	7.894	PK
2	*	15930.000	46.827	30.177	-27.173	74.000	16.650	PK

Profile: BF	Page No.: 163
Engineer: blank	
Site:	Time: 2018/08/28 - 16:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.828	35.315	-30.172	74.000	8.513	PK
2	*	16530.000	47.933	30.704	-26.067	74.000	17.229	PK

Profile: BF	Page No.: 164
Engineer: blank	
Site:	Time: 2018/08/28 - 16:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.982	35.469	-30.018	74.000	8.513	PK
2	*	16530.000	46.983	29.754	-27.017	74.000	17.229	PK

Profile: BF	Page No.: 165
Engineer: blank	
Site:	Time: 2018/08/28 - 16:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.928	35.428	-30.072	74.000	8.500	PK
2	*	16650.000	47.293	30.308	-26.707	74.000	16.986	PK

Profile: BF	Page No.: 166
Engineer: blank	
Site:	Time: 2018/08/28 - 16:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.829	35.329	-30.171	74.000	8.500	PK
2	*	16650.000	47.983	30.998	-26.017	74.000	16.986	PK

Profile: BF	Page No.: 167
Engineer: blank	
Site:	Time: 2018/08/28 - 16:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.928	35.924	-29.072	74.000	9.003	PK
2	*	17010.000	48.283	29.976	-25.717	74.000	18.307	PK

Profile: BF	Page No.: 168
Engineer: blank	
Site:	Time: 2018/08/28 - 16:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.492	34.488	-30.508	74.000	9.003	PK
2	*	17010.000	48.987	30.680	-25.013	74.000	18.307	PK

Profile: BF	Page No.: 169
Engineer: blank	
Site:	Time: 2018/08/28 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.938	33.117	-31.062	74.000	9.821	PK
2	*	17130.000	48.828	31.733	-25.172	74.000	17.095	PK

Profile: BF	Page No.: 170
Engineer: blank	
Site:	Time: 2018/08/28 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.883	33.062	-31.117	74.000	9.821	PK
2	*	17130.000	47.833	30.738	-26.167	74.000	17.095	PK

Profile: BF	Page No.: 171
Engineer: blank	
Site:	Time: 2018/08/28 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.933	34.565	-30.067	74.000	9.367	PK
2	*	17265.000	50.822	32.593	-23.178	74.000	18.230	PK

Profile: BF	Page No.: 172
Engineer: blank	
Site:	Time: 2018/08/28 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.833	35.465	-29.167	74.000	9.367	PK
2	*	17265.000	49.383	31.154	-24.617	74.000	18.230	PK

Profile: BF	Page No.: 173
Engineer: blank	
Site:	Time: 2018/08/28 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.829	34.268	-30.171	74.000	9.560	PK
2	*	17385.000	48.288	31.484	-25.712	74.000	16.803	PK

Profile: BF	Page No.: 174
Engineer: blank	
Site:	Time: 2018/08/28 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.838	34.277	-30.162	74.000	9.560	PK
2	*	17385.000	49.837	33.033	-24.163	74.000	16.803	PK

Profile: BF	Page No.: 175
Engineer: blank	
Site:	Time: 2018/08/28 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.928	38.175	-28.072	74.000	7.752	PK
2		15630.000	43.837	27.834	-30.163	74.000	16.003	PK

Profile: BF	Page No.: 176
Engineer: blank	
Site:	Time: 2018/08/28 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	44.827	36.965	-29.173	74.000	7.862	PK
2		15630.000	44.293	28.290	-29.707	74.000	16.003	PK

Profile: BF	Page No.: 177
Engineer: blank	
Site:	Time: 2018/08/28 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.239	36.070	-29.761	74.000	8.169	PK
2	*	15870.000	46.922	30.803	-27.078	74.000	16.119	PK

Profile: BF	Page No.: 178
Engineer: blank	
Site:	Time: 2018/08/28 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.983	35.814	-30.017	74.000	8.169	PK
2	*	15870.000	45.238	29.119	-28.762	74.000	16.119	PK

Profile: BF	Page No.: 179
Engineer: blank	
Site:	Time: 2018/08/28 - 16:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.928	35.251	-30.072	74.000	8.678	PK
2	*	16590.000	47.827	30.923	-26.173	74.000	16.903	PK

Profile: BF	Page No.: 180
Engineer: blank	
Site:	Time: 2018/08/28 - 16:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.982	35.305	-30.018	74.000	8.678	PK
2	*	16590.000	47.837	30.933	-26.163	74.000	16.903	PK

Profile: BF	Page No.: 181
Engineer: blank	
Site:	Time: 2018/08/28 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.838	33.746	-31.162	74.000	9.092	PK
2	*	17070.000	48.837	32.078	-25.163	74.000	16.759	PK

Profile: BF	Page No.: 182
Engineer: blank	
Site:	Time: 2018/08/28 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.827	34.735	-30.173	74.000	9.092	PK
2	*	17070.000	47.873	31.114	-26.127	74.000	16.759	PK

Profile: BF	Page No.: 183
Engineer: blank	
Site:	Time: 2018/08/28 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.833	34.499	-30.167	74.000	9.334	PK
2	*	17325.000	49.832	32.387	-24.168	74.000	17.446	PK

Profile: BF	Page No.: 184
Engineer: blank	
Site:	Time: 2018/08/28 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.928	34.594	-30.072	74.000	9.334	PK
2	*	17325.000	48.827	31.382	-25.173	74.000	17.446	PK

Profile: BF	Page No.: 185
Engineer: blank	
Site:	Time: 2018/08/28 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax160	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.828	36.464	-29.172	74.000	8.363	PK
2	*	15750.000	46.828	31.023	-27.172	74.000	15.806	PK

Profile: BF	Page No.: 186
Engineer: blank	
Site:	Time: 2018/08/28 - 16:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax160	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.829	37.465	-28.171	74.000	8.363	PK
2	*	15750.000	46.283	30.478	-27.717	74.000	15.806	PK

Profile: BF	Page No.: 187
Engineer: blank	
Site:	Time: 2018/08/28 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax160	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	43.828	34.939	-30.172	74.000	8.889	PK
2	*	16710.000	47.928	30.773	-26.072	74.000	17.154	PK

Profile: BF	Page No.: 188
Engineer: blank	
Site:	Time: 2018/08/28 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax160	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	43.839	34.950	-30.161	74.000	8.889	PK
2	*	16710.000	48.837	31.682	-25.163	74.000	17.154	PK