



Profile: 1872112	Page No.: 1
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.245	39.304	-27.755	74.000	6.941	PK
2	*	15540.000	48.209	32.573	-25.791	74.000	15.637	PK

Profile: 1872112	Page No.: 2
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.293	38.352	-28.707	74.000	6.941	PK
2	*	15535.000	52.642	36.710	-21.358	74.000	15.932	PK

Profile: 1872112	Page No.: 3
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.209	37.684	-28.791	74.000	7.525	PK
2	*	15660.000	46.293	30.466	-27.707	74.000	15.828	PK

Profile: 1872112	Page No.: 4
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.293	37.768	-28.707	74.000	7.525	PK
2	*	15660.000	47.293	31.466	-26.707	74.000	15.828	PK

Profile: 1872112	Page No.: 5
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.355	38.417	-27.645	74.000	7.938	PK
2	*	15720.000	47.394	32.033	-26.606	74.000	15.361	PK

Profile: 1872112	Page No.: 6
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.283	37.345	-28.717	74.000	7.938	PK
2	*	15720.000	47.038	31.677	-26.962	74.000	15.361	PK

Profile: 1872112	Page No.: 7
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.920	38.058	-28.080	74.000	7.862	PK
2	*	15780.000	46.838	31.297	-27.162	74.000	15.541	PK

Profile: 1872112	Page No.: 8
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.293	37.431	-28.707	74.000	7.862	PK
2	*	15780.000	46.394	30.853	-27.606	74.000	15.541	PK

Profile: 1872112	Page No.: 9
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.485	37.943	-27.515	74.000	8.542	PK
2	*	15756.000	50.084	34.363	-23.916	74.000	15.721	PK

Profile: 1872112	Page No.: 10
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.838	37.296	-28.162	74.000	8.542	PK
2	*	15900.000	47.385	31.393	-26.615	74.000	15.992	PK

Profile: 1872112	Page No.: 11
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.939	38.283	-28.061	74.000	7.657	PK
2	*	15960.000	46.495	29.994	-27.505	74.000	16.501	PK

Profile: 1872112	Page No.: 12
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.294	36.638	-29.706	74.000	7.657	PK
2	*	15960.000	47.494	30.993	-26.506	74.000	16.501	PK

Profile: 1872112	Page No.: 13
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.933	36.513	-29.067	74.000	8.419	PK
2	*	16500.000	48.330	31.284	-25.670	74.000	17.046	PK

Profile: 1872112	Page No.: 14
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.394	36.974	-28.606	74.000	8.419	PK
2	*	16500.000	48.293	31.247	-25.707	74.000	17.046	PK

Profile: 1872112	Page No.: 15
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.394	36.464	-28.606	74.000	8.929	PK
2	*	16740.000	50.038	33.457	-23.962	74.000	16.582	PK

Profile: 1872112	Page No.: 16
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.393	37.463	-27.607	74.000	8.929	PK
2	*	16740.000	50.398	33.817	-23.602	74.000	16.582	PK

Profile: 1872112	Page No.: 17
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.294	35.135	-29.706	74.000	9.160	PK
2	*	17100.000	51.038	33.226	-22.962	74.000	17.812	PK

Profile: 1872112	Page No.: 18
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.093	34.934	-29.907	74.000	9.160	PK
2	*	17160.000	49.039	31.901	-24.961	74.000	17.138	PK

Profile: 1872112	Page No.: 19
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	45.293	36.421	-28.707	74.000	8.872	PK
2	*	17160.000	49.039	31.901	-24.961	74.000	17.138	PK

Profile: 1872112	Page No.: 20
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	45.294	36.422	-28.706	74.000	8.872	PK
2	*	17160.000	49.039	31.901	-24.961	74.000	17.138	PK

Profile: 1872112	Page No.: 21
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.294	36.234	-28.706	74.000	9.060	PK
2	*	17325.000	50.298	32.853	-23.702	74.000	17.446	PK

Profile: 1872112	Page No.: 22
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.394	37.334	-27.606	74.000	9.060	PK
2	*	17235.000	50.028	31.546	-23.972	74.000	18.482	PK

Profile: 1872112	Page No.: 23
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.293	37.834	-26.707	74.000	9.459	PK
2	*	17355.000	50.239	32.500	-23.761	74.000	17.738	PK

Profile: 1872112	Page No.: 24
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.330	38.871	-25.670	74.000	9.459	PK
2	*	17355.000	50.393	32.654	-23.607	74.000	17.738	PK

Profile: 1872112	Page No.: 25
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.330	36.354	-27.670	74.000	9.976	PK
2	*	17475.000	51.394	34.042	-22.606	74.000	17.352	PK

Profile: 1872112	Page No.: 26
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.394	36.418	-27.606	74.000	9.976	PK
2	*	17475.000	50.329	32.977	-23.671	74.000	17.352	PK

Profile: 1872112	Page No.: 27
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.239	39.298	-27.761	74.000	6.941	PK
2	*	15540.000	47.394	31.758	-26.606	74.000	15.637	PK

Profile: 1872112	Page No.: 28
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.394	38.453	-28.606	74.000	6.941	PK
2	*	15540.000	46.394	30.758	-27.606	74.000	15.637	PK

Profile: 1872112	Page No.: 29
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.394	37.869	-28.606	74.000	7.525	PK
2	*	15660.000	46.394	30.567	-27.606	74.000	15.828	PK

Profile: 1872112	Page No.: 30
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.209	36.684	-29.791	74.000	7.525	PK
2	*	15660.000	46.393	30.566	-27.607	74.000	15.828	PK

Profile: 1872112	Page No.: 31
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.293	37.355	-28.707	74.000	7.938	PK
2	*	15720.000	46.394	31.033	-27.606	74.000	15.361	PK

Profile: 1872112	Page No.: 32
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.293	37.355	-28.707	74.000	7.938	PK
2	*	15720.000	46.329	30.968	-27.671	74.000	15.361	PK

Profile: 1872112	Page No.: 33
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.294	37.432	-28.706	74.000	7.862	PK
2	*	15780.000	46.329	30.788	-27.671	74.000	15.541	PK

Profile: 1872112	Page No.: 34
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.209	36.347	-29.791	74.000	7.862	PK
2	*	15780.000	47.393	31.852	-26.607	74.000	15.541	PK

Profile: 1872112	Page No.: 35
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	46.393	37.851	-27.607	74.000	8.542	PK
2		15900.000	46.393	30.401	-27.607	74.000	15.992	PK

Profile: 1872112	Page No.: 36
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.393	37.851	-27.607	74.000	8.542	PK
2	*	15900.000	46.394	30.402	-27.606	74.000	15.992	PK

Profile: 1872112	Page No.: 37
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.939	37.283	-29.061	74.000	7.657	PK
2	*	15960.000	46.394	29.893	-27.606	74.000	16.501	PK

Profile: 1872112	Page No.: 38
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.304	36.648	-29.696	74.000	7.657	PK
2	*	15960.000	47.203	30.702	-26.797	74.000	16.501	PK

Profile: 1872112	Page No.: 39
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.310	35.890	-29.690	74.000	8.419	PK
2	*	16500.000	48.310	31.264	-25.690	74.000	17.046	PK

Profile: 1872112	Page No.: 40
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.395	36.975	-28.605	74.000	8.419	PK
2	*	16500.000	48.949	31.903	-25.051	74.000	17.046	PK

Profile: 1872112	Page No.: 41
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.394	36.464	-28.606	74.000	8.929	PK
2	*	16740.000	50.303	33.722	-23.697	74.000	16.582	PK

Profile: 1872112	Page No.: 42
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.210	36.280	-28.790	74.000	8.929	PK
2	*	16740.000	50.038	33.457	-23.962	74.000	16.582	PK

Profile: 1872112	Page No.: 43
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.209	35.050	-29.791	74.000	9.160	PK
2	*	17100.000	50.039	32.227	-23.961	74.000	17.812	PK

Profile: 1872112	Page No.: 44
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.933	35.774	-29.067	74.000	9.160	PK
2	*	17100.000	49.887	32.075	-24.113	74.000	17.812	PK

Profile: 1872112	Page No.: 45
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.193	35.321	-29.807	74.000	8.872	PK
2	*	17160.000	49.028	31.890	-24.972	74.000	17.138	PK

Profile: 1872112	Page No.: 46
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.293	35.421	-29.707	74.000	8.872	PK
2	*	17160.000	49.084	31.946	-24.916	74.000	17.138	PK

Profile: 1872112	Page No.: 47
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.293	36.233	-28.707	74.000	9.060	PK
2	*	17235.000	49.038	30.556	-24.962	74.000	18.482	PK

Profile: 1872112	Page No.: 48
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.394	36.334	-28.606	74.000	9.060	PK
2	*	17235.000	50.329	31.847	-23.671	74.000	18.482	PK

Profile: 1872112	Page No.: 49
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.293	36.834	-27.707	74.000	9.459	PK
2	*	17355.000	50.394	32.655	-23.606	74.000	17.738	PK

Profile: 1872112	Page No.: 50
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.978	37.519	-27.022	74.000	9.459	PK
2	*	17355.000	50.976	33.237	-23.024	74.000	17.738	PK

Profile: 1872112	Page No.: 51
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.395	35.419	-28.605	74.000	9.976	PK
2	*	17475.000	49.048	31.696	-24.952	74.000	17.352	PK

Profile: 1872112	Page No.: 52
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.938	35.962	-28.062	74.000	9.976	PK
2	*	17475.000	50.087	32.735	-23.913	74.000	17.352	PK

Profile: 1872112	Page No.: 53
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.393	36.704	-29.607	74.000	7.689	PK
2	*	15570.000	46.969	30.411	-27.031	74.000	16.558	PK

Profile: 1872112	Page No.: 54
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.109	37.420	-28.891	74.000	7.689	PK
2	*	15570.000	46.210	29.652	-27.790	74.000	16.558	PK

Profile: 1872112	Page No.: 55
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.330	38.209	-28.670	74.000	7.121	PK
2	*	15690.000	46.329	30.600	-27.671	74.000	15.729	PK

Profile: 1872112	Page No.: 56
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.231	39.110	-27.769	74.000	7.121	PK
2	*	15690.000	47.202	31.473	-26.798	74.000	15.729	PK

Profile: 1872112	Page No.: 57
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.304	38.004	-28.696	74.000	7.300	PK
2	*	15810.000	46.595	31.497	-27.405	74.000	15.098	PK

Profile: 1872112	Page No.: 58
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.921	38.621	-28.079	74.000	7.300	PK
2	*	15810.000	47.292	32.194	-26.708	74.000	15.098	PK

Profile: 1872112	Page No.: 59
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.983	38.090	-28.017	74.000	7.894	PK
2	*	15930.000	47.299	30.649	-26.701	74.000	16.650	PK

Profile: 1872112	Page No.: 60
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.595	36.702	-29.405	74.000	7.894	PK
2	*	15930.000	46.293	29.643	-27.707	74.000	16.650	PK

Profile: 1872112	Page No.: 61
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.724	37.211	-28.276	74.000	8.513	PK
2	*	16530.000	48.293	31.064	-25.707	74.000	17.229	PK

Profile: 1872112	Page No.: 62
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.088	35.575	-29.912	74.000	8.513	PK
2	*	16530.000	48.292	31.063	-25.708	74.000	17.229	PK

Profile: 1872112	Page No.: 63
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.104	35.604	-29.896	74.000	8.500	PK
2	*	16650.000	49.028	32.043	-24.972	74.000	16.986	PK

Profile: 1872112	Page No.: 64
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.293	35.793	-29.707	74.000	8.500	PK
2	*	16650.000	48.329	31.344	-25.671	74.000	16.986	PK

Profile: 1872112	Page No.: 65
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.294	36.290	-28.706	74.000	9.003	PK
2	*	17010.000	50.330	32.023	-23.670	74.000	18.307	PK

Profile: 1872112	Page No.: 66
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.329	37.325	-27.671	74.000	9.003	PK
2	*	17010.000	50.293	31.986	-23.707	74.000	18.307	PK

Profile: 1872112	Page No.: 67
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.094	33.273	-30.906	74.000	9.821	PK
2	*	17130.000	48.293	31.198	-25.707	74.000	17.095	PK

Profile: 1872112	Page No.: 68
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.293	33.472	-30.707	74.000	9.821	PK
2	*	17130.000	48.393	31.298	-25.607	74.000	17.095	PK

Profile: 1872112	Page No.: 69
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.293	34.925	-29.707	74.000	9.367	PK
2	*	17265.000	50.039	31.810	-23.961	74.000	18.230	PK

Profile: 1872112	Page No.: 70
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.293	34.925	-29.707	74.000	9.367	PK
2	*	17265.000	49.193	30.964	-24.807	74.000	18.230	PK

Profile: 1872112	Page No.: 71
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.209	34.648	-29.791	74.000	9.560	PK
2	*	17385.000	49.039	32.235	-24.961	74.000	16.803	PK

Profile: 1872112	Page No.: 72
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.295	34.734	-29.705	74.000	9.560	PK
2	*	17385.000	49.937	33.133	-24.063	74.000	16.803	PK

Profile: 1872112	Page No.: 73
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	45.294	38.353	-28.706	74.000	6.941	PK
2		15540.000	45.097	29.461	-28.903	74.000	15.637	PK

Profile: 1872112	Page No.: 74
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.104	37.163	-29.896	74.000	6.941	PK
2	*	15540.000	46.309	30.673	-27.691	74.000	15.637	PK

Profile: 1872112	Page No.: 75
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.209	36.684	-29.791	74.000	7.525	PK
2	*	15660.000	46.209	30.382	-27.791	74.000	15.828	PK

Profile: 1872112	Page No.: 76
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.984	37.459	-29.016	74.000	7.525	PK
2	*	15660.000	46.943	31.116	-27.057	74.000	15.828	PK

Profile: 1872112	Page No.: 77
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.294	37.356	-28.706	74.000	7.938	PK
2	*	15720.000	46.293	30.932	-27.707	74.000	15.361	PK

Profile: 1872112	Page No.: 78
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.205	37.267	-28.795	74.000	7.938	PK
2	*	15720.000	46.030	30.669	-27.970	74.000	15.361	PK

Profile: 1872112	Page No.: 79
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.203	36.341	-29.797	74.000	7.862	PK
2	*	15780.000	47.023	31.482	-26.977	74.000	15.541	PK

Profile: 1872112	Page No.: 80
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.192	36.330	-29.808	74.000	7.862	PK
2	*	15780.000	46.103	30.562	-27.897	74.000	15.541	PK

Profile: 1872112	Page No.: 81
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.209	35.667	-29.791	74.000	8.542	PK
2	*	15900.000	46.033	30.041	-27.967	74.000	15.992	PK

Profile: 1872112	Page No.: 82
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.293	36.751	-28.707	74.000	8.542	PK
2	*	15900.000	45.321	29.329	-28.679	74.000	15.992	PK

Profile: 1872112	Page No.: 83
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.203	36.547	-29.797	74.000	7.657	PK
2	*	15960.000	46.394	29.893	-27.606	74.000	16.501	PK

Profile: 1872112	Page No.: 84
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.293	36.637	-29.707	74.000	7.657	PK
2	*	15960.000	46.230	29.729	-27.770	74.000	16.501	PK

Profile: 1872112	Page No.: 85
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.295	35.875	-29.705	74.000	8.419	PK
2	*	16500.000	47.595	30.549	-26.405	74.000	17.046	PK

Profile: 1872112	Page No.: 86
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.210	35.790	-29.790	74.000	8.419	PK
2	*	16500.000	48.203	31.157	-25.797	74.000	17.046	PK

Profile: 1872112	Page No.: 87
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.295	36.365	-28.705	74.000	8.929	PK
2	*	16740.000	49.038	32.457	-24.962	74.000	16.582	PK

Profile: 1872112	Page No.: 88
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.330	36.400	-28.670	74.000	8.929	PK
2	*	16740.000	49.294	32.713	-24.706	74.000	16.582	PK

Profile: 1872112	Page No.: 89
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.944	34.785	-30.056	74.000	9.160	PK
2	*	17100.000	49.038	31.226	-24.962	74.000	17.812	PK

Profile: 1872112	Page No.: 90
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.203	34.044	-30.797	74.000	9.160	PK
2	*	17100.000	49.295	31.483	-24.705	74.000	17.812	PK

Profile: 1872112	Page No.: 91
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.293	35.134	-29.707	74.000	9.160	PK
2	*	17160.000	49.294	32.156	-24.706	74.000	17.138	PK

Profile: 1872112	Page No.: 92
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.939	36.067	-29.061	74.000	8.872	PK
2	*	17160.000	49.595	32.457	-24.405	74.000	17.138	PK

Profile: 1872112	Page No.: 93
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.938	35.878	-29.062	74.000	9.060	PK
2	*	17235.000	49.294	30.812	-24.706	74.000	18.482	PK

Profile: 1872112	Page No.: 94
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.943	34.883	-30.057	74.000	9.060	PK
2	*	17235.000	49.293	30.811	-24.707	74.000	18.482	PK

Profile: 1872112	Page No.: 95
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.294	35.835	-28.706	74.000	9.459	PK
2	*	17355.000	49.209	31.470	-24.791	74.000	17.738	PK

Profile: 1872112	Page No.: 96
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.295	35.836	-28.705	74.000	9.459	PK
2	*	17355.000	49.210	31.471	-24.790	74.000	17.738	PK

Profile: 1872112	Page No.: 97
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.295	35.319	-28.705	74.000	9.976	PK
2	*	17475.000	50.194	32.842	-23.806	74.000	17.352	PK

Profile: 1872112	Page No.: 98
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.294	34.318	-29.706	74.000	9.976	PK
2	*	17475.000	50.294	32.942	-23.706	74.000	17.352	PK

Profile: 1872112	Page No.: 99
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.293	37.604	-28.707	74.000	7.689	PK
2	*	15570.000	45.748	29.190	-28.252	74.000	16.558	PK

Profile: 1872112	Page No.: 100
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.294	36.605	-29.706	74.000	7.689	PK
2	*	15570.000	46.294	29.736	-27.706	74.000	16.558	PK

Profile: 1872112	Page No.: 101
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.293	39.172	-27.707	74.000	7.121	PK
2	*	15690.000	46.330	30.601	-27.670	74.000	15.729	PK

Profile: 1872112	Page No.: 102
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.294	38.173	-28.706	74.000	7.121	PK
2	*	15690.000	45.394	29.665	-28.606	74.000	15.729	PK

Profile: 1872112	Page No.: 103
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.293	38.993	-27.707	74.000	7.300	PK
2	*	15810.000	47.209	32.111	-26.791	74.000	15.098	PK

Profile: 1872112	Page No.: 104
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.209	37.909	-28.791	74.000	7.300	PK
2	*	15810.000	47.293	32.195	-26.707	74.000	15.098	PK

Profile: 1872112	Page No.: 105
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.203	36.310	-29.797	74.000	7.894	PK
2	*	15930.000	46.958	30.308	-27.042	74.000	16.650	PK

Profile: 1872112	Page No.: 106
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.294	37.401	-28.706	74.000	7.894	PK
2	*	15930.000	47.293	30.643	-26.707	74.000	16.650	PK

Profile: 1872112	Page No.: 107
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.239	36.726	-28.761	74.000	8.513	PK
2	*	16530.000	48.321	31.092	-25.679	74.000	17.229	PK

Profile: 1872112	Page No.: 108
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.955	36.442	-29.045	74.000	8.513	PK
2	*	16530.000	48.239	31.010	-25.761	74.000	17.229	PK

Profile: 1872112	Page No.: 109
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.549	35.049	-30.451	74.000	8.500	PK
2	*	16650.000	49.293	32.308	-24.707	74.000	16.986	PK

Profile: 1872112	Page No.: 110
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.659	35.159	-30.341	74.000	8.500	PK
2	*	16650.000	48.294	31.309	-25.706	74.000	16.986	PK

Profile: 1872112	Page No.: 111
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.293	36.289	-28.707	74.000	9.003	PK
2	*	17010.000	50.130	31.823	-23.870	74.000	18.307	PK

Profile: 1872112	Page No.: 112
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.293	36.289	-28.707	74.000	9.003	PK
2	*	17010.000	49.293	30.986	-24.707	74.000	18.307	PK

Profile: 1872112	Page No.: 113
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.299	34.931	-29.701	74.000	9.367	PK
2	*	17265.000	50.298	32.069	-23.702	74.000	18.230	PK

Profile: 1872112	Page No.: 114
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.293	35.925	-28.707	74.000	9.367	PK
2	*	17265.000	50.203	31.974	-23.797	74.000	18.230	PK

Profile: 1872112	Page No.: 115
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.985	34.424	-30.015	74.000	9.560	PK
2	*	17385.000	49.029	32.225	-24.971	74.000	16.803	PK

Profile: 1872112	Page No.: 116
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.293	35.732	-28.707	74.000	9.560	PK
2	*	17385.000	49.293	32.489	-24.707	74.000	16.803	PK

Profile: 1872112	Page No.: 117
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.293	36.732	-27.707	74.000	9.560	PK
2	*	17385.000	49.384	32.580	-24.616	74.000	16.803	PK

Profile: 1872112	Page No.: 118
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.293	36.732	-27.707	74.000	9.560	PK
2	*	17385.000	49.294	32.490	-24.706	74.000	16.803	PK

Profile: 1872112	Page No.: 119
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.293	37.540	-28.707	74.000	7.752	PK
2		15630.000	45.293	29.290	-28.707	74.000	16.003	PK

Profile: 1872112	Page No.: 120
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.738	38.985	-27.262	74.000	7.752	PK
2		15630.000	45.384	29.381	-28.616	74.000	16.003	PK

Profile: 1872112	Page No.: 121
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.293	37.124	-28.707	74.000	8.169	PK
2	*	15870.000	47.209	31.090	-26.791	74.000	16.119	PK

Profile: 1872112	Page No.: 122
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.210	37.041	-28.790	74.000	8.169	PK
2	*	15870.000	48.329	32.210	-25.671	74.000	16.119	PK

Profile: 1872112	Page No.: 123
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.293	36.616	-28.707	74.000	8.678	PK
2	*	16590.000	48.394	31.490	-25.606	74.000	16.903	PK

Profile: 1872112	Page No.: 124
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.294	36.617	-28.706	74.000	8.678	PK
2	*	16590.000	48.203	31.299	-25.797	74.000	16.903	PK

Profile: 1872112	Page No.: 125
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.293	35.201	-29.707	74.000	9.092	PK
2	*	17070.000	49.293	32.534	-24.707	74.000	16.759	PK

Profile: 1872112	Page No.: 126
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.203	35.111	-29.797	74.000	9.092	PK
2	*	17070.000	49.293	32.534	-24.707	74.000	16.759	PK

Profile: 1872112	Page No.: 127
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.393	37.059	-27.607	74.000	9.334	PK
2	*	17325.000	50.293	32.848	-23.707	74.000	17.446	PK

Profile: 1872112	Page No.: 128
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.203	34.869	-29.797	74.000	9.334	PK
2	*	17325.000	50.029	32.584	-23.971	74.000	17.446	PK

Profile: 1872112	Page No.: 129
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.299	38.358	-28.701	74.000	6.941	PK
2	*	15540.000	46.293	30.657	-27.707	74.000	15.637	PK

Profile: 1872112	Page No.: 130
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.294	38.353	-28.706	74.000	6.941	PK
2	*	15540.000	46.329	30.693	-27.671	74.000	15.637	PK

Profile: 1872112	Page No.: 131
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.209	37.684	-28.791	74.000	7.525	PK
2	*	15660.000	46.329	30.502	-27.671	74.000	15.828	PK

Profile: 1872112	Page No.: 132
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.209	37.684	-28.791	74.000	7.525	PK
2	*	15660.000	46.329	30.502	-27.671	74.000	15.828	PK

Profile: 1872112	Page No.: 133
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	46.293	38.355	-27.707	74.000	7.938	PK
2		15720.000	46.293	30.932	-27.707	74.000	15.361	PK

Profile: 1872112	Page No.: 134
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.293	37.355	-28.707	74.000	7.938	PK
2	*	15720.000	46.393	31.032	-27.607	74.000	15.361	PK

Profile: 1872112	Page No.: 135
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.928	37.066	-29.072	74.000	7.862	PK
2	*	15780.000	46.293	30.752	-27.707	74.000	15.541	PK

Profile: 1872112	Page No.: 136
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.209	37.347	-28.791	74.000	7.862	PK
2	*	15780.000	46.293	30.752	-27.707	74.000	15.541	PK

Profile: 1872112	Page No.: 137
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	46.982	38.440	-27.018	74.000	8.542	PK
2		15900.000	46.298	30.306	-27.702	74.000	15.992	PK

Profile: 1872112	Page No.: 138
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	46.293	37.751	-27.707	74.000	8.542	PK
2		15900.000	46.293	30.301	-27.707	74.000	15.992	PK

Profile: 1872112	Page No.: 139
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.203	36.547	-29.797	74.000	7.657	PK
2	*	15960.000	46.927	30.426	-27.073	74.000	16.501	PK

Profile: 1872112	Page No.: 140
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.293	37.637	-28.707	74.000	7.657	PK
2	*	15960.000	48.298	31.797	-25.702	74.000	16.501	PK

Profile: 1872112	Page No.: 141
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.294	35.874	-29.706	74.000	8.419	PK
2	*	16500.000	48.329	31.283	-25.671	74.000	17.046	PK

Profile: 1872112	Page No.: 142
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.293	36.873	-28.707	74.000	8.419	PK
2	*	16500.000	48.294	31.248	-25.706	74.000	17.046	PK

Profile: 1872112	Page No.: 143
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.293	36.363	-28.707	74.000	8.929	PK
2	*	16740.000	50.028	33.447	-23.972	74.000	16.582	PK

Profile: 1872112	Page No.: 144
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.293	36.363	-28.707	74.000	8.929	PK
2	*	16740.000	50.293	33.712	-23.707	74.000	16.582	PK

Profile: 1872112	Page No.: 145
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	17100.000	50.293	32.481	-23.707	74.000	17.812	PK
2		111400.000	44.293	25.932	NaN	NaN	18.361	PK

Profile: 1872112	Page No.: 146
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.209	35.050	-29.791	74.000	9.160	PK
2	*	17100.000	50.321	32.509	-23.679	74.000	17.812	PK

Profile: 1872112	Page No.: 147
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.293	35.421	-29.707	74.000	8.872	PK
2	*	17160.000	49.023	31.885	-24.977	74.000	17.138	PK

Profile: 1872112	Page No.: 148
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.929	36.057	-29.071	74.000	8.872	PK
2	*	17160.000	49.328	32.190	-24.672	74.000	17.138	PK

Profile: 1872112	Page No.: 149
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.298	35.238	-29.702	74.000	9.060	PK
2	*	17235.000	49.292	30.810	-24.708	74.000	18.482	PK

Profile: 1872112	Page No.: 150
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.293	35.233	-29.707	74.000	9.060	PK
2	*	17235.000	49.298	30.816	-24.702	74.000	18.482	PK

Profile: 1872112	Page No.: 151
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.299	35.840	-28.701	74.000	9.459	PK
2	*	17355.000	49.293	31.554	-24.707	74.000	17.738	PK

Profile: 1872112	Page No.: 152
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.283	35.824	-28.717	74.000	9.459	PK
2	*	17355.000	49.283	31.544	-24.717	74.000	17.738	PK

Profile: 1872112	Page No.: 153
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.930	34.954	-29.070	74.000	9.976	PK
2	*	17475.000	50.283	32.931	-23.717	74.000	17.352	PK

Profile: 1872112	Page No.: 154
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.293	34.317	-29.707	74.000	9.976	PK
2	*	17475.000	50.283	32.931	-23.717	74.000	17.352	PK

Profile: 1872112	Page No.: 155
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.293	36.604	-29.707	74.000	7.689	PK
2	*	15570.000	46.293	29.735	-27.707	74.000	16.558	PK

Profile: 1872112	Page No.: 156
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.293	35.604	-30.707	74.000	7.689	PK
2	*	15570.000	47.293	30.735	-26.707	74.000	16.558	PK

Profile: 1872112	Page No.: 157
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.295	37.174	-29.705	74.000	7.121	PK
2	*	15690.000	45.394	29.665	-28.606	74.000	15.729	PK

Profile: 1872112	Page No.: 158
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.293	38.172	-28.707	74.000	7.121	PK
2	*	15690.000	45.394	29.665	-28.606	74.000	15.729	PK

Profile: 1872112	Page No.: 159
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.394	37.501	-28.606	74.000	7.894	PK
2	*	15930.000	47.349	30.699	-26.651	74.000	16.650	PK

Profile: 1872112	Page No.: 160
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.293	38.993	-27.707	74.000	7.300	PK
2	*	15810.000	47.374	32.276	-26.626	74.000	15.098	PK

Profile: 1872112	Page No.: 161
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.293	37.400	-28.707	74.000	7.894	PK
2	*	15930.000	46.394	29.744	-27.606	74.000	16.650	PK

Profile: 1872112	Page No.: 162
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.294	37.401	-28.706	74.000	7.894	PK
2	*	15930.000	47.293	30.643	-26.707	74.000	16.650	PK

Profile: 1872112	Page No.: 163
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.294	36.781	-28.706	74.000	8.513	PK
2	*	16530.000	47.329	30.100	-26.671	74.000	17.229	PK

Profile: 1872112	Page No.: 164
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.394	35.881	-29.606	74.000	8.513	PK
2	*	16530.000	48.384	31.155	-25.616	74.000	17.229	PK

Profile: 1872112	Page No.: 165
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.293	35.793	-29.707	74.000	8.500	PK
2	*	16650.000	48.394	31.409	-25.606	74.000	16.986	PK

Profile: 1872112	Page No.: 166
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.293	35.793	-29.707	74.000	8.500	PK
2	*	16650.000	48.283	31.298	-25.717	74.000	16.986	PK

Profile: 1872112	Page No.: 167
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.299	36.295	-28.701	74.000	9.003	PK
2	*	17010.000	50.293	31.986	-23.707	74.000	18.307	PK

Profile: 1872112	Page No.: 168
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.299	36.295	-28.701	74.000	9.003	PK
2	*	17010.000	49.393	31.086	-24.607	74.000	18.307	PK

Profile: 1872112	Page No.: 169
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.293	33.472	-30.707	74.000	9.821	PK
2	*	17130.000	48.283	31.188	-25.717	74.000	17.095	PK

Profile: 1872112	Page No.: 170
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.330	34.509	-29.670	74.000	9.821	PK
2	*	17130.000	49.394	32.299	-24.606	74.000	17.095	PK

Profile: 1872112	Page No.: 171
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.330	35.962	-28.670	74.000	9.367	PK
2	*	17265.000	50.329	32.100	-23.671	74.000	18.230	PK

Profile: 1872112	Page No.: 172
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.243	35.875	-28.757	74.000	9.367	PK
2	*	17265.000	50.384	32.155	-23.616	74.000	18.230	PK

Profile: 1872112	Page No.: 173
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.294	34.733	-29.706	74.000	9.560	PK
2	*	17385.000	50.394	33.590	-23.606	74.000	16.803	PK

Profile: 1872112	Page No.: 174
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.293	34.732	-29.707	74.000	9.560	PK
2	*	17385.000	49.399	32.595	-24.601	74.000	16.803	PK

Profile: 1872112	Page No.: 175
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.394	37.641	-28.606	74.000	7.752	PK
2		15630.000	44.294	28.291	-29.706	74.000	16.003	PK

Profile: 1872112	Page No.: 176
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.330	37.577	-28.670	74.000	7.752	PK
2		15630.000	44.298	28.295	-29.702	74.000	16.003	PK

Profile: 1872112	Page No.: 177
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.393	36.224	-29.607	74.000	8.169	PK
2	*	15870.000	47.394	31.275	-26.606	74.000	16.119	PK

Profile: 1872112	Page No.: 178
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.284	36.115	-29.716	74.000	8.169	PK
2	*	15870.000	46.394	30.275	-27.606	74.000	16.119	PK

Profile: 1872112	Page No.: 179
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.283	35.606	-29.717	74.000	8.678	PK
2	*	16590.000	47.384	30.480	-26.616	74.000	16.903	PK

Profile: 1872112	Page No.: 180
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.293	35.616	-29.707	74.000	8.678	PK
2	*	16590.000	48.394	31.490	-25.606	74.000	16.903	PK

Profile: 1872112	Page No.: 181
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.293	35.201	-29.707	74.000	9.092	PK
2	*	17070.000	49.203	32.444	-24.797	74.000	16.759	PK

Profile: 1872112	Page No.: 182
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.293	35.201	-29.707	74.000	9.092	PK
2	*	17070.000	49.394	32.635	-24.606	74.000	16.759	PK

Profile: 1872112	Page No.: 183
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.298	34.964	-29.702	74.000	9.334	PK
2	*	17325.000	51.398	33.953	-22.602	74.000	17.446	PK

Profile: 1872112	Page No.: 184
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.384	35.050	-29.616	74.000	9.334	PK
2	*	17325.000	50.283	32.838	-23.717	74.000	17.446	PK

Profile: 1872112	Page No.: 185
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.293	35.929	-29.707	74.000	8.363	PK
2	*	15750.000	47.239	31.434	-26.761	74.000	15.806	PK

Profile: 1872112	Page No.: 186
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.330	36.966	-28.670	74.000	8.363	PK
2	*	15750.000	46.293	30.488	-27.707	74.000	15.806	PK

Profile: 1872112	Page No.: 187
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.294	36.930	-28.706	74.000	8.363	PK
2	*	15750.000	47.328	31.523	-26.672	74.000	15.806	PK

Profile: 1872112	Page No.: 188
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.932	36.043	-29.068	74.000	8.889	PK
2	*	16710.000	49.298	32.143	-24.702	74.000	17.154	PK