


Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.40	76.40	0.50	Complies

CH155 6 dB Bandwidth



Date: 1.APR.2021 16:09:56

99 % Occupied Bandwidth



Date: 1.APR.2021 16:09:19

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.31	0.74	12.05	30.00	1.0000	Complies
40	5200	11.19	0.74	11.93	30.00	1.0000	Complies
48	5240	11.87	0.74	12.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.57	0.79	11.36	30.00	1.0000	Complies
40	5200	10.44	0.79	11.23	30.00	1.0000	Complies
48	5240	9.04	0.79	9.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.33	0.79	12.12	30.00	1.0000	Complies
40	5200	11.08	0.79	11.87	30.00	1.0000	Complies
48	5240	9.99	0.79	10.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.77	30.00	1.0000	Complies
40	5200	14.57	30.00	1.0000	Complies
48	5240	13.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.02	1.47	12.49	30.00	1.0000	Complies
46	5230	11.55	1.47	13.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.66	1.47	13.13	30.00	1.0000	Complies
46	5230	12.01	1.47	13.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.83	30.00	1.0000	Complies
46	5230	16.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.87	0.79	12.66	30.00	1.0000	Complies
40	5200	10.97	0.79	11.76	30.00	1.0000	Complies
48	5240	9.82	0.79	10.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.44	0.79	13.23	30.00	1.0000	Complies
40	5200	11.56	0.79	12.35	30.00	1.0000	Complies
48	5240	10.38	0.79	11.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.97	30.00	1.0000	Complies
40	5200	15.08	30.00	1.0000	Complies
48	5240	13.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.88	1.46	13.34	30.00	1.0000	Complies
46	5230	12.05	1.46	13.51	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.24	1.46	13.7	30.00	1.0000	Complies
46	5230	12.77	1.46	14.23	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.53	30.00	1.0000	Complies
46	5230	16.89	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.68	2.55	15.23	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.22	2.55	15.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.77	0.74	15.51	30.00	1.0000	Complies
157	5785	14.56	0.74	15.30	30.00	1.0000	Complies
165	5825	13.96	0.74	14.70	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.33	0.79	10.12	30.00	1.0000	Complies
157	5785	8.97	0.79	9.76	30.00	1.0000	Complies
165	5825	9.03	0.79	9.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.06	0.79	10.85	30.00	1.0000	Complies
157	5785	9.59	0.79	10.38	30.00	1.0000	Complies
165	5825	9.67	0.79	10.46	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.51	30.00	1.0000	Complies
157	5785	13.09	30.00	1.0000	Complies
165	5825	13.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.66	1.47	12.13	30.00	1.0000	Complies
159	5795	10.03	1.47	11.5	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.37	1.47	12.84	30.00	1.0000	Complies
159	5795	10.44	1.47	11.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.51	30.00	1.0000	Complies
159	5795	14.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.96	0.79	10.75	30.00	1.0000	Complies
157	5785	9.55	0.79	10.34	30.00	1.0000	Complies
165	5825	9.06	0.79	9.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.46	0.79	11.25	30.00	1.0000	Complies
157	5785	10.07	0.79	10.86	30.00	1.0000	Complies
165	5825	9.76	0.79	10.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.02	30.00	1.0000	Complies
157	5785	13.62	30.00	1.0000	Complies
165	5825	13.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.43	1.46	12.89	30.00	1.0000	Complies
159	5795	11.16	1.46	12.62	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.16	1.46	13.62	30.00	1.0000	Complies
159	5795	11.77	1.46	13.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.28	30.00	1.0000	Complies
159	5795	15.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.67	2.55	17.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.21	2.55	17.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.50	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.55	0.74	9.29	17.00	Complies
40	5200	8.56	0.74	9.30	17.00	Complies
48	5240	8.32	0.74	9.06	17.00	Complies

CH36




Date: 1.APR.2021 12:38:21

CH40



Date: 1.APR.2021 12:39:16


CH48




Date: 1.APR.2021 12:40:46

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.57	0.79	9.36	17.00	Complies
40	5200	8.31	0.79	9.10	17.00	Complies
48	5240	8.09	0.79	8.88	17.00	Complies



Date: 1.APR.2021 14:32:00




Date: 1.APR.2021 14:33:51




Date: 1.APR.2021 14:34:44

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.26	0.79	8.05	17.00	Complies
40	5200	7.43	0.79	8.22	17.00	Complies
48	5240	7.29	0.79	8.08	17.00	Complies



Date: 1.APR.2021 16:19:29



Date: 1.APR.2021 16:19:49



Date: 1.APR.2021 16:20:10


Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.77	14.09	Complies
40	5200	11.69	14.09	Complies
48	5240	11.51	14.09	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.97	1.46	6.43	17.00	Complies
46	5230	4.63	1.46	6.09	17.00	Complies

CH38



Date: 1.APR.2021 16:01:23

CH46




Date: 1.APR.2021 16:02:54

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.95	1.46	5.41	17.00	Complies
46	5230	4.26	1.46	5.72	17.00	Complies

CH38



Date: 1.APR.2021 16:35:55

CH46




Date: 1.APR.2021 16:36:26

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.96	14.09	Complies
46	5230	8.92	14.09	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.74	2.55	3.29	17.00	Complies



Date: 1.APR.2021 16:08:46

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.11	2.55	2.66	17.00	Complies




Date: 1.APR.2021 16:38:09

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.99	14.09	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.14	0.74	6.88	30.00	Complies
157	5785	5.81	0.74	6.55	30.00	Complies
165	5825	5.64	0.74	6.38	30.00	Complies



Date: 16.APR.2021 10:13:32




Date: 16.APR.2021 10:14:12




Date: 16.APR.2021 10:14:35

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.29	0.79	7.08	30.00	Complies
157	5785	6.10	0.79	6.89	30.00	Complies
165	5825	6.06	0.79	6.85	30.00	Complies



Date: 16.APR.2021 10:19:18



Date: 16.APR.2021 10:19:48




Date: 16.APR.2021 10:20:10

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.16	0.79	6.95	30.00	Complies
157	5785	5.97	0.79	6.76	30.00	Complies
165	5825	5.61	0.79	6.40	30.00	Complies



Date: 16.APR.2021 10:35:03



Date: 16.APR.2021 10:35:49




Date: 16.APR.2021 10:36:13

Test Mode UNII-3_TX AC(VHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.03	27.09	Complies
157	5785	9.84	27.09	Complies
165	5825	9.64	27.09	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.12	1.46	3.58	30.00	Complies
159	5795	2.21	1.46	3.67	30.00	Complies




Date: 16.APR.2021 10:22:34




Date: 16.APR.2021 10:23:07

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.29	1.46	3.75	30.00	Complies
159	5795	2.89	1.46	4.35	30.00	Complies



Date: 16.APR.2021 10:38:20




Date: 16.APR.2021 10:38:48

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.67	27.09	Complies
159	5795	7.03	27.09	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.20	2.25	0.05	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.69	2.25	0.56	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.62	27.09	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9748
120	5179.9799
102	5179.9748
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.8649

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9950
10	5179.9950
20	5179.9999
30	5180.0000
40	5179.9797
Maximum Deviation (MHz)	0.0203
Maximum Deviation (ppm)	3.9213

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9750
120	5744.9999
102	5744.9748
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.3864

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9597
10	5744.9948
20	5744.9748
30	5744.9999
40	5744.9748
Maximum Deviation (MHz)	0.0403
Maximum Deviation (ppm)	7.0191

End of Test Report