









Channel: TOP, Modulation: QPSK,
 BW=5MHz

Channel: TOP, Modulation: 16QAM,
 BW=5MHz

Channel: TOP, Modulation: 64QAM,
 BW=5MHz

Channel: TOP, Modulation: 256QAM,
 BW=5MHz




Channel: BOTTOM, Modulation: QPSK,
BW=10MHz




Channel: BOTTOM, Modulation: 16QAM,
BW=10MHz




Channel: BOTTOM, Modulation: 64QAM,
BW=10MHz




Channel: BOTTOM, Modulation: 256QAM,
BW=10MHz




Channel: MIDDLE, Modulation: QPSK,
BW=10MHz




Channel: MIDDLE, Modulation: 16QAM,
BW=10MHz




Channel: MIDDLE, Modulation: 64QAM,
BW=10MHz




Channel: MIDDLE, Modulation: 256QAM,
BW=10MHz




Channel: TOP, Modulation: QPSK,
BW=10MHz




Channel: TOP, Modulation: 16QAM,
BW=10MHz




Channel: TOP, Modulation: 64QAM,
BW=10MHz




Channel: TOP, Modulation: 256QAM,
BW=10MHz




Channel: BOTTOM, Modulation: QPSK,
BW=15MHz




Channel: BOTTOM, Modulation: 16QAM,
BW=15MHz




Channel: BOTTOM, Modulation: 64QAM,
BW=15MHz




Channel: BOTTOM, Modulation: 256QAM,
BW=15MHz




Channel: MIDDLE, Modulation: QPSK,
BW=15MHz




Channel: MIDDLE, Modulation: 16QAM,
BW=15MHz




Channel: MIDDLE, Modulation: 64QAM,
BW=15MHz




Channel: MIDDLE, Modulation: 256QAM,
BW=15MHz




Channel: TOP, Modulation: QPSK,
BW=15MHz




Channel: TOP, Modulation: 16QAM,
BW=15MHz




Channel: TOP, Modulation: 64QAM,
BW=15MHz




Channel: TOP, Modulation: 256QAM,
BW=15MHz




Channel: BOTTOM, Modulation: QPSK,
 BW=20MHz




Channel: BOTTOM, Modulation: 16QAM,
 BW=20MHz




Channel: BOTTOM, Modulation: 64QAM,
 BW=20MHz




Channel: BOTTOM, Modulation: 256QAM,
 BW=20MHz




Channel: MIDDLE, Modulation: QPSK,
BW=20MHz




Channel: MIDDLE, Modulation: 16QAM,
BW=20MHz




Channel: MIDDLE, Modulation: 64QAM,
BW=20MHz




Channel: MIDDLE, Modulation: 256QAM,
BW=20MHz




Channel: TOP, Modulation: QPSK,
BW=20MHz



Channel: TOP, Modulation: 16QAM,
BW=20MHz



Channel: TOP, Modulation: 64QAM,
BW=20MHz



Channel: TOP, Modulation: 256QAM,
BW=20MHz

Clause 27.50(d) Peak output power at RF antenna connector

§ 27.50(d) The following power and antenna height requirements apply to stations transmitting in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz and 2180-2200 MHz bands:

- (2) The power of each fixed or base station transmitting in the 1995-2000 MHz, the 2110-2155 MHz 2155-2180 MHz band, or 2180-2200 MHz band and situated in any geographic location other than that described in paragraph (d)(1) of this section is limited to:
 - (i) An equivalent isotropically radiated power (EIRP) of 1640 watts when transmitting with an emission bandwidth of 1 MHz or less;
 - (ii) An EIRP of 1640 watts/MHz when transmitting with an emission bandwidth greater than 1 MHz.
- (5) Equipment employed must be authorized in accordance with the provisions of §24.51. Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (d)(6) of this section. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

Test date: 10/21/2019 to 12/13/2019

Test results: Pass

Special notes


-


Clause 27.50(d) Peak output power at RF antenna connector



Test data







RF PORT 1


Test data					
Direction	Modulation	Frequency (MHz)	RF output Power (dBm)	RF output channel Power (W)	PAR (dB)
Down-link	LTE 5MHz (QPSK)	2112.5	27.4	0.545	10.4
Down-link	LTE 5MHz (QPSK)	2145	26.9	0.494	10.4
Down-link	LTE 5MHz (QPSK)	2177.5	26.2	0.418	10.4
Down-link	LTE 5MHz (16QAM)	2112.5	27.4	0.546	10.4
Down-link	LTE 5MHz (16QAM)	2145	26.9	0.493	10.4
Down-link	LTE 5MHz (16QAM)	2177.5	26.2	0.419	10.4
Down-link	LTE 5MHz (64QAM)	2112.5	27.4	0.546	10.4
Down-link	LTE 5MHz (64QAM)	2145	27.0	0.495	10.3
Down-link	LTE 5MHz (64QAM)	2177.5	26.2	0.414	10.4
Down-link	LTE 5MHz (256QAM)	2112.5	27.4	0.543	10.4
Down-link	LTE 5MHz (256QAM)	2145	26.9	0.493	10.4
Down-link	LTE 5MHz (256QAM)	2177.5	26.2	0.414	10.5


Channel: BOTTOM, Modulation: QPSK,
BW=5MHz, Channel Power

Channel: BOTTOM, Modulation: QPSK,
BW=5MHz, CCDF

Channel: MIDDLE, Modulation: QPSK,
BW=5MHz, Channel Power

Channel: MIDDLE, Modulation: QPSK,
BW=5MHz, CCDF

Channel: TOP, Modulation: QPSK,
BW=5MHz, Channel Power

Channel: TOP, Modulation: QPSK,
BW=5MHz, CCDF



Channel: BOTTOM, Modulation: 16QAM,
BW=5MHz, Channel Power

Channel: BOTTOM, Modulation: 16QAM,
BW=5MHz, CCDF

Channel: MIDDLE, Modulation: 16QAM,
BW=5MHz, Channel Power

Channel: MIDDLE, Modulation: 16QAM,
BW=5MHz, CCDF

Channel: TOP, Modulation: 16QAM,
BW=5MHz, Channel Power

Channel: TOP, Modulation: 16QAM,
BW=5MHz, CCDF




Channel: BOTTOM, Modulation: 64QAM, BW=5MHz, Channel Power




Channel: BOTTOM, Modulation: 64QAM, BW=5MHz, CCDF




Channel: MIDDLE, Modulation: 64QAM, BW=5MHz, Channel Power




Channel: MIDDLE, Modulation: 64QAM, BW=5MHz, CCDF




Channel: TOP, Modulation: 64QAM, BW=5MHz, Channel Power




Channel: TOP, Modulation: 64QAM, BW=5MHz, CCDF



Channel: BOTTOM, Modulation: 256QAM, BW=5MHz, Channel Power




Channel: BOTTOM, Modulation: 256QAM, BW=5MHz, CCDF




Channel: MIDDLE, Modulation: 256QAM, BW=5MHz, Channel Power



Channel: MIDDLE, Modulation: 256QAM, BW=5MHz, CCDF



Channel: TOP, Modulation: 256QAM, BW=5MHz, Channel Power



Channel: TOP, Modulation: 256QAM, BW=5MHz, CCDF

Test data					
Direction	Modulation	Frequency (MHz)	RF output Power (dBm)	RF output channel Power (W)	PAR (dB)
Down-link	LTE 10MHz (QPSK)	2115	27.1	0.515	9.4
Down-link	LTE 10MHz (QPSK)	2145	27.0	0.504	9.1
Down-link	LTE 10MHz (QPSK)	2175	26.4	0.432	9.1
Down-link	LTE 10MHz (16QAM)	2115	27.2	0.519	9.3
Down-link	LTE 10MHz (16QAM)	2145	27.0	0.502	9.1
Down-link	LTE 10MHz (16QAM)	2175	26.3	0.430	9.1
Down-link	LTE 10MHz (64QAM)	2115	27.1	0.516	9.3
Down-link	LTE 10MHz (64QAM)	2145	27.0	0.499	9.1
Down-link	LTE 10MHz (64QAM)	2175	26.3	0.430	9.1
Down-link	LTE 10MHz (256QAM)	2115	27.1	0.513	9.3
Down-link	LTE 10MHz (256QAM)	2145	27.0	0.504	9.1
Down-link	LTE 10MHz (256QAM)	2175	26.4	0.432	9.1