


Channel 11




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Tx_SISO Mode		
Date of Test	2017/03/23	Test Site	SR10-H


IEEE 802.11g (ANT 0)

Channel	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	32.165	≥ 20	Pass
6	2437	49.538	≥ 20	Pass
11	2462	46.551	≥ 20	Pass


Channel 1



Channel 6




Channel 11




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Tx_SISO Mode		
Date of Test	2017/03/23	Test Site	SR10-H

IEEE 802.11g (ANT 1)				
Channel	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	33.440	≤ 20	Pass
6	2437	51.659	≤ 20	Pass
11	2462	45.819	≤ 20	Pass


Channel 1



Channel 6



Channel 11




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 2: Tx_MIMO Mode		
Date of Test	2017/03/23	Test Site	SR10-H


IEEE 802.11n_20M (ANT 0)

Channel	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	36.965	≥ 20	Pass
6	2437	51.585	≥ 20	Pass
11	2462	46.291	≥ 20	Pass


Channel 1



Channel 6



Channel 11




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 2: Tx_MIMO Mode		
Date of Test	2017/03/23	Test Site	SR10-H


IEEE 802.11n_20M (ANT 1)

Channel	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	36.301	≥ 20	Pass
6	2437	49.932	≥ 20	Pass
11	2462	45.608	≥ 20	Pass


Channel 1



Channel 6




Channel 11




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 2: Tx_MIMO Mode		
Date of Test	2017/03/23	Test Site	SR10-H

IEEE 802.11n_40M (ANT 0)				
Channel	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
3	2422	30.778	≥ 20	Pass
6	2437	30.702	≥ 20	Pass
9	2452	35.655	≥ 20	Pass


Channel 3



Channel 6



Channel 9




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 2: Tx_MIMO Mode		
Date of Test	2017/03/23	Test Site	SR10-H


IEEE 802.11n_40M (ANT 1)

Channel	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
3	2422	31.402	≥ 20	Pass
6	2437	33.017	≥ 20	Pass
9	2452	36.905	≥ 20	Pass


Channel 3



Channel 6




Channel 9




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Tx_SISO Mode		
Date of Test	2017/03/23	Test Site	SR10-H


2412MHz (30MHz-25GHz)-802.11b (ANT 0)




2437MHz (30MHz-25GHz)-802.11b (ANT 0)




2462MHz (30MHz-25GHz)-802.11b (ANT 0)




2412MHz (30MHz-25GHz)-802.11b (ANT 1)




2437MHz (30MHz-25GHz)-802.11b (ANT 1)




2462MHz (30MHz-25GHz)-802.11b (ANT 1)




2412MHz (30MHz-25GHz)-802.11g (ANT 0)




2437MHz (30MHz-25GHz)-802.11 g (ANT 0)




2462MHz (30MHz-25GHz)-802.11g (ANT 0)




2412MHz (30MHz-25GHz)-802.11g (ANT 1)



2437MHz (30MHz-25GHz)-802.11 g (ANT 1)




2462MHz (30MHz-25GHz)-802.11g (ANT 1)




Product	UHD751-P		
Test Item	RF antenna conducted test		
Test Mode	Mode 2: Tx_MIMO Mode		
Date of Test	2017/03/23	Test Site	SR10-H


2412MHz (30MHz-25GHz)- IEEE802.11n 20MHz (ANT 0)




2437MHz (30MHz-25GHz)- IEEE802.11n 20MHz (ANT 0)




2462MHz (30MHz-25GHz)- IEEE802.11n 20MHz (ANT 0)




2412MHz (30MHz-25GHz)- IEEE802.11n 20MHz (ANT 1)




2437MHz (30MHz-25GHz)- IEEE802.11n 20MHz (ANT 1)




2462MHz (30MHz-25GHz)- IEEE802.11n 20MHz (ANT 1)




2422MHz (30MHz-25GHz)- IEEE802.11n 40MHz (ANT 0)




2437MHz (30MHz-25GHz)- IEEE802.11n 40MHz (ANT 0)




2452MHz (30MHz-25GHz)- IEEE802.11n 40MHz (ANT 0)




2422MHz (30MHz-25GHz)- IEEE802.11n 40MHz (ANT 1)



2437MHz (30MHz-25GHz)- IEEE802.11n 40MHz (ANT 1)



2452MHz (30MHz-25GHz)- IEEE802.11n 40MHz (ANT 1)



6. Band Edge

6.1. Test Equipment


The following test equipments are used during the test:

Band Edge / CB4-H

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Horn antenna	Schwarzbeck	BBHA 9120	D312	2017/10/25
Signal & Spectrum Analyzer	R&S	FSV40	101049	2018/01/05

Note: All equipments that need to calibrate are with calibration period of 1 year.

6.2. Test Setup



6.3. Limits

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 20dB below the level of the fundamental or to the general radiated emission limits in paragraph 15.247, whichever is the lesser attenuation.

6.4. Test Procedure

The EUT was setup according to ANSI C63.10: 2013 and tested according to DTS test procedure of KDB558074 D01 V04 for compliance to FCC 47CFR 15.247 requirements.

The EUT and its simulators are placed on a turn table which is 1.5 meter above ground.

The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.

The antenna can move up and down between 1 meter and 4 meters to find out the maximum emission level.

Both horizontal and vertical polarization of the antenna are set on measurement. In order to find the maximum emission, all of the interface cables must be manipulated according to ANSI C63.10:2013 on radiated measurement.

6.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2015


6.6. Uncertainty

The measurement uncertainty

± 3.9 dB above 1GHz

6.7. Test Result

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.284	40.299	-33.701	74.000	PEAK
2	2389.471	11.541	36.771	48.311	-25.689	74.000	PEAK
3	2390.000	11.544	34.562	46.106	-27.894	74.000	PEAK
4	* 2412.989	11.699	89.984	101.682	27.682	74.000	PEAK
5	2483.500	12.172	31.488	43.660	-30.340	74.000	PEAK
6	2500.000	12.274	31.415	43.690	-30.310	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.638	30.653	-23.347	54.000	AVERAGE
2	2388.672	11.535	23.952	35.487	-18.513	54.000	AVERAGE
3	2390.000	11.544	24.425	35.969	-18.031	54.000	AVERAGE
4	* 2412.689	11.696	87.080	98.776	44.776	54.000	AVERAGE
5	2483.500	12.172	22.460	34.632	-19.368	54.000	AVERAGE
6	2500.000	12.274	21.368	33.643	-20.357	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	27.970	38.985	-35.015	74.000	PEAK
2	2390.000	11.544	34.098	45.642	-28.358	74.000	PEAK
3	* 2412.969	11.699	90.946	102.644	28.644	74.000	PEAK
4	2483.500	12.172	33.966	46.138	-27.862	74.000	PEAK
5	2491.241	12.223	36.936	49.159	-24.841	74.000	PEAK
6	2500.000	12.274	34.345	46.620	-27.380	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	18.525	29.540	-24.460	54.000	AVERAGE
2	2390.000	11.544	24.150	35.694	-18.306	54.000	AVERAGE
3	* 2412.709	11.696	88.063	99.759	45.759	54.000	AVERAGE
4	2483.500	12.172	24.380	36.552	-17.448	54.000	AVERAGE
5	2493.341	12.237	25.087	37.324	-16.676	54.000	AVERAGE
6	2500.000	12.274	24.163	36.438	-17.562	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	31.001	42.016	-31.984	74.000	PEAK
2	2388.372	11.533	37.425	48.958	-25.042	74.000	PEAK
3	2390.000	11.544	35.880	47.424	-26.576	74.000	PEAK
4	* 2413.049	11.699	88.451	100.150	26.150	74.000	PEAK
5	2483.500	12.172	32.987	45.159	-28.841	74.000	PEAK
6	2500.000	12.274	33.147	45.422	-28.578	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.205	31.220	-22.780	54.000	AVERAGE
2	2387.852	11.530	24.501	36.031	-17.969	54.000	AVERAGE
3	2390.000	11.544	24.715	36.259	-17.741	54.000	AVERAGE
4	* 2412.729	11.696	85.523	97.219	43.219	54.000	AVERAGE
5	2483.500	12.172	21.455	33.627	-20.373	54.000	AVERAGE
6	2500.000	12.274	21.460	33.735	-20.265	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	32.230	43.245	-30.755	74.000	PEAK
2	2390.000	11.544	31.653	43.197	-30.803	74.000	PEAK
3	* 2413.049	11.699	87.933	99.632	25.632	74.000	PEAK
4	2483.500	12.172	33.599	45.771	-28.229	74.000	PEAK
5	2489.621	12.213	36.509	48.722	-25.278	74.000	PEAK
6	2500.000	12.274	32.875	45.150	-28.850	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2412MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.394	31.409	-22.591	54.000	AVERAGE
2	2390.000	11.544	21.062	32.606	-21.394	54.000	AVERAGE
3	* 2411.109	11.685	84.964	96.650	42.650	54.000	AVERAGE
4	2483.500	12.172	24.265	36.437	-17.563	54.000	AVERAGE
5	2491.041	12.222	24.346	36.568	-17.432	54.000	AVERAGE
6	2500.000	12.274	23.014	35.289	-18.711	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.372	40.387	-33.613	74.000	PEAK
2	2390.000	11.544	32.170	43.714	-30.286	74.000	PEAK
3	* 2437.067	11.860	88.938	100.798	26.798	74.000	PEAK
4	2483.500	12.172	33.579	45.751	-28.249	74.000	PEAK
5	2484.742	12.181	36.422	48.602	-25.398	74.000	PEAK
6	2500.000	12.274	33.068	45.343	-28.657	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	18.893	29.908	-24.092	54.000	AVERAGE
2	2390.000	11.544	22.045	33.589	-20.411	54.000	AVERAGE
3	* 2436.187	11.854	86.189	98.043	44.043	54.000	AVERAGE
4	2483.500	12.172	23.341	35.513	-18.487	54.000	AVERAGE
5	2487.182	12.197	22.975	35.172	-18.828	54.000	AVERAGE
6	2500.000	12.274	22.656	34.931	-19.069	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.717	41.732	-32.268	74.000	PEAK
2	2390.000	11.544	30.497	42.041	-31.959	74.000	PEAK
3	* 2438.027	11.866	89.976	101.843	27.843	74.000	PEAK
4	2483.500	12.172	35.200	47.372	-26.628	74.000	PEAK
5	2489.162	12.210	39.058	51.268	-22.732	74.000	PEAK
6	2500.000	12.274	34.960	47.235	-26.765	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	18.687	29.702	-24.298	54.000	AVERAGE
2	2390.000	11.544	19.707	31.251	-22.749	54.000	AVERAGE
3	* 2436.207	11.854	87.193	99.047	45.047	54.000	AVERAGE
4	2483.500	12.172	26.021	38.193	-15.807	54.000	AVERAGE
5	2486.162	12.190	26.125	38.315	-15.685	54.000	AVERAGE
6	2500.000	12.274	26.201	38.476	-15.524	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.736	41.751	-32.249	74.000	PEAK
2	2390.000	11.544	32.757	44.301	-29.699	74.000	PEAK
3	* 2438.007	11.866	87.128	98.994	24.994	74.000	PEAK
4	2483.500	12.172	32.907	45.079	-28.921	74.000	PEAK
5	2487.142	12.197	34.668	46.864	-27.136	74.000	PEAK
6	2500.000	12.274	32.659	44.934	-29.066	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_Ant1




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	20.986	32.001	-21.999	54.000	AVERAGE
2		2390.000	11.544	23.187	34.731	-19.269	54.000	AVERAGE
3	*	2437.727	11.865	84.264	96.129	42.129	54.000	AVERAGE
4		2483.500	12.172	22.302	34.474	-19.526	54.000	AVERAGE
5		2485.402	12.185	22.298	34.483	-19.517	54.000	AVERAGE
6		2500.000	12.274	21.586	33.861	-20.139	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.933	41.948	-32.052	74.000	PEAK
2	2390.000	11.544	29.205	40.749	-33.251	74.000	PEAK
3	* 2437.967	11.866	87.396	99.262	25.262	74.000	PEAK
4	2483.500	12.172	32.798	44.970	-29.030	74.000	PEAK
5	2485.982	12.189	35.868	48.057	-25.943	74.000	PEAK
6	2500.000	12.274	32.520	44.795	-29.205	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2437MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.654	31.669	-22.331	54.000	AVERAGE
2	2390.000	11.544	19.456	31.000	-23.000	54.000	AVERAGE
3	* 2436.187	11.854	84.631	96.485	42.485	54.000	AVERAGE
4	2483.500	12.172	23.440	35.612	-18.388	54.000	AVERAGE
5	2485.402	12.185	23.362	35.547	-18.453	54.000	AVERAGE
6	2500.000	12.274	22.072	34.347	-19.653	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.596	40.611	-33.389	74.000	PEAK
2	2390.000	11.544	30.198	41.742	-32.258	74.000	PEAK
3	* 2462.964	12.035	88.144	100.178	26.178	74.000	PEAK
4	2483.500	12.172	35.923	48.095	-25.905	74.000	PEAK
5	2488.342	12.204	37.838	50.042	-23.958	74.000	PEAK
6	2500.000	12.274	34.257	46.532	-27.468	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.831	30.846	-23.154	54.000	AVERAGE
2	2390.000	11.544	20.418	31.962	-22.038	54.000	AVERAGE
3	* 2462.724	12.033	85.325	97.358	43.358	54.000	AVERAGE
4	2483.500	12.172	25.172	37.344	-16.656	54.000	AVERAGE
5	2485.642	12.186	24.429	36.615	-17.385	54.000	AVERAGE
6	2500.000	12.274	23.658	35.933	-18.067	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant0



	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.397	40.412	-33.588	74.000	PEAK
2	2390.000	11.544	29.796	41.340	-32.660	74.000	PEAK
3	* 2462.984	12.035	87.602	99.636	25.636	74.000	PEAK
4	2483.500	12.172	35.984	48.156	-25.844	74.000	PEAK
5	2486.502	12.192	37.567	49.759	-24.241	74.000	PEAK
6	2500.000	12.274	34.305	46.580	-27.420	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.257	30.272	-23.728	54.000	AVERAGE
2	2390.000	11.544	18.899	30.443	-23.557	54.000	AVERAGE
3	* 2462.684	12.033	85.093	97.125	43.125	54.000	AVERAGE
4	2483.500	12.172	25.853	38.025	-15.975	54.000	AVERAGE
5	2484.622	12.180	25.506	37.686	-16.314	54.000	AVERAGE
6	2500.000	12.274	25.001	37.276	-16.724	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	31.277	42.292	-31.708	74.000	PEAK
2	2390.000	11.544	29.568	41.112	-32.888	74.000	PEAK
3	* 2462.984	12.035	86.262	98.296	24.296	74.000	PEAK
4	2483.500	12.172	35.244	47.416	-26.584	74.000	PEAK
5	2485.502	12.186	36.420	48.605	-25.395	74.000	PEAK
6	2500.000	12.274	34.110	46.385	-27.615	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant1




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	20.199	31.214	-22.786	54.000	AVERAGE
2		2390.000	11.544	19.661	31.205	-22.795	54.000	AVERAGE
3	*	2461.224	12.022	83.458	95.481	41.481	54.000	AVERAGE
4		2483.500	12.172	24.565	36.737	-17.263	54.000	AVERAGE
5		2498.481	12.267	23.441	35.708	-18.292	54.000	AVERAGE
6		2500.000	12.274	23.783	36.058	-17.942	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.305	40.320	-33.680	74.000	PEAK
2	2390.000	11.544	30.142	41.686	-32.314	74.000	PEAK
3	* 2463.044	12.035	86.858	98.893	24.893	74.000	PEAK
4	2483.500	12.172	34.436	46.608	-27.392	74.000	PEAK
5	2488.662	12.206	37.078	49.284	-24.716	74.000	PEAK
6	2500.000	12.274	34.257	46.532	-27.468	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11b_ 2462MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.181	31.196	-22.804	54.000	AVERAGE
2	2390.000	11.544	19.794	31.338	-22.662	54.000	AVERAGE
3	* 2461.184	12.022	84.065	96.087	42.087	54.000	AVERAGE
4	2483.500	12.172	25.362	37.534	-16.466	54.000	AVERAGE
5	2484.882	12.182	24.942	37.123	-16.877	54.000	AVERAGE
6	2500.000	12.274	24.492	36.767	-17.233	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	31.820	42.835	-31.165	74.000	PEAK
2	2389.851	11.542	54.462	66.005	-7.995	74.000	PEAK
3	2390.000	11.544	48.030	59.574	-14.426	74.000	PEAK
4	* 2412.089	11.692	90.947	102.639	28.639	74.000	PEAK
5	2483.500	12.172	34.777	46.949	-27.051	74.000	PEAK
6	2500.000	12.274	33.625	45.900	-28.100	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	21.659	32.674	-21.326	54.000	AVERAGE
2	2389.451	11.541	34.248	45.788	-8.212	54.000	AVERAGE
3	2390.000	11.544	34.693	46.237	-7.763	54.000	AVERAGE
4	* 2412.909	11.697	80.510	92.208	38.208	54.000	AVERAGE
5	2483.500	12.172	23.995	36.167	-17.833	54.000	AVERAGE
6	2500.000	12.274	22.845	35.120	-18.880	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	28.971	39.986	-34.014	74.000	PEAK
2	2388.132	11.531	51.267	62.798	-11.202	74.000	PEAK
3	2390.000	11.544	49.142	60.686	-13.314	74.000	PEAK
4	* 2411.929	11.691	92.427	104.118	30.118	74.000	PEAK
5	2483.500	12.172	29.520	41.692	-32.308	74.000	PEAK
6	2500.000	12.274	29.587	41.862	-32.138	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.509	30.524	-23.476	54.000	AVERAGE
2	2388.892	11.536	33.156	44.692	-9.308	54.000	AVERAGE
3	2390.000	11.544	34.073	45.617	-8.383	54.000	AVERAGE
4	* 2411.209	11.685	79.514	91.200	37.200	54.000	AVERAGE
5	2483.500	12.172	19.928	32.100	-21.900	54.000	AVERAGE
6	2500.000	12.274	19.547	31.822	-22.178	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.999	42.014	-31.986	74.000	PEAK
2	2389.851	11.542	48.963	60.506	-13.494	74.000	PEAK
3	2390.000	11.544	44.758	56.302	-17.698	74.000	PEAK
4	* 2412.369	11.695	92.117	103.811	29.811	74.000	PEAK
5	2483.500	12.172	34.437	46.609	-27.391	74.000	PEAK
6	2500.000	12.274	33.481	45.756	-28.244	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.801	31.816	-22.184	54.000	AVERAGE
2	2388.792	11.536	32.616	44.152	-9.848	54.000	AVERAGE
3	2390.000	11.544	33.372	44.916	-9.084	54.000	AVERAGE
4	* 2412.789	11.696	80.876	92.573	38.573	54.000	AVERAGE
5	2483.500	12.172	23.444	35.616	-18.384	54.000	AVERAGE
6	2500.000	12.274	22.994	35.269	-18.731	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.209	41.224	-32.776	74.000	PEAK
2	2388.652	11.535	47.173	58.708	-15.292	74.000	PEAK
3	2390.000	11.544	46.182	57.726	-16.274	74.000	PEAK
4	* 2413.209	11.700	91.049	102.749	28.749	74.000	PEAK
5	2483.500	12.172	34.412	46.584	-27.416	74.000	PEAK
6	2500.000	12.274	33.238	45.513	-28.487	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2412MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.487	31.502	-22.498	54.000	AVERAGE
2	2388.212	11.532	33.156	44.688	-9.312	54.000	AVERAGE
3	2390.000	11.544	33.976	45.520	-8.480	54.000	AVERAGE
4	* 2412.709	11.696	80.205	91.901	37.901	54.000	AVERAGE
5	2483.500	12.172	24.386	36.558	-17.442	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.525	40.540	-33.460	74.000	PEAK
2	2390.000	11.544	34.762	46.306	-27.694	74.000	PEAK
3	* 2438.167	11.867	91.959	103.827	29.827	74.000	PEAK
4	2483.500	12.172	35.699	47.871	-26.129	74.000	PEAK
5	2485.782	12.187	38.309	50.496	-23.504	74.000	PEAK
6	2500.000	12.274	35.185	47.460	-26.540	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_ Ant0




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	19.486	30.501	-23.499	54.000	AVERAGE
2		2390.000	11.544	23.884	35.428	-18.572	54.000	AVERAGE
3	*	2437.787	11.865	81.591	93.456	39.456	54.000	AVERAGE
4		2483.500	12.172	26.514	38.686	-15.314	54.000	AVERAGE
5		2484.882	12.182	26.076	38.257	-15.743	54.000	AVERAGE
6		2500.000	12.274	24.572	36.847	-17.153	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.245	40.260	-33.740	74.000	PEAK
2	2390.000	11.544	33.619	45.163	-28.837	74.000	PEAK
3	* 2437.727	11.865	92.869	104.734	30.734	74.000	PEAK
4	2483.500	12.172	35.463	47.635	-26.365	74.000	PEAK
5	2494.561	12.245	36.820	49.065	-24.935	74.000	PEAK
6	2500.000	12.274	34.237	46.512	-27.488	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_ Ant0




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	18.470	29.485	-24.515	54.000	AVERAGE
2		2390.000	11.544	23.940	35.484	-18.516	54.000	AVERAGE
3	*	2437.687	11.865	82.311	94.175	40.175	54.000	AVERAGE
4		2483.500	12.172	25.744	37.916	-16.084	54.000	AVERAGE
5		2484.122	12.176	25.548	37.724	-16.276	54.000	AVERAGE
6		2500.000	12.274	23.761	36.036	-17.964	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.370	41.385	-32.615	74.000	PEAK
2	2390.000	11.544	30.951	42.495	-31.505	74.000	PEAK
3	* 2436.907	11.859	89.340	101.199	27.199	74.000	PEAK
4	2483.500	12.172	35.112	47.284	-26.716	74.000	PEAK
5	2485.842	12.188	35.402	47.590	-26.410	74.000	PEAK
6	2500.000	12.274	30.937	43.212	-30.788	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_Ant1




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	20.738	31.753	-22.247	54.000	AVERAGE
2		2390.000	11.544	21.561	33.105	-20.895	54.000	AVERAGE
3	*	2437.727	11.865	78.474	90.339	36.339	54.000	AVERAGE
4		2483.500	12.172	23.858	36.030	-17.970	54.000	AVERAGE
5		2484.882	12.182	23.392	35.573	-18.427	54.000	AVERAGE
6		2500.000	12.274	21.781	34.056	-19.944	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.688	40.703	-33.297	74.000	PEAK
2	2390.000	11.544	32.044	43.588	-30.412	74.000	PEAK
3	* 2437.807	11.865	91.051	102.916	28.916	74.000	PEAK
4	2483.500	12.172	34.859	47.031	-26.969	74.000	PEAK
5	2487.002	12.196	36.465	48.660	-25.340	74.000	PEAK
6	2500.000	12.274	31.084	43.359	-30.641	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2437MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.780	30.795	-23.205	54.000	AVERAGE
2	2390.000	11.544	21.749	33.293	-20.707	54.000	AVERAGE
3	* 2437.787	11.865	80.485	92.350	38.350	54.000	AVERAGE
4	2483.500	12.172	24.280	36.452	-17.548	54.000	AVERAGE
5	2484.622	12.180	23.861	36.041	-17.959	54.000	AVERAGE
6	2500.000	12.274	21.557	33.832	-20.168	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	28.756	39.771	-34.229	74.000	PEAK
2	2390.000	11.544	32.471	44.015	-29.985	74.000	PEAK
3	* 2462.304	12.029	91.213	103.243	29.243	74.000	PEAK
4	2483.500	12.172	44.208	56.380	-17.620	74.000	PEAK
5	2484.202	12.177	47.458	59.635	-14.365	74.000	PEAK
6	2500.000	12.274	35.280	47.555	-26.445	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_ Ant0




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	19.941	30.956	-23.044	54.000	AVERAGE
2		2390.000	11.544	22.599	34.143	-19.857	54.000	AVERAGE
3	*	2462.684	12.033	80.102	92.134	38.134	54.000	AVERAGE
4		2483.500	12.172	34.226	46.398	-7.602	54.000	AVERAGE
5		2484.882	12.182	33.724	45.905	-8.095	54.000	AVERAGE
6		2500.000	12.274	25.681	37.956	-16.044	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	28.772	39.787	-34.213	74.000	PEAK
2	2390.000	11.544	28.516	40.060	-33.940	74.000	PEAK
3	* 2461.904	12.028	89.424	101.451	27.451	74.000	PEAK
4	2483.500	12.172	44.086	56.258	-17.742	74.000	PEAK
5	2485.902	12.188	46.573	58.761	-15.239	74.000	PEAK
6	2500.000	12.274	36.584	48.859	-25.141	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_ Ant0




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	18.962	29.977	-24.023	54.000	AVERAGE
2	2390.000	11.544	18.237	29.781	-24.219	54.000	AVERAGE
3	* 2462.964	12.035	78.945	90.979	36.979	54.000	AVERAGE
4	2483.500	12.172	34.560	46.732	-7.268	54.000	AVERAGE
5	2485.402	12.185	34.188	46.373	-7.627	54.000	AVERAGE
6	2500.000	12.274	26.501	38.776	-15.224	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.685	40.700	-33.300	74.000	PEAK
2	2390.000	11.544	31.494	43.038	-30.962	74.000	PEAK
3	* 2461.984	12.028	88.632	100.660	26.660	74.000	PEAK
4	2483.500	12.172	41.906	54.078	-19.922	74.000	PEAK
5	2486.302	12.191	46.401	58.592	-15.408	74.000	PEAK
6	2500.000	12.274	34.348	46.623	-27.377	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_ Ant1




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	19.684	30.699	-23.301	54.000	AVERAGE
2		2390.000	11.544	21.113	32.657	-21.343	54.000	AVERAGE
3	*	2461.104	12.022	77.905	89.927	35.927	54.000	AVERAGE
4		2483.500	12.172	32.182	44.354	-9.646	54.000	AVERAGE
5		2484.362	12.178	32.035	44.213	-9.787	54.000	AVERAGE
6		2500.000	12.274	24.658	36.933	-17.067	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_ Ant1




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.461	41.476	-32.524	74.000	PEAK
2	2390.000	11.544	30.408	41.952	-32.048	74.000	PEAK
3	* 2462.264	12.029	89.688	101.718	27.718	74.000	PEAK
4	2483.500	12.172	45.051	57.223	-16.777	74.000	PEAK
5	2484.662	12.180	45.745	57.925	-16.075	74.000	PEAK
6	2500.000	12.274	36.094	48.369	-25.631	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_ 802.11g_ 2462MHz_ Ant1




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	11.014	19.927	30.942	-23.058	54.000	AVERAGE
2		2390.000	11.544	19.839	31.383	-22.617	54.000	AVERAGE
3	*	2462.824	12.033	78.686	90.719	36.719	54.000	AVERAGE
4		2483.500	12.172	32.663	44.835	-9.165	54.000	AVERAGE
5		2484.362	12.178	32.595	44.773	-9.227	54.000	AVERAGE
6		2500.000	12.274	25.436	37.711	-16.289	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	30.333	41.348	-32.652	74.000	PEAK
2	2389.052	11.538	48.140	59.677	-14.323	74.000	PEAK
3	2390.000	11.544	44.867	56.411	-17.589	74.000	PEAK
4	* 2413.729	11.702	90.120	101.823	27.823	74.000	PEAK
5	2483.500	12.172	33.704	45.876	-28.124	74.000	PEAK
6	2500.000	12.274	32.250	44.525	-29.475	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.219	31.234	-22.766	54.000	AVERAGE
2	2389.052	11.538	32.068	43.605	-10.395	54.000	AVERAGE
3	2390.000	11.544	32.546	44.090	-9.910	54.000	AVERAGE
4	* 2412.249	11.693	79.355	91.048	37.048	54.000	AVERAGE
5	2483.500	12.172	23.114	35.286	-18.714	54.000	AVERAGE
6	2500.000	12.274	21.703	33.978	-20.022	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.322	40.337	-33.663	74.000	PEAK
2	2389.531	11.541	52.914	64.455	-9.545	74.000	PEAK
3	2390.000	11.544	47.441	58.985	-15.015	74.000	PEAK
4	* 2412.689	11.696	90.932	102.628	28.628	74.000	PEAK
5	2483.500	12.172	31.773	43.945	-30.055	74.000	PEAK
6	2500.000	12.274	29.688	41.963	-32.037	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	18.898	29.913	-24.087	54.000	AVERAGE
2	2389.631	11.542	35.322	46.863	-7.137	54.000	AVERAGE
3	2390.000	11.544	35.603	47.147	-6.853	54.000	AVERAGE
4	* 2412.629	11.695	80.630	92.326	38.326	54.000	AVERAGE
5	2483.500	12.172	21.526	33.698	-20.302	54.000	AVERAGE
6	2500.000	12.274	20.267	32.542	-21.458	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	32.101	43.116	-30.884	74.000	PEAK
2	2389.551	11.541	38.177	49.718	-24.282	74.000	PEAK
3	2390.000	11.544	36.659	48.203	-25.797	74.000	PEAK
4	* 2437.467	11.863	94.279	106.142	32.142	74.000	PEAK
5	2483.500	12.172	34.663	46.835	-27.165	74.000	PEAK
6	2500.000	12.274	32.964	45.239	-28.761	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.141	31.156	-22.844	54.000	AVERAGE
2	2389.651	11.542	25.025	36.566	-17.434	54.000	AVERAGE
3	2390.000	11.544	25.161	36.705	-17.295	54.000	AVERAGE
4	* 2437.387	11.863	83.734	95.596	41.596	54.000	AVERAGE
5	2483.500	12.172	23.980	36.152	-17.848	54.000	AVERAGE
6	2500.000	12.274	21.416	33.691	-20.309	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	29.934	40.949	-33.051	74.000	PEAK
2	2390.000	11.544	33.948	45.492	-28.508	74.000	PEAK
3	* 2437.807	11.865	93.651	105.516	31.516	74.000	PEAK
4	2483.500	12.172	35.649	47.821	-26.179	74.000	PEAK
5	2487.202	12.197	37.485	49.682	-24.318	74.000	PEAK
6	2500.000	12.274	33.736	46.011	-27.989	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.083	30.098	-23.902	54.000	AVERAGE
2	2390.000	11.544	24.329	35.873	-18.127	54.000	AVERAGE
3	* 2437.767	11.865	83.170	95.035	41.035	54.000	AVERAGE
4	2483.500	12.172	25.021	37.193	-16.807	54.000	AVERAGE
5	2485.902	12.188	24.450	36.638	-17.362	54.000	AVERAGE
6	2500.000	12.274	23.178	35.453	-18.547	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	31.172	42.187	-31.813	74.000	PEAK
2	2390.000	11.544	36.567	48.111	-25.889	74.000	PEAK
3	* 2461.484	12.024	94.400	106.424	32.424	74.000	PEAK
4	2483.500	12.172	51.788	63.960	-10.040	74.000	PEAK
5	2484.342	12.178	52.093	64.271	-9.729	74.000	PEAK
6	2500.000	12.274	36.234	48.509	-25.491	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.985	31.000	-23.000	54.000	AVERAGE
2	2390.000	11.544	24.963	36.507	-17.493	54.000	AVERAGE
3	* 2462.344	12.030	82.863	94.893	40.893	54.000	AVERAGE
4	2483.500	12.172	34.313	46.485	-7.515	54.000	AVERAGE
5	2484.362	12.178	34.163	46.341	-7.659	54.000	AVERAGE
6	2500.000	12.274	25.240	37.515	-16.485	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	31.625	42.640	-31.360	74.000	PEAK
2	2390.000	11.544	31.696	43.240	-30.760	74.000	PEAK
3	* 2460.684	12.018	90.898	102.917	28.917	74.000	PEAK
4	2483.500	12.172	47.085	59.257	-14.743	74.000	PEAK
5	2483.962	12.175	49.384	61.559	-12.441	74.000	PEAK
6	2500.000	12.274	36.291	48.566	-25.434	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(20M)_ 2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	20.300	31.315	-22.685	54.000	AVERAGE
2	2390.000	11.544	20.992	32.536	-21.464	54.000	AVERAGE
3	* 2461.344	12.024	80.436	92.459	38.459	54.000	AVERAGE
4	2483.500	12.172	34.155	46.327	-7.673	54.000	AVERAGE
5	2485.642	12.186	33.105	45.291	-8.709	54.000	AVERAGE
6	2500.000	12.274	24.677	36.952	-17.048	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(40M)_ 2422MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	31.174	42.189	-31.811	74.000	PEAK
2	2386.732	11.522	55.993	67.515	-6.485	74.000	PEAK
3	2390.000	11.544	53.659	65.203	-8.797	74.000	PEAK
4	* 2419.269	11.740	89.382	101.122	27.122	74.000	PEAK
5	2483.500	12.172	35.478	47.650	-26.350	74.000	PEAK
6	2500.000	12.274	33.524	45.799	-28.201	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(40M)_ 2422MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	19.140	30.155	-23.845	54.000	AVERAGE
2	2384.632	11.509	37.922	49.430	-4.570	54.000	AVERAGE
3	2390.000	11.544	37.445	48.989	-5.011	54.000	AVERAGE
4	* 2419.868	11.745	77.062	88.806	34.806	54.000	AVERAGE
5	2483.500	12.172	22.910	35.082	-18.918	54.000	AVERAGE
6	2500.000	12.274	21.123	33.398	-20.602	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(40M)_ 2422MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	28.689	39.704	-34.296	74.000	PEAK
2	2385.072	11.511	47.795	59.306	-14.694	74.000	PEAK
3	2390.000	11.544	41.913	53.457	-20.543	74.000	PEAK
4	* 2419.908	11.745	86.779	98.524	24.524	74.000	PEAK
5	2483.500	12.172	32.730	44.902	-29.098	74.000	PEAK
6	2500.000	12.274	31.566	43.841	-30.159	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_SpartC_15.247_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(40M)_ 2422MHz



	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2310.000	11.014	18.852	29.867	-24.133	54.000	AVERAGE
2	2387.552	11.527	30.460	41.988	-12.012	54.000	AVERAGE
3	2390.000	11.544	30.509	42.053	-11.947	54.000	AVERAGE
4	* 2420.028	11.745	74.970	86.715	32.715	54.000	AVERAGE
5	2483.500	12.172	22.264	34.436	-19.564	54.000	AVERAGE
6	2500.000	12.274	20.823	33.098	-20.902	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.