

Part Number: 2042811100

Product Description: Wi-Fi 6E Flex Cabled Side-Fed

Balanced Antenna, 100.00mm Cable Length, Compatible with I-PEX MHF4 Connectors

Series Number: 204281

**Status**: Active

**Product Category:** Antennas



#### **Documents & Resources**

### **Drawings**

2042811100 sd.pdf

2042810100-PK.pdf

**3D Models and Design Files** 

2042811100\_stp.zip

**Specifications** 

2042810100-AS.pdf

2042810100-PS.pdf

## **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains 2-Methyl-1-(4- methylthiophenyl)-2- morpholinopropan-1-one per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

#### **Compliance Statements**

- EU RoHS
- REACH SVHC

• Low-Halogen

### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **Substances of Interest**

PFAS

**EU RoHS Certificate of Compliance** 

<u>Additional Product Compliance Information</u>

### **Part Details**

#### General

Status	Active
Category	Antennas
Series	204281
Description	Wi-Fi 6E Flex Cabled Side-Fed Balanced Antenna, 100.00mm Cable Length, Compatible with I- PEX MHF4 Connectors
Component Type	Flexible Antenna with Cable
Function	Signal
Product Name	2.4/5GHz Wi-Fi Antenna
Protocol	BLE, BT, Thread, Wi-Fi, Wireless Hart, Zigbee
Туре	Internal, Wi-Fi Antenna
UPC	191128462525

#### **Electrical**

Band#1 F_End (MHz)	2483.5
Band#1 F_Start (MHz)	2400
Band#2 F_End (MHz)	5850
Band#2 F_Start (MHz)	5150
Electrical Connectivity	Cable
Peak Gain (dBi)	2.0 @ 2.4 GHz, 3.3 @ 5 GHz
Return Loss - S11 (dB)	< -10

Total Efficiency >65% @2.4 GHz, >68% @ 5 GHz
--

# Physical

Cable Length	100.00mm
Length	35.00mm
Mounting Style	Adhesive
Net Weight	0.635/g
Packaging Type	PET Film
Polarization	Linear
Radiation Pattern	Omnidirectional
Thickness	0.10mm
Width	11.00mm

This document was generated on Jun 27, 2025