

13 SIMULTANEOUS TRANSMISSION

Simultaneous transmission SAR test exclusion is determined for each operating configuration and exposure condition according to the reported standalone SAR of each applicable simultaneous transmitting antenna. When the sum of SAR 1g of all simultaneously transmitting antennas in an operating mode and exposure condition combination is within the SAR limit (SAR 1g 1.6 W/kg), the simultaneous transmission SAR is not required. When the sum of SAR 1g is greater than the SAR limit (SAR 1g 1.6 W/kg), SAR test exclusion is determined by the SAR to Peak Location Ratio (SPLSR).

According KDB 447498 D01v06, simultaneous transmission:

- $SPLSR = (SAR1 + SAR2)^{1.5} / R_i$ (min. separation distance, mm), and the peak separation distance is determined from the square root of $[(x1-x2)^2 + (y1-y2)^2 + (z1-z2)^2]$, where (x1, y1, z1) and (x2, y2, z2) are the coordinates of the extrapolated peak SAR locations in the zoom scan.
SAR1 is the highest reported or estimated SAR for the first of a pair of simultaneous transmitting antennas, in a specific test operating mode and exposure condition.
SAR2 is the highest reported or estimated SAR for the second of a pair of simultaneous transmitting antennas, in a specific test operating mode and exposure condition as the first.
- If $SPLSR \leq 0.04$, simultaneously transmission SAR measurement is not necessary.
- Simultaneously transmission SAR measurement, and the reported multi-band SAR < 1.6W/kg.

13.1 Simultaneous Transmission Mode Consider for WWAN with WLAN (Intel 3165D2W)

NO.	Mode	2.4G WLAN & 2.4G Bluetooth & 5G WLAN
		Body
1	WCDMA	+ 2.4 G WLAN (Ant Main)
		+ 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main)
		+ 5 G WLAN (Ant Aux.)
		+ Bluetooth (Ant Aux.)
		+ 2.4 G WLAN (Ant Main) + Bluetooth (Ant Aux.)
		+ 5 G WLAN (Ant Main) + Bluetooth (Ant Aux.)
2	LTE	+ 2.4 G WLAN (Ant Main)
		+ 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main)
		+ 5 G WLAN (Ant Aux.)
		+ Bluetooth (Ant Aux.)
		+ 2.4 G WLAN (Ant Main) + Bluetooth (Ant Aux.)
		+ 5 G WLAN (Ant Main) + Bluetooth (Ant Aux.)

Note ¹: 3G&4G share the same antenna and can't transmit simultaneously.

Note ²: Both the 2.4G WLAN or 5G WLAN can transmit simultaneously with each WWAN.

Note ³: Both the 2.4G WLAN and 5G WLAN can't transmit simultaneously at same time.

Note ⁴: WLAN 2.4GHz and Bluetooth will not be transmitting from the Auxiliary antenna at same time.

Note ⁵: Used 0mm WLAN SAR values to evaluation WWAN Proximity Sensory off (15/5mm) status simultaneous transmission.

Note ⁶: The simultaneous transmission combinations of the three antennas contain combinations of two antennas, so only the worst simultaneous transmission combinations is shown in this report.

13.2 Simultaneous Transmission Mode Consider for WWAN with WLAN (Intel 8265D2W)

NO.	Mode	2.4G WLAN & 2.4G Bluetooth & 5G WLAN
		Body
1	WCDMA	+ 2.4 G WLAN (Ant Main)
		+ 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main)
		+ 5 G WLAN (Ant Aux.)
		+ Bluetooth (Ant Main)
		+ 2.4 G WLAN (Ant Aux.) + Bluetooth (Ant Main)
		+ 5 G WLAN (Ant Aux.) + Bluetooth (Ant Main)
		+ 2.4 G WLAN (Ant Main) + 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main) + 5 G WLAN (Ant Aux.)
2	LTE	+ 2.4 G WLAN (Ant Main)
		+ 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main)
		+ 5 G WLAN (Ant Aux.)
		+ Bluetooth (Ant Main)
		+ 2.4 G WLAN (Ant Aux.) + Bluetooth (Ant Main)
		+ 5 G WLAN (Ant Aux.) + Bluetooth (Ant Main)
		+ 2.4 G WLAN (Ant Main) + 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main) + 5 G WLAN (Ant Aux.)
Note ¹: 3G&4G share the same antenna and can't transmit simultaneously. Note ²: Both the 2.4G WLAN or 5G WLAN can transmit simultaneously with each WWAN. Note ³: Both the 2.4G WLAN and 5G WLAN can't transmit simultaneously at same time. Note ⁴: Used 0mm WLAN SAR values to evaluation WWAN Proximity Sensory off(15/5mm) status simultaneous transmission. Note ⁵: The simultaneous transmission combinations of the three antennas contain combinations of two antennas, so only the worst simultaneous transmission combinations is shown in this report.		

13.3 Simultaneous Transmission Mode Consider for WWAN with WLAN (QCNFA425)

NO.	Mode	2.4G WLAN & 2.4G Bluetooth & 5G WLAN
		Body
1	WCDMA	+ 2.4 G WLAN (Ant Main)
		+ 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main)
		+ 5 G WLAN (Ant Aux.)
		+ Bluetooth (Ant Main)
		+ Bluetooth (Ant Aux.)
		+ 2.4 G WLAN (Ant Aux.) + Bluetooth(Ant Main)
		+ 5 G WLAN (Ant Aux.) + Bluetooth(Ant Main)
		+ 2.4 G WLAN (Ant Main) + Bluetooth (Ant Aux.)
		+ 5 G WLAN (Ant Main) + Bluetooth (Ant Aux.)
2	LTE	+ 2.4 G WLAN (Ant Main)
		+ 2.4 G WLAN (Ant Aux.)
		+ 5 G WLAN (Ant Main)
		+ 5 G WLAN (Ant Aux.)
		+ Bluetooth (Ant Main)
		+ Bluetooth (Ant Aux.)
		+ 2.4 G WLAN (Ant Aux.) + Bluetooth(Ant Main)
		+ 5 G WLAN (Ant Aux.) + Bluetooth(Ant Main)
		+ 2.4 G WLAN (Ant Main) + Bluetooth (Ant Aux.)
		+ 5 G WLAN (Ant Main) + Bluetooth (Ant Aux.)

Note ¹: 3G&4G share the same antenna and can't transmit simultaneously.

Note ²: Both the 2.4G WLAN or 5G WLAN can transmit simultaneously with each WWAN.

Note ³: Both the 2.4G WLAN and 5G WLAN can't transmit simultaneously at same time.

Note⁴: Used 0mm WLAN SAR values to evaluation WWAN Proximity Sensory off(15/5mm) status simultaneous transmission.

Note ⁵: The simultaneous transmission combinations of the three antennas contain combinations of two antennas, so only the worst simultaneous transmission combinations is shown in this report.

13.4 Estimated SAR Calculation

According to KDB 447498 D01, when standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR was estimated according to following formula to result in substantially conservative SAR values of ≤ 0.4 W/kg to determine simultaneous transmission SAR test exclusion.

$$\text{Estimated SAR} = \frac{\text{Max. Tune Up Power (mw)}}{\text{Min Test Separation Distance}} * \frac{\sqrt{f_{\text{GHz}}}}{x} \quad (\text{where } x = 7.5 \text{ for 1-g SAR})$$

If the minimum test separation distance is < 5 mm, a distance of 5 mm is used for estimated SAR calculation. When the test separation distance is > 50 mm, the 0.4 W/kg is used for SAR-1g.

(1) WWAN

Band	Mode	Position	Antenna To user (mm)	SAR Testing	Estimated SAR (W/kg)
WCDMA	RMC	Left Edge	> 50	NO	0.400
LTE	QPSK	Left Edge	> 50	NO	0.400
Note: The WLAN Antenna test Back side, Right Edge, Top Edge.					

(2) WLAN (Intel 3165D2W/ Intel 3165D2W/ QCNFA425)

Band	Mode	Position	Antenna To user (mm)	SAR Testing	Estimated SAR (W/kg)
Main Antenna	2.4G WLAN	Right Edge	> 50	NO	0.400
Main Antenna	5G WLAN	Right Edge	> 50	NO	0.400
Main Antenna	Bluetooth	Right Edge	> 50	NO	0.400
Note: The Main Antenna test Back side, Left Edge, Top Edge, and the Aux. Antenna test Back side, Left Edge, Right Edge, Top Edge.					

13.5 Sum SAR of Simultaneous Transmission for WWAN with WWAN(Intel 3165D2W)

13.5.1 Sum Body-worn SAR of Simultaneous Transmission

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	WCDAM Band 2 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.636	0.910	0.088	1.634	Yes	1#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.090	0.400	0.000	0.490	No	/
			Top Edge 0mm	0.429	0.125	0.033	0.587	No	/
		Off	Back Side 15mm	0.965	0.072	0.006	1.043	No	/
			Right Edge 5mm	0.813	0.400	0.000	1.213	No	/
			Top Edge 15mm	0.912	0.026	0.003	0.941	No	/
	WCDAM Band 2 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.636	0.901	/	1.537	No	/
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.090	0.057	/	0.147	No	/
			Top Edge 0mm	0.429	0.419	/	0.848	No	/
		Off	Back Side 15mm	0.965	0.067	/	1.032	No	/
			Right Edge 5mm	0.813	0.057	/	0.870	No	/
			Top Edge 15mm	0.912	0.061	/	0.973	No	/
	WCDAM Band 2 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.636	1.082	0.088	1.806	Yes	2#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.090	0.400	0.000	0.490	No	/
			Top Edge 0mm	0.429	0.975	0.033	1.437	No	/
		Off	Back Side 15mm	0.965	0.189	0.006	1.160	No	/
			Right Edge 5mm	0.813	0.400	0.000	1.213	No	/
			Top Edge 15mm	0.912	0.215	0.003	1.130	No	/
	WCDAM Band 2 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.636	1.074	/	1.710	Yes	3#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.090	0.104	/	0.194	No	/
			Top Edge 0mm	0.429	0.965	/	1.394	No	/
		Off	Back Side 15mm	0.965	0.328	/	1.293	No	/
			Right Edge 5mm	0.813	0.096	/	0.909	No	/
			Top Edge 15mm	0.912	0.215	/	1.127	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	WCDAM Band 4 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.626	0.910	0.088	1.624	Yes	4#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.132	0.400	0.000	0.532	No	/
			Top Edge 0mm	0.342	0.125	0.033	0.500	No	/
		Off	Back Side 15mm	0.537	0.072	0.006	0.615	No	/
			Right Edge 5mm	0.857	0.400	0.000	1.257	No	/
			Top Edge 15mm	0.519	0.026	0.003	0.548	No	/
	WCDAM Band 4 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.626	0.901	/	1.527	No	/
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.132	0.057	/	0.189	No	/
			Top Edge 0mm	0.342	0.419	/	0.761	No	/
		Off	Back Side 15mm	0.537	0.067	/	0.604	No	/
			Right Edge 5mm	0.857	0.057	/	0.914	No	/
			Top Edge 15mm	0.519	0.061	/	0.580	No	/
	WCDAM Band 4 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.626	1.082	0.088	1.796	Yes	5#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.132	0.400	0.000	0.532	No	/
			Top Edge 0mm	0.342	0.975	0.033	1.350	No	/
		Off	Back Side 15mm	0.537	0.189	0.006	0.732	No	/
			Right Edge 5mm	0.857	0.400	0.000	1.257	No	/
			Top Edge 15mm	0.519	0.215	0.003	0.737	No	/
	WCDAM Band 4 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.626	1.074	/	1.700	Yes	6#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.132	0.104	/	0.236	No	/
			Top Edge 0mm	0.342	0.965	/	1.307	No	/
		Off	Back Side 15mm	0.537	0.328	/	0.865	No	/
			Right Edge 5mm	0.857	0.096	/	0.953	No	/
			Top Edge 15mm	0.519	0.215	/	0.734	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	WCDAM Band 5 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.651	0.910	0.088	1.649	Yes	7#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.267	0.400	0.000	0.667	No	/
			Top Edge 0mm	0.277	0.125	0.033	0.435	No	/
		Off	Back Side 15mm	0.351	0.072	0.006	0.429	No	/
			Right Edge 5mm	0.706	0.400	0.000	1.106	No	/
			Top Edge 15mm	0.138	0.026	0.003	0.167	No	/
	WCDAM Band 5 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.651	0.901	/	1.552	No	/
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.267	0.057	/	0.324	No	/
			Top Edge 0mm	0.277	0.419	/	0.696	No	/
		Off	Back Side 15mm	0.351	0.067	/	0.418	No	/
			Right Edge 5mm	0.706	0.057	/	0.763	No	/
			Top Edge 15mm	0.138	0.061	/	0.199	No	/
	WCDAM Band 5 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.651	1.082	0.088	1.821	Yes	8#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.267	0.400	0.000	0.667	No	/
			Top Edge 0mm	0.277	0.975	0.033	1.285	No	/
		Off	Back Side 15mm	0.351	0.189	0.006	0.546	No	/
			Right Edge 5mm	0.706	0.400	0.000	1.106	No	/
			Top Edge 15mm	0.138	0.215	0.003	0.356	No	/
	WCDAM Band 5 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.651	1.074	/	1.725	Yes	9#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.267	0.104	/	0.371	No	/
			Top Edge 0mm	0.277	0.965	/	1.242	No	/
		Off	Back Side 15mm	0.351	0.328	/	0.679	No	/
			Right Edge 5mm	0.706	0.096	/	0.802	No	/
			Top Edge 15mm	0.138	0.215	/	0.353	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 2 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.745	0.910	0.088	1.743	Yes	10#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.103	0.400	0.000	0.503	No	/
			Top Edge 0mm	0.484	0.125	0.033	0.642	No	/
		Off	Back Side 15mm	0.693	0.072	0.006	0.771	No	/
			Right Edge 5mm	0.800	0.400	0.000	1.200	No	/
			Top Edge 15mm	0.753	0.026	0.003	0.782	No	/
	LTE Band 2 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.745	0.901	/	1.646	Yes	11#
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.103	0.057	/	0.160	No	/
			Top Edge 0mm	0.484	0.419	/	0.903	No	/
		Off	Back Side 15mm	0.693	0.067	/	0.760	No	/
			Right Edge 5mm	0.800	0.057	/	0.857	No	/
			Top Edge 15mm	0.753	0.061	/	0.814	No	/
	LTE Band 2 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.745	1.082	0.088	1.915	Yes	12#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.103	0.400	0.000	0.503	No	/
			Top Edge 0mm	0.484	0.975	0.033	1.492	No	/
		Off	Back Side 15mm	0.693	0.189	0.006	0.888	No	/
			Right Edge 5mm	0.800	0.400	0.000	1.200	No	/
			Top Edge 15mm	0.753	0.215	0.003	0.971	No	/
	LTE Band 2 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.745	1.074	/	1.819	Yes	13#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.103	0.104	/	0.207	No	/
			Top Edge 0mm	0.484	0.965	/	1.449	No	/
		Off	Back Side 15mm	0.693	0.328	/	1.021	No	/
			Right Edge 5mm	0.800	0.096	/	0.896	No	/
			Top Edge 15mm	0.753	0.215	/	0.968	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 5 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.706	0.910	0.088	1.704	Yes	14#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	
			Right Edge 0mm	0.298	0.400	0.000	0.698	No	
			Top Edge 0mm	0.267	0.125	0.033	0.425	No	
		Off	Back Side 15mm	0.253	0.072	0.006	0.331	No	
			Right Edge 5mm	0.511	0.400	0.000	0.911	No	
			Top Edge 15mm	0.086	0.026	0.003	0.115	No	
	LTE Band 5 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.706	0.901	/	1.607	Yes	15#
			Left Edge 0mm	0.400	0.023	/	0.423	No	
			Right Edge 0mm	0.298	0.057	/	0.355	No	
			Top Edge 0mm	0.267	0.419	/	0.686	No	
		Off	Back Side 15mm	0.253	0.067	/	0.320	No	
			Right Edge 5mm	0.511	0.057	/	0.568	No	
			Top Edge 15mm	0.086	0.061	/	0.147	No	
	LTE Band 5 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.706	1.082	0.088	1.876	Yes	16#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	
			Right Edge 0mm	0.298	0.400	0.000	0.698	No	
			Top Edge 0mm	0.267	0.975	0.033	1.275	No	
		Off	Back Side 15mm	0.253	0.189	0.006	0.448	No	
			Right Edge 5mm	0.511	0.400	0.000	0.911	No	
			Top Edge 15mm	0.086	0.215	0.003	0.304	No	
	LTE Band 5 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.706	1.074	/	1.780	Yes	17#
			Left Edge 0mm	0.400	0.015	/	0.415	No	
			Right Edge 0mm	0.298	0.104	/	0.402	No	
			Top Edge 0mm	0.267	0.965	/	1.232	No	
		Off	Back Side 15mm	0.253	0.328	/	0.581	No	
			Right Edge 5mm	0.511	0.096	/	0.607	No	
			Top Edge 15mm	0.086	0.215	/	0.301	No	

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 7 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.610	0.910	0.088	1.608	Yes	18#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.265	0.400	0.000	0.665	No	/
			Top Edge 0mm	0.412	0.125	0.033	0.570	No	/
		Off	Back Side 15mm	0.239	0.072	0.006	0.317	No	/
			Right Edge 5mm	0.929	0.400	0.000	1.329	No	/
			Top Edge 15mm	0.211	0.026	0.003	0.240	No	/
	LTE Band 7 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.610	0.901	/	1.511	No	/
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.265	0.057	/	0.322	No	/
			Top Edge 0mm	0.412	0.419	/	0.831	No	/
		Off	Back Side 15mm	0.239	0.067	/	0.306	No	/
			Right Edge 5mm	0.929	0.057	/	0.986	No	/
			Top Edge 15mm	0.211	0.061	/	0.272	No	/
	LTE Band 7 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.610	1.082	0.088	1.780	Yes	19#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.265	0.400	0.000	0.665	No	/
			Top Edge 0mm	0.412	0.975	0.033	1.420	No	/
		Off	Back Side 15mm	0.239	0.189	0.006	0.434	No	/
			Right Edge 5mm	0.929	0.400	0.000	1.329	No	/
			Top Edge 15mm	0.211	0.215	0.003	0.429	No	/
	LTE Band 7 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.610	1.074	/	1.684	Yes	20#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.265	0.104	/	0.369	No	/
			Top Edge 0mm	0.412	0.965	/	1.377	No	/
		Off	Back Side 15mm	0.239	0.328	/	0.567	No	/
			Right Edge 5mm	0.929	0.096	/	1.025	No	/
			Top Edge 15mm	0.211	0.215	/	0.426	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 12+ WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.723	0.910	0.088	1.721	Yes	21#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.196	0.400	0.000	0.596	No	/
			Top Edge 0mm	0.327	0.125	0.033	0.485	No	/
		Off	Back Side 15mm	0.158	0.072	0.006	0.236	No	/
			Right Edge 5mm	0.186	0.400	0.000	0.586	No	/
			Top Edge 15mm	0.065	0.026	0.003	0.094	No	/
	LTE Band 12 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.723	0.901	/	1.624	Yes	22#
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.196	0.057	/	0.253	No	/
			Top Edge 0mm	0.327	0.419	/	0.746	No	/
		Off	Back Side 15mm	0.158	0.067	/	0.225	No	/
			Right Edge 5mm	0.186	0.057	/	0.243	No	/
			Top Edge 15mm	0.065	0.061	/	0.126	No	/
	LTE Band 12 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.723	1.082	0.088	1.893	Yes	23#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.196	0.400	0.000	0.596	No	/
			Top Edge 0mm	0.327	0.975	0.033	1.335	No	/
		Off	Back Side 15mm	0.158	0.189	0.006	0.353	No	/
			Right Edge 5mm	0.186	0.400	0.000	0.586	No	/
			Top Edge 15mm	0.065	0.215	0.003	0.283	No	/
	LTE Band 12 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.723	1.074	/	1.797	Yes	24#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.196	0.104	/	0.300	No	/
			Top Edge 0mm	0.327	0.965	/	1.292	No	/
		Off	Back Side 15mm	0.158	0.328	/	0.486	No	/
			Right Edge 5mm	0.186	0.096	/	0.282	No	/
			Top Edge 15mm	0.065	0.215	/	0.280	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 13 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.749	0.910	0.088	1.747	Yes	25#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.250	0.400	0.000	0.650	No	/
			Top Edge 0mm	0.365	0.125	0.033	0.523	No	/
		Off	Back Side 15mm	0.323	0.072	0.006	0.401	No	/
			Right Edge 5mm	0.510	0.400	0.000	0.910	No	/
			Top Edge 15mm	0.090	0.026	0.003	0.119	No	/
	LTE Band 13 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.749	0.901	/	1.650	Yes	26#
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.250	0.057	/	0.307	No	/
			Top Edge 0mm	0.365	0.419	/	0.784	No	/
		Off	Back Side 15mm	0.323	0.067	/	0.390	No	/
			Right Edge 5mm	0.510	0.057	/	0.567	No	/
			Top Edge 15mm	0.090	0.061	/	0.151	No	/
	LTE Band 13 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.749	1.082	0.088	1.919	Yes	27#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.250	0.400	0.000	0.650	No	/
			Top Edge 0mm	0.365	0.975	0.033	1.373	No	/
		Off	Back Side 15mm	0.323	0.189	0.006	0.518	No	/
			Right Edge 5mm	0.510	0.400	0.000	0.910	No	/
			Top Edge 15mm	0.090	0.215	0.003	0.308	No	/
	LTE Band 13 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.749	1.074	/	1.823	Yes	28#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.250	0.104	/	0.354	No	/
			Top Edge 0mm	0.365	0.965	/	1.330	No	/
		Off	Back Side 15mm	0.323	0.328	/	0.651	No	/
			Right Edge 5mm	0.510	0.096	/	0.606	No	/
			Top Edge 15mm	0.090	0.215	/	0.305	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 26 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.726	0.910	0.088	1.724	Yes	29#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.292	0.400	0.000	0.692	No	/
			Top Edge 0mm	0.276	0.125	0.033	0.434	No	/
		Off	Back Side 15mm	0.274	0.072	0.006	0.352	No	/
			Right Edge 5mm	0.599	0.400	0.000	0.999	No	/
			Top Edge 15mm	0.096	0.026	0.003	0.125	No	/
	LTE Band 26 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.726	0.901	/	1.627	Yes	30#
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.292	0.057	/	0.349	No	/
			Top Edge 0mm	0.276	0.419	/	0.695	No	/
		Off	Back Side 15mm	0.274	0.067	/	0.341	No	/
			Right Edge 5mm	0.599	0.057	/	0.656	No	/
			Top Edge 15mm	0.096	0.061	/	0.157	No	/
	LTE Band 26 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.726	1.082	0.088	1.896	Yes	31#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.292	0.400	0.000	0.692	No	/
			Top Edge 0mm	0.276	0.975	0.033	1.284	No	/
		Off	Back Side 15mm	0.274	0.189	0.006	0.469	No	/
			Right Edge 5mm	0.599	0.400	0.000	0.999	No	/
			Top Edge 15mm	0.096	0.215	0.003	0.314	No	/
	LTE Band 26 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.726	1.074	/	1.800	Yes	32#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.292	0.104	/	0.396	No	/
			Top Edge 0mm	0.276	0.965	/	1.241	No	/
		Off	Back Side 15mm	0.274	0.328	/	0.602	No	/
			Right Edge 5mm	0.599	0.096	/	0.695	No	/
			Top Edge 15mm	0.096	0.215	/	0.311	No	/


Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 30 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.651	0.910	0.088	1.649	Yes	33#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.244	0.400	0.000	0.644	No	/
			Top Edge 0mm	0.296	0.125	0.033	0.454	No	/
		Off	Back Side 15mm	0.330	0.072	0.006	0.408	No	/
			Right Edge 5mm	0.812	0.400	0.000	1.212	No	/
			Top Edge 15mm	0.304	0.026	0.003	0.333	No	/
	LTE Band 30 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.651	0.901	/	1.552	No	/
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.244	0.057	/	0.301	No	/
			Top Edge 0mm	0.296	0.419	/	0.715	No	/
		Off	Back Side 15mm	0.330	0.067	/	0.397	No	/
			Right Edge 5mm	0.812	0.057	/	0.869	No	/
			Top Edge 15mm	0.304	0.061	/	0.365	No	/
	LTE Band 30 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.651	1.082	0.088	1.821	Yes	34#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.244	0.400	0.000	0.644	No	/
			Top Edge 0mm	0.296	0.975	0.033	1.304	No	/
		Off	Back Side 15mm	0.330	0.189	0.006	0.525	No	/
			Right Edge 5mm	0.812	0.400	0.000	1.212	No	/
			Top Edge 15mm	0.304	0.215	0.003	0.522	No	/
	LTE Band 30 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.651	1.074	/	1.725	Yes	35#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.244	0.104	/	0.348	No	/
			Top Edge 0mm	0.296	0.965	/	1.261	No	/
		Off	Back Side 15mm	0.330	0.328	/	0.658	No	/
			Right Edge 5mm	0.812	0.096	/	0.908	No	/
			Top Edge 15mm	0.304	0.215	/	0.519	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 41 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.709	0.910	0.088	1.707	Yes	36#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.295	0.400	0.000	0.695	No	/
			Top Edge 0mm	0.406	0.125	0.033	0.564	No	/
		Off	Back Side 15mm	0.138	0.072	0.006	0.216	No	/
			Right Edge 5mm	0.661	0.400	0.000	1.061	No	/
			Top Edge 15mm	0.143	0.026	0.003	0.172	No	/
	LTE Band 41 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.709	0.901	/	1.610	Yes	37#
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.295	0.057	/	0.352	No	/
			Top Edge 0mm	0.406	0.419	/	0.825	No	/
		Off	Back Side 15mm	0.138	0.067	/	0.205	No	/
			Right Edge 5mm	0.661	0.057	/	0.718	No	/
			Top Edge 15mm	0.143	0.061	/	0.204	No	/
	LTE Band 41 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.709	1.082	0.088	1.879	Yes	38#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.295	0.400	0.000	0.695	No	/
			Top Edge 0mm	0.406	0.975	0.033	1.414	No	/
		Off	Back Side 15mm	0.138	0.189	0.006	0.333	No	/
			Right Edge 5mm	0.661	0.400	0.000	1.061	No	/
			Top Edge 15mm	0.143	0.215	0.003	0.361	No	/
	LTE Band 41 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.709	1.074	/	1.783	Yes	39#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.295	0.104	/	0.399	No	/
			Top Edge 0mm	0.406	0.965	/	1.371	No	/
		Off	Back Side 15mm	0.138	0.328	/	0.466	No	/
			Right Edge 5mm	0.661	0.096	/	0.757	No	/
			Top Edge 15mm	0.143	0.215	/	0.358	No	/


Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR(W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 66 + WLAN 2.4GHz(Main) + Bluetooth	On	Back Side 0mm	0.645	0.910	0.088	1.643	Yes	40#
			Left Edge 0mm	0.400	0.448	0.000	0.848	No	/
			Right Edge 0mm	0.133	0.400	0.000	0.533	No	/
			Top Edge 0mm	0.387	0.125	0.033	0.545	No	/
		Off	Back Side 15mm	0.439	0.072	0.006	0.517	No	/
			Right Edge 5mm	0.784	0.400	0.000	1.184	No	/
			Top Edge 15mm	0.485	0.026	0.003	0.514	No	/
	LTE Band 66 + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.645	0.901	/	1.546	No	/
			Left Edge 0mm	0.400	0.023	/	0.423	No	/
			Right Edge 0mm	0.133	0.057	/	0.190	No	/
			Top Edge 0mm	0.387	0.419	/	0.806	No	/
		Off	Back Side 15mm	0.439	0.067	/	0.506	No	/
			Right Edge 5mm	0.784	0.057	/	0.841	No	/
			Top Edge 15mm	0.485	0.061	/	0.546	No	/
	LTE Band 66 + WLAN 5GHz(Main) + Bluetooth	On	Back Side 0mm	0.645	1.082	0.088	1.815	Yes	41#
			Left Edge 0mm	0.400	0.302	0.000	0.702	No	/
			Right Edge 0mm	0.133	0.400	0.000	0.533	No	/
			Top Edge 0mm	0.387	0.975	0.033	1.395	No	/
		Off	Back Side 15mm	0.439	0.189	0.006	0.634	No	/
			Right Edge 5mm	0.784	0.400	0.000	1.184	No	/
			Top Edge 15mm	0.485	0.215	0.003	0.703	No	/
	LTE Band 66 + WLAN 5GHz(Aux)	On	Back Side 0mm	0.645	1.074	/	1.719	Yes	42#
			Left Edge 0mm	0.400	0.015	/	0.415	No	/
			Right Edge 0mm	0.133	0.104	/	0.237	No	/
			Top Edge 0mm	0.387	0.965	/	1.352	No	/
		Off	Back Side 15mm	0.439	0.328	/	0.767	No	/
			Right Edge 5mm	0.784	0.096	/	0.880	No	/
			Top Edge 15mm	0.485	0.215	/	0.700	No	/

(Intel 3165D2W) SPLSR Analysis:


No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
1#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	190.8	1.55	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	64.2	0.72	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
2#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	191.6	1.72	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	64.2	0.72	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
3#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	69.9	1.71	0.03	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
4#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	190.7	1.54	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	64.1	0.71	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
5#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	191.5	1.71	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	64.1	0.71	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
6#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	69.8	1.70	0.03	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
7#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	190.8	1.56	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	64.2	0.74	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
8#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	191.6	1.73	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	64.2	0.74	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
9#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	69.9	1.73	0.04	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
10#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	190.8	1.66	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	64.2	0.83	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
11#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	65.5	1.65	0.03	No
		WLAN 2.4GHz(Aux)	0.901	-0.0788	0.0234	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
12#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	191.6	1.83	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	64.2	0.83	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
13#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	69.9	1.82	0.04	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
14#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	189.6	1.62	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	63.0	0.79	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
15#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	64.4	1.61	0.03	No
		WLAN 2.4GHz(Aux)	0.901	-0.0788	0.0234	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
16#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	190.4	1.79	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	63.0	0.79	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
17#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	68.7	1.78	0.03	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
18#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	201.4	1.52	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	74.8	0.70	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
19#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	202.3	1.69	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	74.8	0.70	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
20#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	80.4	1.68	0.03	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
21#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	186.8	1.63	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	60.8	0.81	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
22#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	61.8	1.62	0.03	No
		WLAN 2.4GHz(Aux)	0.901	-0.0788	0.0234	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
23#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	187.9	1.81	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	60.8	0.81	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
24#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	66.2	1.80	0.04	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
25#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	190.8	1.66	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	64.2	0.84	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
26#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	65.5	1.65	0.03	No
		WLAN 2.4GHz(Aux)	0.901	-0.0788	0.0234	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
27#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	191.6	1.83	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	64.2	0.84	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
28#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	69.9	1.82	0.04	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
29#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	189.6	1.64	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	63.0	0.81	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
30#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	64.4	1.63	0.03	No
		WLAN 2.4GHz(Aux)	0.901	-0.0788	0.0234	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
31#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	190.4	1.81	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	63.0	0.81	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
32#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	68.7	1.80	0.04	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
33#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	184.8	1.56	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	58.2	0.74	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
34#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	185.8	1.73	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	58.2	0.74	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
35#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	63.8	1.73	0.04	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
36#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	202.1	1.62	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	75.7	0.80	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
37#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	77.0	1.61	0.03	No
		WLAN 2.4GHz(Aux)	0.901	-0.0788	0.0234	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
38#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	202.9	1.79	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	75.7	0.80	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
39#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	81.4	1.78	0.03	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
40#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	190.9	1.56	0.01	No
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	64.4	0.73	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 2.4GHz(Main)	0.91	-0.0752	-0.102	-0.175	126.7	1.00	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
41#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	191.6	1.73	0.01	No
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	64.4	0.73	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				
		WLAN 5GHz(Main)	1.082	-0.079	-0.103	-0.174	127.6	1.17	0.01	No
		Bluetooth	0.088	-0.08	0.0246	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
42#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	70.0	1.72	0.03	No
		WLAN 5GHz(Aux)	1.074	-0.079	0.019	-0.175				



13.6 Sum SAR of Simultaneous Transmission for WWAN with WWAN(Intel 8265D2W)

13.6.1 Sum Body-worn SAR of Simultaneous Transmission

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	WCDAM Band 2 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.636	1.105	0.943	2.684	Yes	1#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.090	0.400	0.056	0.546	No	/
			Top Edge 0mm	0.429	0.129	0.207	0.765	No	/
		Off	Back Side 15mm	0.965	0.128	0.061	1.154	No	/
			Right Edge 5mm	0.813	0.400	0.000	1.213	No	/
			Top Edge 15mm	0.912	0.007	0.014	0.933	No	/
	WCDAM Band 2 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.636	0.943	0.284	1.863	Yes	2#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.090	0.056	0.400	0.546	No	/
			Top Edge 0mm	0.429	0.207	0.004	0.640	No	/
		Off	Back Side 15mm	0.965	0.061	0.024	1.050	No	/
			Right Edge 5mm	0.813	0.000	0.400	1.213	No	/
			Top Edge 15mm	0.912	0.014	0.001	0.927	No	/
	WCDAM Band 2 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.636	1.046	1.143	2.825	Yes	3#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.090	0.400	0.095	0.585	No	/
			Top Edge 0mm	0.429	1.155	1.002	2.586	Yes	4#
		Off	Back Side 15mm	0.965	0.123	0.137	1.225	No	/
			Right Edge 5mm	0.813	0.400	0.000	1.213	No	/
			Top Edge 15mm	0.912	0.174	0.133	1.219	No	/
	WCDAM Band 2 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.636	1.143	0.284	2.063	Yes	5#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.090	0.095	0.400	0.585	No	/
			Top Edge 0mm	0.429	1.002	0.004	1.435	No	/
		Off	Back Side 15mm	0.965	0.137	0.024	1.126	No	/
			Right Edge 5mm	0.813	0.000	0.400	1.213	No	/
			Top Edge 15mm	0.912	0.133	0.001	1.046	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	WCDAM Band 4 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.626	1.105	0.943	2.674	Yes	6#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.132	0.400	0.056	0.588	No	/
			Top Edge 0mm	0.342	0.129	0.207	0.678	No	/
		Off	Back Side 15mm	0.537	0.128	0.061	0.726	No	/
			Right Edge 5mm	0.857	0.400	0.000	1.257	No	/
			Top Edge 15mm	0.519	0.007	0.014	0.540	No	/
	WCDAM Band 4 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.626	0.943	0.284	1.853	Yes	7#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.132	0.056	0.400	0.588	No	/
			Top Edge 0mm	0.342	0.207	0.004	0.553	No	/
		Off	Back Side 15mm	0.537	0.061	0.024	0.622	No	/
			Right Edge 5mm	0.857	0.000	0.400	1.257	No	/
			Top Edge 15mm	0.519	0.014	0.001	0.534	No	/
	WCDAM Band 4 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.626	1.046	1.143	2.815	Yes	8#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.132	0.400	0.095	0.627	No	/
			Top Edge 0mm	0.342	1.155	1.002	2.499	Yes	9#
		Off	Back Side 15mm	0.537	0.123	0.137	0.797	No	/
			Right Edge 5mm	0.857	0.400	0.000	1.257	No	/
			Top Edge 15mm	0.519	0.174	0.133	0.826	No	/
	WCDAM Band 4 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.626	1.143	0.284	2.053	Yes	10#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.132	0.095	0.400	0.627	No	/
			Top Edge 0mm	0.342	1.002	0.004	1.348	No	/
		Off	Back Side 15mm	0.537	0.137	0.024	0.698	No	/
			Right Edge 5mm	0.857	0.000	0.400	1.257	No	/
			Top Edge 15mm	0.519	0.133	0.001	0.653	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	WCDAM Band 5 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.651	1.105	0.943	2.699	Yes	11#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.267	0.400	0.056	0.723	No	/
			Top Edge 0mm	0.277	0.129	0.207	0.613	No	/
		Off	Back Side 15mm	0.351	0.128	0.061	0.540	No	/
			Right Edge 5mm	0.706	0.400	0.000	1.106	No	/
			Top Edge 15mm	0.138	0.007	0.014	0.159	No	/
	WCDAM Band 5 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.651	0.943	0.284	1.878	Yes	12#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.267	0.056	0.400	0.723	No	/
			Top Edge 0mm	0.277	0.207	0.004	0.488	No	/
		Off	Back Side 15mm	0.351	0.061	0.024	0.436	No	/
			Right Edge 5mm	0.706	0.000	0.400	1.106	No	/
			Top Edge 15mm	0.138	0.014	0.001	0.153	No	/
	WCDAM Band 5 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.651	1.046	1.143	2.840	Yes	13#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.267	0.400	0.095	0.762	No	/
			Top Edge 0mm	0.277	1.155	1.002	2.434	Yes	14#
		Off	Back Side 15mm	0.351	0.123	0.137	0.611	No	/
			Right Edge 5mm	0.706	0.400	0.000	1.106	No	/
			Top Edge 15mm	0.138	0.174	0.133	0.445	No	/
	WCDAM Band 5 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.651	1.143	0.284	2.078	Yes	15#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.267	0.095	0.400	0.762	No	/
			Top Edge 0mm	0.277	1.002	0.004	1.283	No	/
		Off	Back Side 15mm	0.351	0.137	0.024	0.512	No	/
			Right Edge 5mm	0.706	0.000	0.400	1.106	No	/
			Top Edge 15mm	0.138	0.133	0.001	0.272	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 2 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.745	1.105	0.943	2.793	Yes	16#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.103	0.400	0.056	0.559	No	/
			Top Edge 0mm	0.484	0.129	0.207	0.820	No	/
		Off	Back Side 15mm	0.693	0.128	0.061	0.882	No	/
			Right Edge 5mm	0.800	0.400	0.000	1.200	No	/
			Top Edge 15mm	0.753	0.007	0.014	0.774	No	/
	LTE Band 2 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.745	0.943	0.284	1.972	Yes	17#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.103	0.056	0.400	0.559	No	/
			Top Edge 0mm	0.484	0.207	0.004	0.695	No	/
		Off	Back Side 15mm	0.693	0.061	0.024	0.778	No	/
			Right Edge 5mm	0.800	0.000	0.400	1.200	No	/
			Top Edge 15mm	0.753	0.014	0.001	0.768	No	/
	LTE Band 2 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.745	1.046	1.143	2.934	Yes	18#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.103	0.400	0.095	0.598	No	/
			Top Edge 0mm	0.484	1.155	1.002	2.641	Yes	19#
		Off	Back Side 15mm	0.693	0.123	0.137	0.953	No	/
			Right Edge 5mm	0.800	0.400	0.000	1.200	No	/
			Top Edge 15mm	0.753	0.174	0.133	1.060	No	/
	LTE Band 2 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.745	1.143	0.284	2.172	Yes	20#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.103	0.095	0.400	0.598	No	/
			Top Edge 0mm	0.484	1.002	0.004	1.490	No	/
		Off	Back Side 15mm	0.693	0.137	0.024	0.854	No	/
			Right Edge 5mm	0.800	0.000	0.400	1.200	No	/
			Top Edge 15mm	0.753	0.133	0.001	0.887	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 5 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.706	1.105	0.943	2.754	Yes	21#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.298	0.400	0.056	0.754	No	/
			Top Edge 0mm	0.267	0.129	0.207	0.603	No	/
		Off	Back Side 15mm	0.253	0.128	0.061	0.442	No	/
			Right Edge 5mm	0.511	0.400	0.000	0.911	No	/
			Top Edge 15mm	0.086	0.007	0.014	0.107	No	/
	LTE Band 5 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.706	0.943	0.284	1.933	Yes	22#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.298	0.056	0.400	0.754	No	/
			Top Edge 0mm	0.267	0.207	0.004	0.478	No	/
		Off	Back Side 15mm	0.253	0.061	0.024	0.338	No	/
			Right Edge 5mm	0.511	0.000	0.400	0.911	No	/
			Top Edge 15mm	0.086	0.014	0.001	0.101	No	/
	LTE Band 5 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.706	1.046	1.143	2.895	Yes	23#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.298	0.400	0.095	0.793	No	/
			Top Edge 0mm	0.267	1.155	1.002	2.424	Yes	24#
		Off	Back Side 15mm	0.253	0.123	0.137	0.513	No	/
			Right Edge 5mm	0.511	0.400	0.000	0.911	No	/
			Top Edge 15mm	0.086	0.174	0.133	0.393	No	/
	LTE Band 5 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.706	1.143	0.284	2.133	Yes	25#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.298	0.095	0.400	0.793	No	/
			Top Edge 0mm	0.267	1.002	0.004	1.273	No	/
		Off	Back Side 15mm	0.253	0.137	0.024	0.414	No	/
			Right Edge 5mm	0.511	0.000	0.400	0.911	No	/
			Top Edge 15mm	0.086	0.133	0.001	0.220	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 7 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.610	1.105	0.943	2.658	Yes	26#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.265	0.400	0.056	0.721	No	/
			Top Edge 0mm	0.412	0.129	0.207	0.748	No	/
		Off	Back Side 15mm	0.239	0.128	0.061	0.428	No	/
			Right Edge 5mm	0.929	0.400	0.000	1.329	No	/
			Top Edge 15mm	0.211	0.007	0.014	0.232	No	/
	LTE Band 7 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.610	0.943	0.284	1.837	Yes	27#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.265	0.056	0.400	0.721	No	/
			Top Edge 0mm	0.412	0.207	0.004	0.623	No	/
		Off	Back Side 15mm	0.239	0.061	0.024	0.324	No	/
			Right Edge 5mm	0.929	0.000	0.400	1.329	No	/
			Top Edge 15mm	0.211	0.014	0.001	0.226	No	/
	LTE Band 7 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.610	1.046	1.143	2.799	Yes	28#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.265	0.400	0.095	0.760	No	/
			Top Edge 0mm	0.412	1.155	1.002	2.569	Yes	29#
		Off	Back Side 15mm	0.239	0.123	0.137	0.499	No	/
			Right Edge 5mm	0.929	0.400	0.000	1.329	No	/
			Top Edge 15mm	0.211	0.174	0.133	0.518	No	/
	LTE Band 7 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.610	1.143	0.284	2.037	Yes	30#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.265	0.095	0.400	0.760	No	/
			Top Edge 0mm	0.412	1.002	0.004	1.418	No	/
		Off	Back Side 15mm	0.239	0.137	0.024	0.400	No	/
			Right Edge 5mm	0.929	0.000	0.400	1.329	No	/
			Top Edge 15mm	0.211	0.133	0.001	0.345	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 12 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.723	1.105	0.943	2.771	Yes	31#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.196	0.400	0.056	0.652	No	/
			Top Edge 0mm	0.327	0.129	0.207	0.663	No	/
		Off	Back Side 15mm	0.158	0.128	0.061	0.347	No	/
			Right Edge 5mm	0.186	0.400	0.000	0.586	No	/
			Top Edge 15mm	0.065	0.007	0.014	0.086	No	/
	LTE Band 12 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.723	0.943	0.284	1.950	Yes	32#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.196	0.056	0.400	0.652	No	/
			Top Edge 0mm	0.327	0.207	0.004	0.538	No	/
		Off	Back Side 15mm	0.158	0.061	0.024	0.243	No	/
			Right Edge 5mm	0.186	0.000	0.400	0.586	No	/
			Top Edge 15mm	0.065	0.014	0.001	0.080	No	/
	LTE Band 12 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.723	1.046	1.143	2.912	Yes	33#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.196	0.400	0.095	0.691	No	/
			Top Edge 0mm	0.327	1.155	1.002	2.484	Yes	34#
		Off	Back Side 15mm	0.158	0.123	0.137	0.418	No	/
			Right Edge 5mm	0.186	0.400	0.000	0.586	No	/
			Top Edge 15mm	0.065	0.174	0.133	0.372	No	/
	LTE Band 12 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.723	1.143	0.284	2.150	Yes	35#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.196	0.095	0.400	0.691	No	/
			Top Edge 0mm	0.327	1.002	0.004	1.333	No	/
		Off	Back Side 15mm	0.158	0.137	0.024	0.319	No	/
			Right Edge 5mm	0.186	0.000	0.400	0.586	No	/
			Top Edge 15mm	0.065	0.133	0.001	0.199	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 13 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.749	1.105	0.943	2.797	Yes	36#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.250	0.400	0.056	0.706	No	/
			Top Edge 0mm	0.365	0.129	0.207	0.701	No	/
		Off	Back Side 15mm	0.323	0.128	0.061	0.512	No	/
			Right Edge 5mm	0.510	0.400	0.000	0.910	No	/
			Top Edge 15mm	0.090	0.007	0.014	0.111	No	/
	LTE Band 13 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.749	0.943	0.284	1.976	Yes	37#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.250	0.056	0.400	0.706	No	/
			Top Edge 0mm	0.365	0.207	0.004	0.576	No	/
		Off	Back Side 15mm	0.323	0.061	0.024	0.408	No	/
			Right Edge 5mm	0.510	0.000	0.400	0.910	No	/
			Top Edge 15mm	0.090	0.014	0.001	0.105	No	/
	LTE Band 13 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.749	1.046	1.143	2.938	Yes	38#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.250	0.400	0.095	0.745	No	/
			Top Edge 0mm	0.365	1.155	1.002	2.522	Yes	39#
		Off	Back Side 15mm	0.323	0.123	0.137	0.583	No	/
			Right Edge 5mm	0.510	0.400	0.000	0.910	No	/
			Top Edge 15mm	0.090	0.174	0.133	0.397	No	/
	LTE Band 13 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.749	1.143	0.284	2.176	Yes	40#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.250	0.095	0.400	0.745	No	/
			Top Edge 0mm	0.365	1.002	0.004	1.371	No	/
		Off	Back Side 15mm	0.323	0.137	0.024	0.484	No	/
			Right Edge 5mm	0.510	0.000	0.400	0.910	No	/
			Top Edge 15mm	0.090	0.133	0.001	0.224	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 26 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.726	1.105	0.943	2.774	Yes	41#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.292	0.400	0.056	0.748	No	/
			Top Edge 0mm	0.276	0.129	0.207	0.612	No	/
		Off	Back Side 15mm	0.274	0.128	0.061	0.463	No	/
			Right Edge 5mm	0.599	0.400	0.000	0.999	No	/
			Top Edge 15mm	0.096	0.007	0.014	0.117	No	/
	LTE Band 26 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.726	0.943	0.284	1.953	Yes	42#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.292	0.056	0.400	0.748	No	/
			Top Edge 0mm	0.276	0.207	0.004	0.487	No	/
		Off	Back Side 15mm	0.274	0.061	0.024	0.359	No	/
			Right Edge 5mm	0.599	0.000	0.400	0.999	No	/
			Top Edge 15mm	0.096	0.014	0.001	0.111	No	/
	LTE Band 26 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.726	1.046	1.143	2.915	Yes	43#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.292	0.400	0.095	0.787	No	/
			Top Edge 0mm	0.276	1.155	1.002	2.433	Yes	44#
		Off	Back Side 15mm	0.274	0.123	0.137	0.534	No	/
			Right Edge 5mm	0.599	0.400	0.000	0.999	No	/
			Top Edge 15mm	0.096	0.174	0.133	0.403	No	/
	LTE Band 26 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.726	1.143	0.284	2.153	Yes	45#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.292	0.095	0.400	0.787	No	/
			Top Edge 0mm	0.276	1.002	0.004	1.282	No	/
		Off	Back Side 15mm	0.274	0.137	0.024	0.435	No	/
			Right Edge 5mm	0.599	0.000	0.400	0.999	No	/
			Top Edge 15mm	0.096	0.133	0.001	0.230	No	/


Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 30 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.651	1.105	0.943	2.699	Yes	46#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.244	0.400	0.056	0.700	No	/
			Top Edge 0mm	0.296	0.129	0.207	0.632	No	/
		Off	Back Side 15mm	0.330	0.128	0.061	0.519	No	/
			Right Edge 5mm	0.812	0.400	0.000	1.212	No	/
			Top Edge 15mm	0.304	0.007	0.014	0.325	No	/
	LTE Band 30 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.651	0.943	0.284	1.878	Yes	47#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.244	0.056	0.400	0.700	No	/
			Top Edge 0mm	0.296	0.207	0.004	0.507	No	/
		Off	Back Side 15mm	0.330	0.061	0.024	0.415	No	/
			Right Edge 5mm	0.812	0.000	0.400	1.212	No	/
			Top Edge 15mm	0.304	0.014	0.001	0.319	No	/
	LTE Band 30 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.651	1.046	1.143	2.840	Yes	48#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.244	0.400	0.095	0.739	No	/
			Top Edge 0mm	0.296	1.155	1.002	2.453	Yes	49#
		Off	Back Side 15mm	0.330	0.123	0.137	0.590	No	/
			Right Edge 5mm	0.812	0.400	0.000	1.212	No	/
			Top Edge 15mm	0.304	0.174	0.133	0.611	No	/
	LTE Band 30 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.651	1.143	0.284	2.078	Yes	50#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.244	0.095	0.400	0.739	No	/
			Top Edge 0mm	0.296	1.002	0.004	1.302	No	/
		Off	Back Side 15mm	0.330	0.137	0.024	0.491	No	/
			Right Edge 5mm	0.812	0.000	0.400	1.212	No	/
			Top Edge 15mm	0.304	0.133	0.001	0.438	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 41 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.709	1.105	0.943	2.757	Yes	51#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.295	0.400	0.056	0.751	No	/
			Top Edge 0mm	0.406	0.129	0.207	0.742	No	/
		Off	Back Side 15mm	0.138	0.128	0.061	0.327	No	/
			Right Edge 5mm	0.661	0.400	0.000	1.061	No	/
			Top Edge 15mm	0.143	0.007	0.014	0.164	No	/
	LTE Band 41 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.709	0.943	0.284	1.936	Yes	52#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.295	0.056	0.400	0.751	No	/
			Top Edge 0mm	0.406	0.207	0.004	0.617	No	/
		Off	Back Side 15mm	0.138	0.061	0.024	0.223	No	/
			Right Edge 5mm	0.661	0.000	0.400	1.061	No	/
			Top Edge 15mm	0.143	0.014	0.001	0.158	No	/
	LTE Band 41 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.709	1.046	1.143	2.898	Yes	53#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.295	0.400	0.095	0.790	No	/
			Top Edge 0mm	0.406	1.155	1.002	2.563	Yes	54#
		Off	Back Side 15mm	0.138	0.123	0.137	0.398	No	/
			Right Edge 5mm	0.661	0.400	0.000	1.061	No	/
			Top Edge 15mm	0.143	0.174	0.133	0.450	No	/
	LTE Band 41 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.709	1.143	0.284	2.136	Yes	55#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.295	0.095	0.400	0.790	No	/
			Top Edge 0mm	0.406	1.002	0.004	1.412	No	/
		Off	Back Side 15mm	0.138	0.137	0.024	0.299	No	/
			Right Edge 5mm	0.661	0.000	0.400	1.061	No	/
			Top Edge 15mm	0.143	0.133	0.001	0.277	No	/


Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1 (W/kg)	Max. 1g SAR2 (W/kg)	Max. 1g SAR3 (W/kg)	1g Sum SAR (W/kg)	SPLSR (Yes/No)	No.
Body									
Tablet	LTE Band 66 + WLAN 2.4GHz(Main) + WLAN 2.4GHz(Aux)	On	Back Side 0mm	0.645	1.105	0.943	2.693	Yes	56#
			Left Edge 0mm	0.400	0.681	0.011	1.092	No	/
			Right Edge 0mm	0.133	0.400	0.056	0.589	No	/
			Top Edge 0mm	0.387	0.129	0.207	0.723	No	/
		Off	Back Side 15mm	0.439	0.128	0.061	0.628	No	/
			Right Edge 5mm	0.784	0.400	0.000	1.184	No	/
			Top Edge 15mm	0.485	0.007	0.014	0.506	No	/
	LTE Band 66 + WLAN 2.4GHz(Aux) + Bluetooth	On	Back Side 0mm	0.645	0.943	0.284	1.872	Yes	57#
			Left Edge 0mm	0.400	0.011	0.145	0.556	No	/
			Right Edge 0mm	0.133	0.056	0.400	0.589	No	/
			Top Edge 0mm	0.387	0.207	0.004	0.598	No	/
		Off	Back Side 15mm	0.439	0.061	0.024	0.524	No	/
			Right Edge 5mm	0.784	0.000	0.400	1.184	No	/
			Top Edge 15mm	0.485	0.014	0.001	0.500	No	/
	LTE Band 66 + WLAN 5GHz(Main) + WLAN 5GHz(Aux)	On	Back Side 0mm	0.645	1.046	1.143	2.834	Yes	58#
			Left Edge 0mm	0.400	0.206	0.000	0.606	No	/
			Right Edge 0mm	0.133	0.400	0.095	0.628	No	/
			Top Edge 0mm	0.387	1.155	1.002	2.544	Yes	59#
		Off	Back Side 15mm	0.439	0.123	0.137	0.699	No	/
			Right Edge 5mm	0.784	0.400	0.000	1.184	No	/
			Top Edge 15mm	0.485	0.174	0.133	0.792	No	/
	LTE Band 66 + WLAN 5GHz(Aux) + Bluetooth	On	Back Side 0mm	0.645	1.143	0.284	2.072	Yes	60#
			Left Edge 0mm	0.400	0.000	0.145	0.545	No	/
			Right Edge 0mm	0.133	0.095	0.400	0.628	No	/
			Top Edge 0mm	0.387	1.002	0.004	1.393	No	/
		Off	Back Side 15mm	0.439	0.137	0.024	0.600	No	/
			Right Edge 5mm	0.784	0.000	0.400	1.184	No	/
			Top Edge 15mm	0.485	0.133	0.001	0.619	No	/

(Intel 8265D2W) SPLSR Analysis


No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
1#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	194.7	1.74	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	61.4	1.58	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
2#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	61.4	1.58	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	190.8	0.92	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
3#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	199.4	1.68	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	74.5	1.78	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
4#	Top Edge 0mm	WCDMA Band 2	0.429	-0.00117	0.0832	-0.175	191.2	1.58	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		WCDMA Band 2	0.429	-0.00117	0.0832	-0.175	63.2	1.43	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
5#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	74.5	1.78	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	190.8	0.92	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
6#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	194.7	1.73	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	61.3	1.57	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
7#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	61.3	1.57	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	190.7	0.91	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
8#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	199.4	1.67	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	74.6	1.77	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
9#	Top Edge 0mm	WCDMA Band 4	0.342	-0.0024	0.0844	-0.175	192.4	1.50	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		WCDMA Band 4	0.342	-0.0024	0.0844	-0.175	64.4	1.34	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
10#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	74.6	1.77	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	190.7	0.91	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
11#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	194.7	1.76	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	61.4	1.59	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
12#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	61.4	1.59	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	190.8	0.94	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
13#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	199.4	1.70	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	74.5	1.79	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
14#	Top Edge 0mm	WCDMA Band 5	0.277	-0.00596	0.0724	-0.175	180.5	1.43	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		WCDMA Band 5	0.277	-0.00596	0.0724	-0.175	52.6	1.28	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
15#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	74.5	1.79	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	190.8	0.94	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
16#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	194.7	1.85	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	61.4	1.69	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
17#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	61.4	1.69	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	190.8	1.03	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				

