




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
18#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	199.4	1.79	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	74.5	1.89	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
19#	Top Edge 0mm	LTE Band 2	0.484	-0.00118	0.0832	-0.175	191.2	1.64	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 2	0.484	-0.00118	0.0832	-0.175	63.2	1.49	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
20#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	74.5	1.89	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	190.8	1.03	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
21#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	193.5	1.81	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	60.2	1.65	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
22#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	60.2	1.65	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	189.6	0.99	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
23#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	198.2	1.75	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	73.3	1.85	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
24#	Top Edge 0mm	LTE Band 5	0.267	-0.00598	0.0724	-0.175	180.5	1.42	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 5	0.267	-0.00598	0.0724	-0.175	52.6	1.27	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
25#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	73.3	1.85	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	189.6	0.99	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
26#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	205.4	1.72	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	72.1	1.55	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
27#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	72.1	1.55	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	201.4	0.89	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
28#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	210.2	1.66	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	85.4	1.75	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
29#	Top Edge 0mm	LTE Band 7	0.412	-0.00599	0.1	-0.175	208.1	1.57	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 7	0.412	-0.00599	0.1	-0.175	80.2	1.41	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
30#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	85.4	1.75	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	201.4	0.89	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
31#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	190.8	1.83	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	58.5	1.67	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
32#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	58.5	1.67	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	186.8	1.01	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
33#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	196.2	1.77	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	73.4	1.87	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
34#	Top Edge 0mm	LTE Band 12	0.327	-0.0048	0.0724	-0.175	180.4	1.48	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 12	0.327	-0.0048	0.0724	-0.175	52.5	1.33	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
35#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	73.4	1.87	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	186.8	1.01	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
36#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	194.7	1.85	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	61.4	1.69	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
37#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	61.4	1.69	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	190.8	1.03	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
38#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	199.4	1.80	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	74.5	1.89	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
39#	Top Edge 0mm	LTE Band 13	0.365	-0.00479	0.0712	-0.175	179.2	1.52	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 13	0.365	-0.00479	0.0712	-0.175	51.3	1.37	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
40#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	74.5	1.89	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	190.8	1.03	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
41#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	193.5	1.83	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	60.2	1.67	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
42#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	60.2	1.67	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	189.6	1.01	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
43#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	198.2	1.77	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	73.3	1.87	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
44#	Top Edge 0mm	LTE Band 26	0.276	-0.00599	0.0712	-0.175	179.3	1.43	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 26	0.276	-0.00599	0.0712	-0.175	51.4	1.28	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
45#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	73.3	1.87	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	189.6	1.01	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
46#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	188.8	1.76	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	55.7	1.59	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
47#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	55.7	1.59	0.04	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	184.8	0.94	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
48#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	193.9	1.70	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	70.0	1.79	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
49#	Top Edge 0mm	LTE Band 30	0.296	-0.00478	0.0616	-0.175	169.6	1.45	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 30	0.296	-0.00478	0.0616	-0.175	41.8	1.30	0.04	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
50#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	70.0	1.79	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	184.8	0.94	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
51#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	206.1	1.81	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	72.9	1.65	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
52#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	72.9	1.65	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	202.1	0.99	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
53#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	210.7	1.76	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	85.6	1.85	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
54#	Top Edge 0mm	LTE Band 41	0.406	-0.00598	0.1	-0.175	208.1	1.56	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 41	0.406	-0.00598	0.1	-0.175	80.2	1.41	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
55#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	85.6	1.85	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	202.1	0.99	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
56#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	194.8	1.75	0.01	No
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	61.6	1.59	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		WLAN 2.4GHz(Main)	1.105	-0.0756	-0.106	-0.174	133.3	2.05	0.02	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
57#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	61.6	1.59	0.03	No
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	190.8	0.93	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 2.4GHz(Aux)	0.943	-0.0818	0.0272	-0.174	129.4	1.23	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
58#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	199.5	1.69	0.01	No
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	74.5	1.79	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		WLAN 5GHz(Main)	1.046	-0.084	-0.111	-0.174	125.2	2.19	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
59#	Top Edge 0mm	LTE Band 66	0.387	-0.00237	0.0844	-0.175	192.4	1.54	0.01	No
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176				
		LTE Band 66	0.387	-0.00237	0.0844	-0.175	64.4	1.39	0.03	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				
		WLAN 5GHz(Main)	1.155	-0.000974	-0.108	-0.176	128.0	2.16	0.02	No
		WLAN 5GHz(Aux)	1.002	-0.00097	0.02	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
60#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	74.5	1.79	0.03	No
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	190.8	0.93	0.00	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				
		WLAN 5GHz(Aux)	1.143	-0.091	0.014	-0.174	117.0	1.43	0.01	No
		Bluetooth	0.284	-0.0756	-0.102	-0.175				



13.7 Sum SAR of Simultaneous Transmission for WWAN with WWAN (QCNFA425)

13.7.1 Sum Body-worn SAR of Simultaneous Transmission

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	WCDMA Band 2 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.636	0.861	0.056	1.553	No	/
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.090	0.400	0.000	0.490	No	/
			Top Edge 0mm	0.429	0.171	0.014	0.614	No	/
		Off	Back Side 15mm	0.965	0.074	0.008	1.047	No	/
			Right Edge 5mm	0.813	0.400	0.000	1.213	No	/
			Top Edge 15mm	0.912	0.024	0.000	0.936	No	/
	WCDMA Band 2 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.636	0.783	0.095	1.514	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.090	0.029	0.400	0.519	No	/
			Top Edge 0mm	0.429	0.334	0.021	0.784	No	/
		Off	Back Side 15mm	0.965	0.049	0.013	1.027	No	/
			Right Edge 5mm	0.813	0.029	0.400	1.242	No	/
			Top Edge 15mm	0.912	0.038	0.009	0.959	No	/
	WCDMA Band 2 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.636	0.964	0.056	1.656	Yes	1#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.090	0.400	0.000	0.490	No	/
			Top Edge 0mm	0.429	1.147	0.014	1.590	No	/
		Off	Back Side 15mm	0.965	0.195	0.008	1.168	No	/
			Right Edge 5mm	0.813	0.400	0.000	1.213	No	/
			Top Edge 15mm	0.912	0.277	0.000	1.189	No	/
	WCDMA Band 2 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.636	0.901	0.095	1.632	Yes	2#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.090	0.027	0.400	0.517	No	/
			Top Edge 0mm	0.429	0.782	0.021	1.232	No	/
		Off	Back Side 15mm	0.965	0.204	0.013	1.182	No	/
			Right Edge 5mm	0.813	0.027	0.400	1.240	No	/
			Top Edge 15mm	0.912	0.104	0.009	1.025	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	WCDMA Band 4 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.626	0.861	0.056	1.543	No	/
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.132	0.400	0.000	0.532	No	/
			Top Edge 0mm	0.342	0.171	0.014	0.527	No	/
		Off	Back Side 15mm	0.537	0.074	0.008	0.619	No	/
			Right Edge 5mm	0.857	0.400	0.000	1.257	No	/
			Top Edge 15mm	0.519	0.024	0.000	0.543	No	/
	WCDMA Band 4 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.626	0.783	0.095	1.504	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.132	0.029	0.400	0.561	No	/
			Top Edge 0mm	0.342	0.334	0.021	0.697	No	/
		Off	Back Side 15mm	0.537	0.049	0.013	0.599	No	/
			Right Edge 5mm	0.857	0.029	0.400	1.286	No	/
			Top Edge 15mm	0.519	0.038	0.009	0.566	No	/
	WCDMA Band 4 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.626	0.964	0.056	1.646	Yes	3#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.132	0.400	0.000	0.532	No	/
			Top Edge 0mm	0.342	1.147	0.014	1.503	No	/
		Off	Back Side 15mm	0.537	0.195	0.008	0.740	No	/
			Right Edge 5mm	0.857	0.400	0.000	1.257	No	/
			Top Edge 15mm	0.519	0.277	0.000	0.796	No	/
	WCDMA Band 4 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.626	0.901	0.095	1.622	Yes	4#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.132	0.027	0.400	0.559	No	/
			Top Edge 0mm	0.342	0.782	0.021	1.145	No	/
		Off	Back Side 15mm	0.537	0.204	0.013	0.754	No	/
			Right Edge 5mm	0.857	0.027	0.400	1.284	No	/
			Top Edge 15mm	0.519	0.104	0.009	0.632	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	WCDMA Band 5 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.651	0.861	0.056	1.568	No	/
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.267	0.400	0.000	0.667	No	/
			Top Edge 0mm	0.277	0.171	0.014	0.462	No	/
		Off	Back Side 15mm	0.351	0.074	0.008	0.433	No	/
			Right Edge 5mm	0.706	0.400	0.000	1.106	No	/
			Top Edge 15mm	0.138	0.024	0.000	0.162	No	/
	WCDMA Band 5 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.651	0.783	0.095	1.529	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.267	0.029	0.400	0.696	No	/
			Top Edge 0mm	0.277	0.334	0.021	0.632	No	/
		Off	Back Side 15mm	0.351	0.049	0.013	0.413	No	/
			Right Edge 5mm	0.706	0.029	0.400	1.135	No	/
			Top Edge 15mm	0.138	0.038	0.009	0.185	No	/
	WCDMA Band 5 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.651	0.964	0.056	1.671	Yes	5#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.267	0.400	0.000	0.667	No	/
			Top Edge 0mm	0.277	1.147	0.014	1.438	No	/
		Off	Back Side 15mm	0.351	0.195	0.008	0.554	No	/
			Right Edge 5mm	0.706	0.400	0.000	1.106	No	/
			Top Edge 15mm	0.138	0.277	0.000	0.415	No	/
	WCDMA Band 5 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.651	0.901	0.095	1.647	Yes	6#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.267	0.027	0.400	0.694	No	/
			Top Edge 0mm	0.277	0.782	0.021	1.080	No	/
		Off	Back Side 15mm	0.351	0.204	0.013	0.568	No	/
			Right Edge 5mm	0.706	0.027	0.400	1.133	No	/
			Top Edge 15mm	0.138	0.104	0.009	0.251	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 2 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.745	0.861	0.056	1.662	Yes	7#
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.103	0.400	0.000	0.503	No	/
			Top Edge 0mm	0.484	0.171	0.014	0.669	No	/
		Off	Back Side 15mm	0.693	0.074	0.008	0.775	No	/
			Right Edge 5mm	0.800	0.400	0.000	1.200	No	/
			Top Edge 15mm	0.753	0.024	0.000	0.777	No	/
	LTE Band 2 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.745	0.783	0.095	1.623	Yes	8#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.103	0.029	0.400	0.532	No	/
			Top Edge 0mm	0.484	0.334	0.021	0.839	No	/
		Off	Back Side 15mm	0.693	0.049	0.013	0.755	No	/
			Right Edge 5mm	0.800	0.029	0.400	1.229	No	/
			Top Edge 15mm	0.753	0.038	0.009	0.800	No	/
	LTE Band 2 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.745	0.964	0.056	1.765	Yes	9#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.103	0.400	0.000	0.503	No	/
			Top Edge 0mm	0.484	1.147	0.014	1.645	Yes	10#
		Off	Back Side 15mm	0.693	0.195	0.008	0.896	No	/
			Right Edge 5mm	0.800	0.400	0.000	1.200	No	/
			Top Edge 15mm	0.753	0.277	0.000	1.030	No	/
	LTE Band 2 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.745	0.901	0.095	1.741	Yes	11#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.103	0.027	0.400	0.530	No	/
			Top Edge 0mm	0.484	0.782	0.021	1.287	No	/
		Off	Back Side 15mm	0.693	0.204	0.013	0.910	No	/
			Right Edge 5mm	0.800	0.027	0.400	1.227	No	/
			Top Edge 15mm	0.753	0.104	0.009	0.866	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 5 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.706	0.861	0.056	1.623	Yes	12#
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.298	0.400	0.000	0.698	No	/
			Top Edge 0mm	0.267	0.171	0.014	0.452	No	/
		Off	Back Side 15mm	0.253	0.074	0.008	0.335	No	/
			Right Edge 5mm	0.511	0.400	0.000	0.911	No	/
			Top Edge 15mm	0.086	0.024	0.000	0.110	No	/
	LTE Band 5 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.706	0.783	0.095	1.584	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.298	0.029	0.400	0.727	No	/
			Top Edge 0mm	0.267	0.334	0.021	0.622	No	/
		Off	Back Side 15mm	0.253	0.049	0.013	0.315	No	/
			Right Edge 5mm	0.511	0.029	0.400	0.940	No	/
			Top Edge 15mm	0.086	0.038	0.009	0.133	No	/
	LTE Band 5 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.706	0.964	0.056	1.726	Yes	13#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.298	0.400	0.000	0.698	No	/
			Top Edge 0mm	0.267	1.147	0.014	1.428	No	/
		Off	Back Side 15mm	0.253	0.195	0.008	0.456	No	/
			Right Edge 5mm	0.511	0.400	0.000	0.911	No	/
			Top Edge 15mm	0.086	0.277	0.000	0.363	No	/
	LTE Band 5 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.706	0.901	0.095	1.702	Yes	14#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.298	0.027	0.400	0.725	No	/
			Top Edge 0mm	0.267	0.782	0.021	1.070	No	/
		Off	Back Side 15mm	0.253	0.204	0.013	0.470	No	/
			Right Edge 5mm	0.511	0.027	0.400	0.938	No	/
			Top Edge 15mm	0.086	0.104	0.009	0.199	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 7 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.610	0.861	0.056	1.527	No	/
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.265	0.400	0.000	0.665	No	/
			Top Edge 0mm	0.412	0.171	0.014	0.597	No	/
		Off	Back Side 15mm	0.239	0.074	0.008	0.321	No	/
			Right Edge 5mm	0.929	0.400	0.000	1.329	No	/
			Top Edge 15mm	0.211	0.024	0.000	0.235	No	/
	LTE Band 7 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.610	0.783	0.095	1.488	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.265	0.029	0.400	0.694	No	/
			Top Edge 0mm	0.412	0.334	0.021	0.767	No	/
		Off	Back Side 15mm	0.239	0.049	0.013	0.301	No	/
			Right Edge 5mm	0.929	0.029	0.400	1.358	No	/
			Top Edge 15mm	0.211	0.038	0.009	0.258	No	/
	LTE Band 7 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.610	0.964	0.056	1.630	Yes	15#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.265	0.400	0.000	0.665	No	/
			Top Edge 0mm	0.412	1.147	0.014	1.573	No	/
		Off	Back Side 15mm	0.239	0.195	0.008	0.442	No	/
			Right Edge 5mm	0.929	0.400	0.000	1.329	No	/
			Top Edge 15mm	0.211	0.277	0.000	0.488	No	/
	LTE Band 7 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.610	0.901	0.095	1.606	Yes	16#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.265	0.027	0.400	0.692	No	/
			Top Edge 0mm	0.412	0.782	0.021	1.215	No	/
		Off	Back Side 15mm	0.239	0.204	0.013	0.456	No	/
			Right Edge 5mm	0.929	0.027	0.400	1.356	No	/
			Top Edge 15mm	0.211	0.104	0.009	0.324	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 12 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.723	0.861	0.056	1.640	Yes	17#
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.196	0.400	0.000	0.596	No	/
			Top Edge 0mm	0.327	0.171	0.014	0.512	No	/
		Off	Back Side 15mm	0.158	0.074	0.008	0.240	No	/
			Right Edge 5mm	0.186	0.400	0.000	0.586	No	/
			Top Edge 15mm	0.065	0.024	0.000	0.089	No	/
	LTE Band 12 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.723	0.783	0.095	1.601	Yes	18#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.196	0.029	0.400	0.625	No	/
			Top Edge 0mm	0.327	0.334	0.021	0.682	No	/
		Off	Back Side 15mm	0.158	0.049	0.013	0.220	No	/
			Right Edge 5mm	0.186	0.029	0.400	0.615	No	/
			Top Edge 15mm	0.065	0.038	0.009	0.112	No	/
	LTE Band 12 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.723	0.964	0.056	1.743	Yes	19#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.196	0.400	0.000	0.596	No	/
			Top Edge 0mm	0.327	1.147	0.014	1.488	No	/
		Off	Back Side 15mm	0.158	0.195	0.008	0.361	No	/
			Right Edge 5mm	0.186	0.400	0.000	0.586	No	/
			Top Edge 15mm	0.065	0.277	0.000	0.342	No	/
	LTE Band 12 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.723	0.901	0.095	1.719	Yes	20#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.196	0.027	0.400	0.623	No	/
			Top Edge 0mm	0.327	0.782	0.021	1.130	No	/
		Off	Back Side 15mm	0.158	0.204	0.013	0.375	No	/
			Right Edge 5mm	0.186	0.027	0.400	0.613	No	/
			Top Edge 15mm	0.065	0.104	0.009	0.178	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 13 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.749	0.861	0.056	1.666	Yes	21#
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.250	0.400	0.000	0.650	No	/
			Top Edge 0mm	0.365	0.171	0.014	0.550	No	/
		Off	Back Side 15mm	0.323	0.074	0.008	0.405	No	/
			Right Edge 5mm	0.510	0.400	0.000	0.910	No	/
			Top Edge 15mm	0.090	0.024	0.000	0.114	No	/
	LTE Band 13 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.749	0.783	0.095	1.627	Yes	22#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.250	0.029	0.400	0.679	No	/
			Top Edge 0mm	0.365	0.334	0.021	0.720	No	/
		Off	Back Side 15mm	0.323	0.049	0.013	0.385	No	/
			Right Edge 5mm	0.510	0.029	0.400	0.939	No	/
			Top Edge 15mm	0.090	0.038	0.009	0.137	No	/
	LTE Band 13 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.749	0.964	0.056	1.769	Yes	23#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.250	0.400	0.000	0.650	No	/
			Top Edge 0mm	0.365	1.147	0.014	1.526	No	/
		Off	Back Side 15mm	0.323	0.195	0.008	0.526	No	/
			Right Edge 5mm	0.510	0.400	0.000	0.910	No	/
			Top Edge 15mm	0.090	0.277	0.000	0.367	No	/
	LTE Band 13 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.749	0.901	0.095	1.745	Yes	24#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.250	0.027	0.400	0.677	No	/
			Top Edge 0mm	0.365	0.782	0.021	1.168	No	/
		Off	Back Side 15mm	0.323	0.204	0.013	0.540	No	/
			Right Edge 5mm	0.510	0.027	0.400	0.937	No	/
			Top Edge 15mm	0.090	0.104	0.009	0.203	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 26 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.726	0.861	0.056	1.643	Yes	25#
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.292	0.400	0.000	0.692	No	/
			Top Edge 0mm	0.276	0.171	0.014	0.461	No	/
		Off	Back Side 15mm	0.274	0.074	0.008	0.356	No	/
			Right Edge 5mm	0.599	0.400	0.000	0.999	No	/
			Top Edge 15mm	0.096	0.024	0.000	0.120	No	/
	LTE Band 26 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.726	0.783	0.095	1.604	Yes	26#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.292	0.029	0.400	0.721	No	/
			Top Edge 0mm	0.276	0.334	0.021	0.631	No	/
		Off	Back Side 15mm	0.274	0.049	0.013	0.336	No	/
			Right Edge 5mm	0.599	0.029	0.400	1.028	No	/
			Top Edge 15mm	0.096	0.038	0.009	0.143	No	/
	LTE Band 26 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.726	0.964	0.056	1.746	Yes	27#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.292	0.400	0.000	0.692	No	/
			Top Edge 0mm	0.276	1.147	0.014	1.437	No	/
		Off	Back Side 15mm	0.274	0.195	0.008	0.477	No	/
			Right Edge 5mm	0.599	0.400	0.000	0.999	No	/
			Top Edge 15mm	0.096	0.277	0.000	0.373	No	/
	LTE Band 26 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.726	0.901	0.095	1.722	Yes	28#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.292	0.027	0.400	0.719	No	/
			Top Edge 0mm	0.276	0.782	0.021	1.079	No	/
		Off	Back Side 15mm	0.274	0.204	0.013	0.491	No	/
			Right Edge 5mm	0.599	0.027	0.400	1.026	No	/
			Top Edge 15mm	0.096	0.104	0.009	0.209	No	/


Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 30 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.651	0.861	0.056	1.568	No	/
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.244	0.400	0.000	0.644	No	/
			Top Edge 0mm	0.296	0.171	0.014	0.481	No	/
		Off	Back Side 15mm	0.330	0.074	0.008	0.412	No	/
			Right Edge 5mm	0.812	0.400	0.000	1.212	No	/
			Top Edge 15mm	0.304	0.024	0.000	0.328	No	/
	LTE Band 30 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.651	0.783	0.095	1.529	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.244	0.029	0.400	0.673	No	/
			Top Edge 0mm	0.296	0.334	0.021	0.651	No	/
		Off	Back Side 15mm	0.330	0.049	0.013	0.392	No	/
			Right Edge 5mm	0.812	0.029	0.400	1.241	No	/
			Top Edge 15mm	0.304	0.038	0.009	0.351	No	/
	LTE Band 30 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.651	0.964	0.056	1.671	Yes	29#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.244	0.400	0.000	0.644	No	/
			Top Edge 0mm	0.296	1.147	0.014	1.457	No	/
		Off	Back Side 15mm	0.330	0.195	0.008	0.533	No	/
			Right Edge 5mm	0.812	0.400	0.000	1.212	No	/
			Top Edge 15mm	0.304	0.277	0.000	0.581	No	/
	LTE Band 30 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.651	0.901	0.095	1.647	Yes	30#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.244	0.027	0.400	0.671	No	/
			Top Edge 0mm	0.296	0.782	0.021	1.099	No	/
		Off	Back Side 15mm	0.330	0.204	0.013	0.547	No	/
			Right Edge 5mm	0.812	0.027	0.400	1.239	No	/
			Top Edge 15mm	0.304	0.104	0.009	0.417	No	/

Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 41 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.709	0.861	0.056	1.626	Yes	31#
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.295	0.400	0.000	0.695	No	/
			Top Edge 0mm	0.406	0.171	0.014	0.591	No	/
		Off	Back Side 15mm	0.138	0.074	0.008	0.220	No	/
			Right Edge 5mm	0.661	0.400	0.000	1.061	No	/
			Top Edge 15mm	0.143	0.024	0.000	0.167	No	/
	LTE Band 41 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.709	0.783	0.095	1.587	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.295	0.029	0.400	0.724	No	/
			Top Edge 0mm	0.406	0.334	0.021	0.761	No	/
		Off	Back Side 15mm	0.138	0.049	0.013	0.200	No	/
			Right Edge 5mm	0.661	0.029	0.400	1.090	No	/
			Top Edge 15mm	0.143	0.038	0.009	0.190	No	/
	LTE Band 41 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.709	0.964	0.056	1.729	Yes	32#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.295	0.400	0.000	0.695	No	/
			Top Edge 0mm	0.406	1.147	0.014	1.567	No	/
		Off	Back Side 15mm	0.138	0.195	0.008	0.341	No	/
			Right Edge 5mm	0.661	0.400	0.000	1.061	No	/
			Top Edge 15mm	0.143	0.277	0.000	0.420	No	/
	LTE Band 41 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.709	0.901	0.095	1.705	Yes	33#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.295	0.027	0.400	0.722	No	/
			Top Edge 0mm	0.406	0.782	0.021	1.209	No	/
		Off	Back Side 15mm	0.138	0.204	0.013	0.355	No	/
			Right Edge 5mm	0.661	0.027	0.400	1.088	No	/
			Top Edge 15mm	0.143	0.104	0.009	0.256	No	/


Test Mode	Conditions (SAR1+SAR2+SAR3)	SAR Power Back-off	Position	Max. 1g SAR1	Max. 1g SAR2	Max. 1g SAR3	1g Sum SAR	SPLSR	No.
				(W/kg)	(W/kg)	(W/kg)	(W/kg)	(Yes/No)	
Body									
Tablet	LTE Band 66 + WLAN 2.4GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.645	0.861	0.056	1.562	No	/
			Left Edge 0mm	0.400	0.434	0.000	0.834	No	/
			Right Edge 0mm	0.133	0.400	0.000	0.533	No	/
			Top Edge 0mm	0.387	0.171	0.014	0.572	No	/
		Off	Back Side 15mm	0.439	0.074	0.008	0.521	No	/
			Right Edge 5mm	0.784	0.400	0.000	1.184	No	/
			Top Edge 15mm	0.485	0.024	0.000	0.509	No	/
	LTE Band 66 + WLAN 2.4GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.645	0.783	0.095	1.523	No	/
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.133	0.029	0.400	0.562	No	/
			Top Edge 0mm	0.387	0.334	0.021	0.742	No	/
		Off	Back Side 15mm	0.439	0.049	0.013	0.501	No	/
			Right Edge 5mm	0.784	0.029	0.400	1.213	No	/
			Top Edge 15mm	0.485	0.038	0.009	0.532	No	/
	LTE Band 66 + WLAN 5GHz(Main) + Bluetooth(Aux)	On	Back Side 0mm	0.645	0.964	0.056	1.665	Yes	34#
			Left Edge 0mm	0.400	0.406	0.000	0.806	No	/
			Right Edge 0mm	0.133	0.400	0.000	0.533	No	/
			Top Edge 0mm	0.387	1.147	0.014	1.548	No	/
		Off	Back Side 15mm	0.439	0.195	0.008	0.642	No	/
			Right Edge 5mm	0.784	0.400	0.000	1.184	No	/
			Top Edge 15mm	0.485	0.277	0.000	0.762	No	/
	LTE Band 66 + WLAN 5GHz(Aux) + Bluetooth(Main)	On	Back Side 0mm	0.645	0.901	0.095	1.641	Yes	35#
			Left Edge 0mm	0.400	0.000	0.034	0.434	No	/
			Right Edge 0mm	0.133	0.027	0.400	0.560	No	/
			Top Edge 0mm	0.387	0.782	0.021	1.190	No	/
		Off	Back Side 15mm	0.439	0.204	0.013	0.656	No	/
			Right Edge 5mm	0.784	0.027	0.400	1.211	No	/
			Top Edge 15mm	0.485	0.104	0.009	0.598	No	/

(QCNFA425)SPLSR Analysis


No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
1#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	191.4	1.60	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	68.0	0.69	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
2#	Back Side 0mm	WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	71.4	1.54	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		WCDMA Band 2	0.636	-0.0872	0.0884	-0.175	188.4	0.73	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
3#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	191.4	1.59	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	68.0	0.68	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
4#	Back Side 0mm	WCDMA Band 4	0.626	-0.086	0.0884	-0.174	71.4	1.53	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		WCDMA Band 4	0.626	-0.086	0.0884	-0.174	188.4	0.72	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
5#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	191.4	1.62	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	68.0	0.71	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
6#	Back Side 0mm	WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	71.4	1.55	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		WCDMA Band 5	0.651	-0.0872	0.0884	-0.174	188.4	0.75	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
7#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	187.0	1.61	0.01	No
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	68.0	0.80	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175	119.0	0.92	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
8#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	58.8	1.53	0.03	No
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	188.4	0.84	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175	130.9	0.88	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
9#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	191.4	1.71	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	68.0	0.80	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
10#	Top Edge 0mm	LTE Band 2	0.484	-0.00118	0.0832	-0.175	176.2	1.63	0.01	No
		WLAN 5GHz(Main)	1.147	-0.000989	-0.093	-0.176				
		LTE Band 2	0.484	-0.00118	0.0832	-0.175	52.0	0.50	0.01	No
		Bluetooth(Aux)	0.014	0.0000252	0.0312	-0.175				
		WLAN 5GHz(Main)	1.147	-0.000989	-0.093	-0.176	124.2	1.16	0.01	No
		Bluetooth(Aux)	0.014	0.0000252	0.0312	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
11#	Back Side 0mm	LTE Band 2	0.745	-0.0872	0.0884	-0.175	71.4	1.65	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 2	0.745	-0.0872	0.0884	-0.175	188.4	0.84	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
12#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	185.8	1.57	0.01	No
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	66.9	0.76	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175	119.0	0.92	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
13#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	190.2	1.67	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	66.9	0.76	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
14#	Back Side 0mm	LTE Band 5	0.706	-0.0872	0.0872	-0.174	70.2	1.61	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 5	0.706	-0.0872	0.0872	-0.174	187.2	0.80	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
15#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	202.2	1.57	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	78.8	0.67	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
16#	Back Side 0mm	LTE Band 7	0.61	-0.085	0.0992	-0.174	82.2	1.51	0.02	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 7	0.61	-0.085	0.0992	-0.174	199.2	0.71	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
17#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	183.3	1.58	0.01	No
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	65.7	0.78	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175	119.0	0.92	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
18#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	54.4	1.51	0.03	No
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	185.3	0.82	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175	130.9	0.88	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
19#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	188.2	1.69	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	65.7	0.78	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
20#	Back Side 0mm	LTE Band 12	0.723	-0.0716	0.0848	-0.175	69.3	1.62	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 12	0.723	-0.0716	0.0848	-0.175	185.3	0.82	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
21#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	187.0	1.61	0.01	No
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	68.0	0.81	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175	119.0	0.92	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
22#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	58.8	1.53	0.03	No
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	188.4	0.84	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175	130.9	0.88	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
23#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	191.4	1.71	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	68.0	0.81	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
24#	Back Side 0mm	LTE Band 13	0.749	-0.0872	0.0884	-0.174	71.4	1.65	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 13	0.749	-0.0872	0.0884	-0.174	188.4	0.84	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
25#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	185.8	1.59	0.01	No
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	66.9	0.78	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175	119.0	0.92	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
26#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	57.6	1.51	0.03	No
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	187.2	0.82	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 2.4GHz(Aux)	0.783	-0.0764	0.0306	-0.175	130.9	0.88	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
27#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	190.2	1.69	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	66.9	0.78	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
28#	Back Side 0mm	LTE Band 26	0.726	-0.0872	0.0872	-0.174	70.2	1.63	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 26	0.726	-0.0872	0.0872	-0.174	187.2	0.82	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
29#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	185.9	1.62	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	62.8	0.71	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
30#	Back Side 0mm	LTE Band 30	0.651	-0.078	0.0828	-0.174	66.3	1.55	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 30	0.651	-0.078	0.0828	-0.174	182.9	0.75	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
31#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	198.3	1.57	0.01	No
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	79.4	0.77	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 2.4GHz(Main)	0.861	-0.0788	-0.0984	-0.175	119.0	0.92	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
32#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	202.7	1.67	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	79.4	0.77	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				




No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
33#	Back Side 0mm	LTE Band 41	0.709	-0.09	0.0996	-0.174	82.7	1.61	0.02	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 41	0.709	-0.09	0.0996	-0.174	199.7	0.80	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
34#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	191.5	1.61	0.01	No
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	68.1	0.70	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				
		WLAN 5GHz(Main)	0.964	-0.084	-0.103	-0.175	123.4	1.02	0.01	No
		Bluetooth(Aux)	0.056	-0.0848	0.0204	-0.175				



No.	Position	Antenna	Reported 1g Max. SAR (W/kg)	Coordinates (m)			3D distance (mm)	1g Sum SAR (W/kg)	SPLSR	Simultaneous SAR Test (Yes/No)
				X	Y	Z				
35#	Back Side 0mm	LTE Band 66	0.645	-0.0884	0.0884	-0.175	71.4	1.55	0.03	No
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175				
		LTE Band 66	0.645	-0.0884	0.0884	-0.175	188.4	0.74	0.00	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				
		WLAN 5GHz(Aux)	0.901	-0.086	0.017	-0.175	117.0	1.00	0.01	No
		Bluetooth(Main)	0.095	-0.0848	-0.1	-0.175				



14 TEST EQUIPMENTS LIST

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
PC	Dell	N/A	N/A	N/A	N/A
750MHz Validation Dipole	Speag	D750V3	SN: 1055	2017/06/26	2020/06/25
835MHz Validation Dipole	Speag	D835V2	SN: 4d187	2017/06/26	2020/06/25
1750MHz Validation Dipole	Speag	D1750V2	SN: 1130	2017/07/01	2020/06/30
1900MHz Validation Dipole	Speag	D1900V2	SN: 5d193	2017/06/30	2020/06/29
2450MHz Validation Dipole	Speag	D2450V2	SN: 952	2017/03/21	2020/03/20
2600MHz Validation Dipole	Speag	D2600V2	SN: 1095	2017/07/10	2020/07/09
5GHz Validation Dipole	Speag	D5GHzV2	SN: 1200	2017/06/29	2020/06/28
E-Field Probe	Speag	EX3DV4	SN: 7510	2018/07/14	2019/07/13
Data acquisition electronics	Speag	DAE4	SN: 1454	2018/01/11	2019/01/10
Signal Generator	R&S	SMBV100A	260592	2018/06/15	2019/06/14
Power Meter	Agilent	E4419B	GB40201833	2017/11/02	2018/11/01
Power Sensor	Agilent	E9300A	MY41498012	2017/11/02	2018/11/01
Power Sensor	Agilent	E9300A	MY41499891	2017/11/02	2018/11/01
Wireless Communication Test Set	Agilent	8960-E5515C	MY50260493	2017/11/02	2018/11/01
Wireless Communication Test Set	R&S	CMW 500	151885	2017/11/02	2018/11/01
Network Analyzer	Agilent	5071C	MY46103472	2018/03/14	2019/03/13
Thermometer	Elitech	RC-4HC	N/A	2017/11/13	2018/11/12
Phantom1	Speag	SAM	SN: 1859	N/A	N/A
Phantom2	Speag	SAM	SN: 1857	N/A	N/A
Attenuator	COM-MW	ZA-S1-31	1305003187	N/A	N/A
Power Amplifier	SATIMO	6552B	22374	N/A	N/A
Directional coupler	AA-MCS	AAMCS-UDC	000272	N/A	N/A
Power Amplifier	SATIMO	6552B	22374	N/A	N/A
Dielectric Probe Kit	SATIMO	SCLMP	SN 25/13 OCPG56	N/A	N/A

Note:

Per KDB 865664 D01, Dipole SAR Validation Verification, BALUN LAB has adopted 3 years calibration intervals. On annual basis, every measurement dipole has been evaluated and is in compliance with the following criteria:

1. There is no physical damage on the dipole;
2. System validation with specific dipole is within 10% of calibrated value;
3. Return-loss in within 20% of calibrated measurement.
4. Impedance (real or imaginary parts) in within 5 Ohms of calibrated measurement.

ANNEX A SIMULATING LIQUID VERIFICATION RESULT

The dielectric parameters of the liquids were verified prior to the SAR evaluation using an SCLMP Dielectric Probe Kit.

Date	Liquid Type	Fre. (MHz)	Temp. (°C)	Meas. Conductivity (σ) (S/m)	Meas. Permittivity (ϵ)	Target Conductivity (σ) (S/m)	Target Permittivity (ϵ)	Conductivity Tolerance (%)	Permittivity Tolerance (%)
2018.08.17	Body	750	21.3	0.95	55.31	0.96	55.50	-1.04	-0.34
2018.08.20	Body	750	21.3	0.95	56.19	0.96	55.50	-1.04	1.24
2018.08.28	Body	835	21.4	0.94	53.84	0.97	55.20	-3.09	-2.46
2018.08.27	Body	835	21.0	0.94	53.78	0.97	55.20	-3.09	-2.57
2018.08.24	Body	835	21.5	0.99	55.95	0.97	55.20	2.06	1.36
2018.08.15	Body	1750	21.3	1.49	53.74	1.49	53.40	0.00	0.64
2018.08.16	Body	1750	21.1	1.52	53.08	1.49	53.40	2.01	-0.60
2018.08.13	Body	1900	21.4	1.55	52.88	1.52	53.30	1.97	-0.79
2018.08.14	Body	1900	21.5	1.54	51.66	1.52	53.30	1.32	-3.08
2018.09.03	Body	2450	21.0	1.98	51.69	1.95	52.70	1.54	-1.92
2018.08.03	Body	2450	21.2	1.96	51.05	1.95	52.70	0.51	-3.13
2018.08.06	Body	2450	21.5	1.97	52.75	1.95	52.70	1.03	0.09
2018.08.07	Body	2450	21.3	1.99	51.84	1.95	52.70	2.05	-1.63
2018.08.30	Body	2600	21.5	2.23	50.82	2.16	52.50	3.24	-3.20
2018.08.31	Body	2600	21.3	2.19	52.47	2.16	52.50	1.39	-0.06
2018.08.08	Body	5250	21.3	5.22	49.25	5.30	48.70	-1.51	1.13
2018.09.04	Body	5250	21.4	5.19	50.81	5.30	48.70	-2.08	4.33
2018.09.05	Body	5250	21.0	5.29	49.65	5.30	48.70	-0.19	1.95
2018.08.09	Body	5600	21.3	5.75	47.07	5.77	48.50	-0.35	-2.95
2018.09.07	Body	5600	21.1	5.82	49.28	5.77	48.50	0.87	1.61
2018.09.06	Body	5600	21.0	5.90	48.01	5.77	48.50	2.25	-1.01
2018.08.10	Body	5750	21.1	6.09	47.52	6.00	48.20	1.50	-1.41
2018.09.08	Body	5750	21.3	5.91	47.25	6.00	48.20	-1.50	-1.97
2018.09.10	Body	5750	21.3	5.99	48.01	6.00	48.20	-0.17	-0.39

Note: The tolerance limit of Conductivity and Permittivity is $\pm 5\%$.

ANNEX B SYSTEM CHECK RESULT

Comparing to the original SAR value provided by SPEAG, the validation data should be within its specification of 10 % (for 1 g).

Date	Liquid Type	Freq. (MHz)	Power (mW)	Measured SAR (W/kg)	Normalized SAR (W/kg)	Dipole SAR (W/kg)	Tolerance (%)	Targeted SAR (W/kg)	Tolerance (%)
2018.08.17	Body	750	100	0.834	8.34	8.58	-2.80	8.49	-1.77
2018.08.20	Body	750	100	0.841	8.41	8.58	-1.98	8.49	-0.94
2018.08.28	Body	835	100	0.912	9.12	9.53	-4.30	9.56	-4.60
2018.08.27	Body	835	100	0.964	9.64	9.53	1.15	9.56	0.84
2018.08.24	Body	835	100	0.943	9.43	9.53	-1.05	9.56	-1.36
2018.08.15	Body	1750	100	3.560	35.60	36.70	-3.00	36.40	-2.20
2018.08.16	Body	1750	100	3.840	38.40	36.70	4.63	36.40	5.49
2018.08.13	Body	1900	100	3.940	39.40	39.90	-1.25	39.70	-0.76
2018.08.14	Body	1900	100	4.140	41.40	39.90	3.76	39.70	4.28
2018.09.03	Body	2450	100	4.970	49.70	50.50	-1.58	52.40	-5.15
2018.08.03	Body	2450	100	5.040	50.40	50.50	-0.20	52.40	-3.82
2018.08.06	Body	2450	100	4.910	49.10	50.50	-2.77	52.40	-6.30
2018.08.07	Body	2450	100	5.090	50.90	50.50	0.79	52.40	-2.86
2018.08.30	Body	2600	100	5.560	55.60	54.30	2.39	55.30	0.54
2018.08.31	Body	2600	100	5.570	55.70	54.30	2.58	55.30	0.72
2018.08.08	Body	5250	100	7.960	79.60	75.20	5.85	76.50	4.05
2018.09.04	Body	5250	100	7.330	73.30	75.20	-2.53	76.50	-4.18
2018.09.05	Body	5250	100	7.220	72.20	75.20	-3.99	76.50	-5.62
2018.08.09	Body	5600	100	7.850	78.50	77.90	0.77	83.30	-5.76
2018.09.07	Body	5600	100	7.700	77.00	77.90	-1.16	83.30	-7.56
2018.09.06	Body	5600	100	7.900	79.00	77.90	1.41	83.30	-5.16
2018.08.10	Body	5750	100	7.260	72.60	75.00	-3.20	78.00	-6.92
2018.09.08	Body	5750	100	7.460	74.60	75.00	-0.53	78.00	-4.36
2018.09.10	Body	5750	100	7.940	79.40	75.00	5.87	78.00	1.79
Note: The tolerance limit of System validation $\pm 10\%$.									

System Performance Check Data (750MHz Body)

Date: 2018.08.17

Communication System Band: D750 (750.0 MHz); Frequency: 750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.947 \text{ S/m}$; $\epsilon_r = 55.311$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient Temperature: 22.5 Liquid Temperature: 21.3

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(10.53, 10.53, 10.53); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW750 Body 100mw/Area Scan (61x121x1): Interpolated grid: $dx=1.500 \text{ mm}$, $dy=1.500 \text{ mm}$

Maximum value of SAR (interpolated) = 0.884 W/kg


CW750 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 30.08 V/m; Power Drift = -0.01 dB

Peak SAR (extrapolated) = 1.35 W/kg

SAR(1 g) = 0.834 W/kg; SAR(10 g) = 0.554 W/kg

Maximum value of SAR (measured) = 0.886 W/kg



0 dB = 0.886 W/kg

System Performance Check Data (750MHz Body)

Date: 2018.08.20

Communication System Band: D750 (750.0 MHz); Frequency: 750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 750$ MHz; $\sigma = 0.954$ S/m; $\epsilon_r = 56.185$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient Temperature: 22.5 Liquid Temperature: 21.3

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(10.53, 10.53, 10.53); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW750 Body 100mw/Area Scan (61x121x1): Interpolated grid: dx=1.500 mm, dy=1.500 mm

Maximum value of SAR (interpolated) = 0.888 W/kg


CW750 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 30.26 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 1.36 W/kg

SAR(1 g) = 0.841 W/kg; SAR(10 g) = 0.558 W/kg

Maximum value of SAR (measured) = 0.895 W/kg



0 dB = 0.895 W/kg

System Performance Check Data (835MHz Body)

Date: 2018.08.28

Communication System Band: D835 (835.0 MHz); Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 835$ MHz; $\sigma = 0.943$ S/m; $\epsilon_r = 53.844$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient Temperature: 22.6 Liquid Temperature: 21.4

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(10.14, 10.14, 10.14); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW835 Body 100mw/Area Scan (61x121x1): Interpolated grid: dx=1.500 mm, dy=1.500 mm

Maximum value of SAR (interpolated) = 0.974 W/kg


CW835 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 32.55 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 1.33 W/kg

SAR(1 g) = 0.912 W/kg; SAR(10 g) = 0.604 W/kg

Maximum value of SAR (measured) = 0.984 W/kg



0 dB = 0.984 W/kg

System Performance Check Data (835MHz Body)

Date: 2018.08.27

Communication System Band: D835 (835.0 MHz); Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.94 \text{ S/m}$; $\epsilon_r = 53.775$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient Temperature: 22.1 Liquid Temperature: 21.0

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(10.14, 10.14, 10.14); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW835 Body 100mw/Area Scan (61x121x1): Interpolated grid: $dx=1.500 \text{ mm}$, $dy=1.500 \text{ mm}$

Maximum value of SAR (interpolated) = 1.03 W/kg


CW835 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 33.48 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 1.41 W/kg

SAR(1 g) = 0.964 W/kg; SAR(10 g) = 0.638 W/kg

Maximum value of SAR (measured) = 1.04 W/kg



0 dB = 1.04 W/kg

System Performance Check Data (835MHz Body)

Date: 2018.08.24

Communication System Band: D835 (835.0 MHz); Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.991 \text{ S/m}$; $\epsilon_r = 55.953$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient Temperature: 22.3 Liquid Temperature: 21.5

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(10.14, 10.14, 10.14); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW835 Body 100mw/Area Scan (61x121x1): Interpolated grid: $dx=1.500 \text{ mm}$, $dy=1.500 \text{ mm}$

Maximum value of SAR (interpolated) = 1.01 W/kg


CW835 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 33.28 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 1.38 W/kg

SAR(1 g) = 0.943 W/kg; SAR(10 g) = 0.625 W/kg

Maximum value of SAR (measured) = 1.02 W/kg



0 dB = 1.02 W/kg

System Performance Check Data (1750MHz Body)

Date: 2018.08.15

Communication System Band: D1750 (1750.0 MHz); Frequency: 1750 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1750$ MHz; $\sigma = 1.49$ S/m; $\epsilon_r = 53.742$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient Temperature: 22.6 Liquid Temperature: 21.3

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(8.2, 8.2, 8.2); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW1750 Body 100mw/Area Scan (101x101x1): Interpolated grid: dx=1.000 mm, dy=1.000 mm

Maximum value of SAR (interpolated) = 4.06 W/kg


CW1750 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 51.58 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 6.35 W/kg

SAR(1 g) = 3.56 W/kg; SAR(10 g) = 1.91 W/kg

Maximum value of SAR (measured) = 4.02 W/kg



0 dB = 4.02 W/kg

System Performance Check Data (1750MHz Body)

Date: 2018.08.16

Communication System Band: D1750 (1750.0 MHz); Frequency: 1750 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1750$ MHz; $\sigma = 1.517$ S/m; $\epsilon_r = 53.081$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient Temperature: 22.3 Liquid Temperature: 21.1

DASY5 Configuration:

- Probe: EX3DV4 - SN7510; ConvF(8.2, 8.2, 8.2); Calibrated: 2018.07.14;
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1454; Calibrated: 2018.01.11
- Phantom: ELI v4.0 (30deg probe tilt); Type: QDOVA001BB; Serial: TP:1012
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

CW1750 Body 100mw/Area Scan (101x101x1): Interpolated grid: dx=1.000 mm, dy=1.000 mm

Maximum value of SAR (interpolated) = 4.34 W/kg


CW1750 Body 100mw/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 53.62 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 6.84 W/kg

SAR(1 g) = 3.84 W/kg; SAR(10 g) = 2.06 W/kg

Maximum value of SAR (measured) = 4.33 W/kg



0 dB = 4.33 W/kg